

# **Product Specification**

108-106071

24Jan2011 Rev. A

Multi 6p double lock Conn.

# Scope:

#### 1.1 Contents

This specification covers the requirements for product performance, test methods and quality assurance provisions of "Multi 6p double lock Conn.".

Applicable product description and part numbers are as shown in Appendix 1.

### 2. APPLICABLE DOCUMENTS

The following documents form a part of this specification to the extent specified herein. Unless otherwise specified, the latest edition of the document applies. In the event of conflict between the requirements of this specification and the product drawing, the product drawing shall take precedence. In the event of conflict between the requirements of this specification and the referenced documents, this specification shall take precedence.

### 2.1 Tyco Electronics Document:

A. 109-5000: Test specification, General requirements for Test methods

B. 114-106071: Application specification

C: 501-106071: Test report

### 2.2 Commercial Standards and Specification:

MIL-STD-202 Test Methods for Electronics and Electrical component parts

## 3. Requirements:

# 3.1 Design and Construction

Product shall be of the design, construction and physical dimensions specified on the applicable Product drawing

## 3.2 Materials:

A. Contact:

(1) Material: Copper Alloy(2) Finish: Pre Tinned all over

Rec: Pre Tinned all over Tab: Pre Tinned all over

## B. Housing:

(1) Material: Thermoplastic.(2) Flammability: UL 94V-2/0,

(3) Glow wire test: IEC 60695-2-11

### C. Double lock Plate

(1) Material: Thermoplastic(2) Flammability: UL 94V-2/0,

## 3.3 Ratings:

A. Voltage Rating: 300V AC/DC

B. Current Rating: 9A max.

C. Temperature Rating: -30°C to 105°C

D. T-rise (<30°C testing with fully loaded (6 positions)

Contact	Rec. co	ontact:1983663	-*	Rec	. contact:19836	64-*		
Contact	Tab co	ntact:1983661-	.*	Tab contact:1983662-*				
Wire size	Awg # 16	Awg #18	Awg #20	Awg #22	Awg #24	Awg #26		
Current rating	9A	8A	7A	5A	4A	3A		

# 3.4 Performance Requirements and Test Descriptions:

The product shall be designed to meet the electrical, mechanical and environmental performance Requirements Specified in Fig, 2. All tests shall be performed in the room temperature, unless otherwise Specified

# 3.5 Test Requirements and Procedures Summary (Fig.1)

No.	3.5.1				
Test Items	Examination of Product				
Requirements	Meets requirements of product drawing and TE Specification (114-5425) After test, no corrosion influence performance.				
Procedures	Visual inspection No physical damage				
	Electrical Requirements				
No.	3.5.2				
Test Items	Termination Resistance (Low Level)				
Requirements	40 milliohms max				

Rev. A 2 of 9



24Jan2011 Rev. A

Procedures	TE Spec 109-5311-1. Subject mated contacts assembled in housing to 50 mV max open circuit at 100 mA, closed circuit. see Fig.4							
No.	3.5.3							
Test Items	Dielectric withstanding Voltage							
Requirements	Neither creeping discharge nor	flashover shall occur. Current	leakage: 0.5 mA max.					
Procedures	TE Spec 109-5301 MIL-STD-202 Method 301 Test between adjacent circuits of mated connectors.							
No.	3.5.4							
Test Items	Insulation Resistance							
Requirements	500 MΩ min							
Procedures	Impressed voltage 500V DC.	TE Spec. 109-5302 MIL-STD-202 Method 302 condition B						
No.		3.5.5						
Test Items	Temperature Rising							
Requirements	30℃ max. Under loaded specifi	ed curre nt or rating current						
Procedures	TE Spec. 109-5310  Measure temperature rising by energized current.  Subject measurement must do at the place of no influence from convection of air. And contacts assembled in housing all of circuits. The thermocouple attach to the contact of center circuit number.							
	Mechanical Requirements							
No.	3.5.6							
Test Items	Contact Retention Force							
Requirements	41.16 N min.							
Procedures	TE Spec. 109-30 Apply axial pull-off load to crimped wire. Operation speed: 100 mm/min							
No.		3.5.7						
Test Items		Crimp Tensile Strength						
Tool Romo	Wire	· · · · · · · · · · · · · · · · · · ·	Crima Tanaila/min					
			Crimp Tensile(min.)					
	mm²	(Awg)	N 10.0					
	0.14	#26	19.6					
Requirements	0.22	#24	29.4					
'	0.34	#22	49					
	0.51	#20	58.8					
	0.89	#18	68.6					
	1.27	#16	78.5					
Procedures	TE Spec. 109-5205 Condition A Apply an axial pull-off load to crimped wire of contact secured on the tester, Operation speed: 25 mm/min							
No.	3.5.8							
Test Items	Physical Shock							
Requirements	No electrical discontinuity greater than 1µsec. shall occur. Termination Resistance (Low Level)							
Procedures	TE Spec. 109-5208 Condition A MIL-STD-202, Method 213 Condition A Accelerated Velocity: 490m/s² Waveform: Sin wave Duration: 11ms Velocity change: 3.4m/s Number of Drops : 3 drops each to normal and reversed directions of X, Y and Z axis, totally 18 drops							

Rev. A 3 of 9



24Jan2011 Rev. A

No.	3.5.	Q					
Test Items	Connector Mating Force	.0					
Requirements	24.5 N max. per 1 contact						
requirements	TE Spec. 109-5206 Condition B						
Procedures	Operation speed: 100mm/min						
1100000100	Measure the force required to mate connectors						
No.	3.5.10						
Test Items	Connector un-mating Force						
Requirements	1.47N min per 1 contact						
	TE Spec. 109-5206 Condition B						
Procedures	Operation speed: 100mm/min						
1100000100	Measure the force required to mate connectors						
No.	3.5.	11					
Test Items	Contac Insertion Force	11					
Requirements	14.7 N max. per 1 contact						
Procedures	Measure the force required to insert contact into	housing					
1100000103	Environmental Requirem						
No.	3.5.						
Test Items	Vibration Sinusoidal High Frequency	12					
Requirements	No electrical discontinuity greater than 1µ sec sh	all occur					
requirements	TE Spec. 109-5202 Condition A	idii 000di					
	MIL-STD-202 Method 204, Condition A						
	Vibration frequency: 10~500 HZ /15 min						
Procedures	Accelerated velocity: 98m/s <sup>2</sup>						
	Vibration direction: X,Y,Z						
	Duration: 2 hours each						
No.	3.5.	13					
Test Items	Durability (repeated mating / un-mating)						
Requirements	Termination resistance (Low Level).						
	TE Spec.	:109-27					
Procedures	Plating	Cycles					
Fiocedules	Tin (0.8µm)	15					
No.	3.5.	14					
Test Items	Housing Locking Strength						
Requirements	49 N min.						
Procedures	TE spec: 109-5210						
	Measure housing locking strength. Operation spe						
No.	3.5.	15					
Test Items	Housing Panel retention force						
Requirements	78.4 N min.						
Procedures	TE spec: 109-5214  Measure Panel retention force using panel of n	ominal out out dimensions as specified in the					
Flocedules	TE customer drawing	offilial cut-out differisions as specified in the					
No.	3.5.	16					
Test Items	Thermal Shock	10					
Requirements	Termination Resistance (Low Level)						
rtoquiiomon	TE spec: 109-5103 condition A						
	MIL-STD-202 method 107 condition A-1						
Procedures	Mated/Unmated connector						
	-30°C/30min, +85°C/30min						
	Making this a cycle, repeat 25 cycles.						
No.	3.5.	17					
Test Items	Humidity-Temperature cycling						

Rev. A 4 of 9



24Jan2011 Rev. A

Requirements  Dielectric strength Termination resistance (Low Level)  TE spec: 109-5106 MIL-STD-202 method 106 Mated connector, 25-65°C 90-95% R.H. 10cycles Cold shock -10°C  No.  Test Items Industrial Gas (SO₂)  Requirements  Termination Resistance  TE spec: 109-5107 condition C Mated connector SO₂ gas: 10ppm, 90% R.H. 25°C, 96 hours  No.  Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C							
Termination resistance (Low Level)  TE spec: 109-5106 MIL-STD-202 method 106 Mated connector, 25-65°C 90-95% R.H. 10cycles Cold shock -10°C  No.  Test Items Industrial Gas (SO₂)  Requirements Termination Resistance  Procedures  TE spec: 109-5107 condition C Mated connector SO₂ gas: 10ppm, 90% R.H. 25°C, 96 hours  No.  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C		Insulation resistance					
TE spec: 109-5106 MIL-STD-202 method 106 Mated connector, 25-65°C 90-95% R.H. 10cycles Cold shock -10°C  No. Test Items Industrial Gas (SO <sub>2</sub> ) Requirements Termination Resistance  TE spec: 109-5107 condition C Mated connector SO <sub>2</sub> gas: 10ppm, 90% R.H. 25°C, 96 hours  No. Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C	Requirements	Dielectric strength					
MIL-STD-202 method 106 Mated connector, 25-65°C 90-95% R.H. 10cycles Cold shock -10°C  No. 3.5.18  Test Items Industrial Gas (SO₂)  Requirements Termination Resistance  Procedures TE spec: 109-5107 condition C Mated connector SO₂ gas: 10ppm, 90% R.H. 25°C, 96 hours  No. 3.5.19  Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C		Termination resistance (Low Level)					
Procedures  Mated connector, 25-65°C 90-95% R.H. 10cycles Cold shock -10°C  No.  Test Items Industrial Gas (SO₂)  Requirements  Termination Resistance  TE spec: 109-5107 condition C Mated connector SO₂ gas: 10ppm, 90% R.H. 25°C, 96 hours  No.  Test Items Temperature life (Heat Aging) Requirements  Tempination resistance (Low Level) TE spec: 109-5104-3 condition C		TE spec: 109-5106					
90-95% R.H. 10cycles Cold shock -10℃  No.  Test Items Industrial Gas (SO₂)  Requirements Termination Resistance  TE spec: 109-5107 condition C Mated connector SO₂ gas: 10ppm, 90% R.H. 25℃, 96 hours  No.  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C		MIL-STD-202 method 106					
Cold shock -10°C  No. 3.5.18  Test Items Industrial Gas (SO₂)  Requirements Termination Resistance  Procedures TE spec: 109-5107 condition C  Mated connector  SO₂ gas: 10ppm, 90% R.H.  25°C, 96 hours  No. 3.5.19  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C	Procedures	Mated connector, 25-65 ℃					
No.         3.5.18           Test Items         Industrial Gas (SO₂)           Requirements         Termination Resistance           Procedures         TE spec: 109-5107 condition C           Mated connector         SO₂ gas: 10ppm, 90% R.H.           25℃, 96 hours         3.5.19           Test Items         Temperature life (Heat Aging)           Requirements         Termination resistance (Low Level)           TE spec: 109-5104-3 condition C		90-95% R.H. 10cycles					
Test Items Industrial Gas (SO₂)  Requirements Termination Resistance  Procedures TE spec: 109-5107 condition C  Mated connector  SO₂ gas: 10ppm, 90% R.H.  25°C, 96 hours  No. 3.5.19  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C		Cold shock -10℃					
Requirements  Termination Resistance TE spec: 109-5107 condition C Mated connector SO <sub>2</sub> gas: 10ppm, 90% R.H. 25°C, 96 hours  No. Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C	No.	3.5.18					
Procedures  TE spec: 109-5107 condition C  Mated connector  SO₂ gas: 10ppm, 90% R.H.  25°C, 96 hours  No.  Test Items  Temperature life (Heat Aging)  Requirements  Tempination resistance (Low Level)  TE spec: 109-5104-3 condition C	Test Items	Industrial Gas (SO <sub>2</sub> )					
Procedures  Mated connector SO <sub>2</sub> gas: 10ppm, 90% R.H. 25°C, 96 hours  No.  Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C	Requirements	Termination Resistance					
Procedures  SO₂ gas: 10ppm, 90% R.H.  25°C, 96 hours  No.  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C	·	TE spec: 109-5107 condition C					
SO <sub>2</sub> gas: 10ppm, 90% R.H. 25°C, 96 hours  No.  Test Items Temperature life (Heat Aging) Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C	Duanadous	Mated connector					
25℃, 96 hours  No. 3.5.19  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C	Procedures	SO <sub>2</sub> gas: 10ppm, 90% R.H.					
No. 3.5.19  Test Items Temperature life (Heat Aging)  Requirements Termination resistance (Low Level)  TE spec: 109-5104-3 condition C							
Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C	No.	3.5.19					
Requirements Termination resistance (Low Level) TE spec: 109-5104-3 condition C	Test Items	Temperature life (Heat Aging)					
	Requirements						
NIII OTD 000 M (I I I 400	·	TE spec: 109-5104-3 condition C					
Precedures   MIL-STD-202 Method 108	Duanaduran	MIL-STD-202 Method 108					
Procedures Mated connector	Procedures	Mated connector					
105℃, Duration: 250 hours		105℃, Duration: 250 hours					

Fig. 2 (End)

## \* Notes

- A) Product must be without rust, corrosion transformation, crack and discoloration.
- B) Shall meet visual requirements, show no physical damage, and meet requirements of additional tests as specified in the Product Qualification and Requalification.

# 3.6 Product Qualification Test Sequence

	Test group										
Test or Examination	1	2	3	4	5	6	7	8	9	10	
	Test sequence										
Examination of product	1	1	1	1	1	1	1	1	1	1	
Termination Resistance (Low Level)		2,5	2,4,6,8,10	2,5							
Dielectric withstanding Voltage						3,6					
Insulation Resistance						2,5					

Rev. A 5 of 9



108-106071

24Jan2011 Rev. A

Temperature Rising					2						
Vibration		3									
Physical Shock		4									
Connector Mating Force	2,5										
Connector Un-mating Force	3,6										
Housing Locking Strength							2				
Contact Insertion Force								2			
Contact Retention Force								3			
Crimp Tensile Strength									2		
Durability	4		3	3							
Thermal Shock			7								
Humidity- Temperature cycling			9			4					
Industrial SO <sub>2</sub> GAS				4							
Temperature life			5								
Housing Panel Retention Force										2	

Fig. 3

# \* Notes:

Numbers indicate the sequence in which the tests are performed.

Rev. A 6 of 9



$$m\Omega = (V - Vw)/A$$




Fig. 4

# 4. Quality Assurance Provisions:

### 4.1 Test Conditions:

Unless otherwise specified, all the tests shall be performed in any combination of the following test conditions.

Temperature :	15~35℃
Relative Humidity:	45~75 %
Atmospheric Pressure :	866.6∼1066.6 Kpa

### 4.2 Tests:

### 4.2.1 Test Specimens:

The test specimens to be employed for the tests shall be conforming to the requirements specified in the applicable product drawings.

## 4.2.2 Test sequence:

Qualification inspection shall be verified by testing specimens as specified in Fig3

# 4.3 Requalification Testing:

If changes significantly affecting form, fit or function are made to the product assurance shall coordinate requalification testing, consisting of all or part of the original testing sequence as determined by envelopment product, quality, and reliability engineering.

Rev. A 7 of 9



## 4.4 Acceptance:

Acceptance is based on verification that the product meets the requirement of Fig.2

Failures attributed to equipment, test get up, or operator deficiencies shall not disqualify the product. When product failure occurs, corrective action shall be taken and samples resubmitted for qualification.

Testing to confirm corrective action is required before re-submittal.

# 4.5 Quality Conformance Inspection

The applicable TE quality inspection plan will specify the sampling acceptable quality level to be used. Dimensional and functional requirements shall be in accordance with the applicable product drawing and this specification.

## 5 The applicable product descriptions and part numbers are as shown in Appendix,1.

The applicable product description and part numbers are as shown in Appendix 1.

Product Part No	Description			
1983658-1	6p housing			
1983659-1	4p housing			
1983660-1	2p housing			
1983661/2-1	Rec. contact(16-20,22-26Awg)			
1983663/4-1	Tab contact(16-20,22-26Awg)			
1983665-1	1p double lock plate			
1983666-1	2p double lock plate			
1983667-1	3p double lock plate			
1971882-1	2p housing(HV)			
1971883-1	4p housing(HV)			
1971884-1	6p housing(HV)			

Appendix,1

Rev. A 8 of 9





LTR	REVISION RECORD	DR	CHK	APRD	DATE
Α	First Release	Hapye Wu	Hapye Wu	Eric Kong	24Jan2011

Rev. A 9 of 9