SAFETY ORGANIZATIONS

THIS JACK HAS BEEN FORMALLY RECOGNIZED, CERTIFIED OR APPROVED BY THE LISTED AGENCY. THEREFORE, ALL TEST/REDUIREMENTS SPECIFIED IN THE LATEST REVISION OF THE FOLLOWING AGENCY STANDARDS HAVE BEEN MET.

LL RECOGNIZED CSA CERTIFIED UL 1863

CSA E22.2 No. 182.4

SPECIFICATIONS.

<u>CONTACTS</u>

MATERIAL: PLATING:

PHOSPHOR BRONZE 50 MICROINCHES GOLD 100 MICROINCHES NICKEL

BARRIER LINDERPLATING: RESISTANCE:

INITIAL:

20 MILLIOHMS MAXIMUM

AFTER DURABILITY TESTING

(500 MATING CYCLES):

MUMIXAM ZMHOIJJIM 0E

FERRITES

TYPE: BLOCK: HIGH RESISTIVITY, NICKEL ZINC CERAMIC MULTI-APERATURE RECTANGULAR PRISM

SHIELD MATERIAL

SOLDER-PLATED COPPER ALLOY

HOUSING MATERIAL

GLASS-FILLEO POLYESTER (UL94V-D)

DIELECTRIC WITHSTANDING VOLTAGE

LINE-TO-LINE AND LINE-TO-GROUND 1000 VAC FOR 60 SECONDS

PRINTED CIRCUIT BOARD RETENTION

BEFORE SOLDERING:

1 LB. MINIMUM

CATALOG #RJ11-6N4-B ECN # | APPRVO. |

MAC

844 E. ROCKLAHO RO. LIBERTYVILLE IL 60048

CATALOG NO.

RJ11-6N4-B

REV.

00

FILTERED MODULAR JACK

CAD FILE: G:\CD\RJ116N4B00

DATE: 8-14-98

*त*शर्देः


SCALE: NTS

DRY. BY:

8-19-98

AFTER SOLDERING:

20 LB. MINIMUM



UNLESS OTHERWISE SPECIFIED. TOLERANCE TO BE ±.010

MATERIAL & FINISH: AS SUPPLIED

This document is proprietory to CORCOM INC

and is not to be reproduced nor used for

nanufacturing purposes except on CBRCDM'S

prior written consent.