

Product Specification

The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

060/110 18P PLUG ASS'Y

1. SCOPE

1.1. Content

This specification covers the requirements for product performance, test methods and quality assurance provisions of 060/110 18P PLUG ASS'Y.

1.2. Qualification

When tests are performed on the subject product line, procedures specified in Figure 1 shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

1.3. Qualification Test Results

Successful qualification testing on the subject product line has not been completed. The Qualification Test Report number will be issued upon successful qualification testing.

2. APPLICABLE DOCUMENTS AND FORMS

The following documents and forms constitute a part of this specification to the extent specified herein. Unless otherwise indicated, the latest edition of the document applies.

2.1. TE Documents

2109131 : Customer Drawing (060/110 18P PLUG ASS'Y)

3. REQUIREMENTS

3.1. Design and Construction

Product shall be of the design, construction, materials and physical dimensions specified on the applicable product drawing.

3.2. Ratings

Voltage	Temperature	Humidity
12V DC	25±5℃	65±20%

3.3. Test Requirements and Procedures Summary

Unless otherwise specified, all tests shall be performed at ambient environmental conditions.

TEST DESCRIPTION	REQUIREMENT	PROCEDURE
Appearance	No crack, damage, distortion are permitted	Using sense of sight and touch.
CONN engage and disengage force	18kgf or less	Measure force by inserting and disengaging the connector with terminal assembled at constant 50 mm/min speed. However, remove lock part when measuring disengage force.



Reverse insertion between housings		e incorrectly inserted by any force of 20kgf.	1) Insert terminal to housing 2) Fix housing of female connector to moving part of measuring instrument in reverse insertion direction. (Reverse insertion: 180 degree rotation on the locking part) 3) Set a measuring instrument to stop at force of 20kgf and insert that. At this moment, monitor resistance of one terminal matched to identify current carrying between terminals. 4) Check the insertion by housing modification of male connector after connector insertion.
Reverse insertion between terminal and housing	51	kgf or more	Crimp cable of maximum size on terminal and then insert it into housing by end of insulation barrel in the reserve direction.
Engage force between terminal and housing	Мах	1.5kgf or less	As shown in the following figure 4-1, measure the weight while inserting terminal into fixed housing at 50mm/min speed. Terminal Housing <figure 4-1=""></figure>
Strength of HSG lock	Min	10kgf or more	Combine housing only, fix the one side of housing in completely locked condition, and extend the other side in axial direction and 30 angle direction at a constant speed of 50mm/min. Then measure weight when lock structure is disengaged or destroyed.
HSG lock releasing force		Max 6kgf	Apply force (F) to lock releasing part, and measure weight on the point of A=0. However, cut connector and then perform test at the section in order to secure visibility. A A Figure 5-2>
Terminal retention force	060 : Min 8kgf 110 : Min 10kgf		Fix the housing after inserting crimped terminals. Extend one line of cable in axial direction at a speed of 50mm/min at a position 50~100mm away from crimped part, and measure weight when terminal is disengaged from the housing.
Terminal engage and disengage force (kgf)	Engage 060 : 0.2~0.8kgf 110 : 0.3~1.5kgf Disengage 060 : 0.15~0.8kgf 110 : 0.15~1.5kgf		As shown in figure 4-3, engage and disengage male terminal or steel gauge into or from female terminal at 50 mm/min speed.
Crimp strength (kgf)	1.25SQ:	L : Min 4kgf or more Min 17kgf or more Min 6kgf or more	Fix the crimped terminal, and draw the cable at a position 50~100 mm away from crimped part in axial direction at 100 mm/min speed. Then measure the weight when cable is cut or disengaged from the crimped part

Rev.A 2 of 6



	3.0SQ:	Min 35kgf o	r more				
Voltage	060 : Max 5mV/A 110 : Max 3mV/A			Measure the circuit voltage drop (V) by sending voltage and current described in the table 5-1 with terminal combined on the connector. Then calculate a voltage drop (VD) in terminal by subtracting cable resistance (L) from the circuit voltage drop (V). 1)HARNESS versus UNIT:VD =V(L3+L4)			
Drop					Open voltage	Short circuit current	Division
					1 929 (153590)	10 mA	ECU, Sensor
				Signal circui			8
				Power circui	17.00%	1 A	Other than the above
						le5-1>	
Insulation resistance	ı	Min 100 ^{MΩ}		and between to DC 500V insul combined.	erminal and hou ation resistance	sing surface (gauge with co	
Leakage current	10 / ^µ A or less			(figure 5-6).	applying DC 14V	DC In re	500V sulation sistance gauge
High voltage test	No allowed insulation breakdown				pplying test pote contact betweer		V AC between the and housing.
Twisting Test - Connector	Appearance	No crack, damage,		Apply 8kgf force on the end part of combined connector 10 times each in the (front, rear, left, right) directions perpendicular to axial direction.			
Engage and Disengage Endurance Test Max 10mV/A			Make combine connectors engage and disengage at 100mm/min. Perform it 50 times. (Do not use locking device)				
	Appearance No crack, damage distortion are permitted			Engage and disengage connector with terminal assembled 10 times with hands, and apply the following current 1000 cycles for the connector with electrodes in series at 60 ℃ of ambient temperature.			
Overcurrent cycle test		Max	Condition	Current application	Applied current	20 10 V 10	of basic current
0,010 1001			A Condition	condition A	Current application time		N, 9 minutes - OFF
		10mV/A		Current application condition B	Applied current Current application time		of basic current N, 590 seconds - OFF
			В		approacion time	. o occordo y C	

Rev.A **3** of 6



			Condition	
			A	
	Temp rise	40°C	Condition b	
	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in temperature chamber of -40°C for 120 hours. Make
Cold temperature	Insulation Resistance	Min 100 MΩ	Between terminals housing surface	connector engaged and disengaged 5 times immediately, and drop it onto the concrete surface from 1m height 3 times in the direction of figure 6-1. (Voltage drop & Temperature rise test perform at normal temperature):
test	Current Leakage	10 ^µ or less Max 10mV/A		
	Voltage Drop			<pre><figure 6-1=""></figure></pre>
	Temp rise	Max 40°C		
Cold and hot	Appearance	No crack, damage, distortion are permitted		Engage and disengage Connector with terminal assembled 10 times with hands, this repeats 200 CYCLE by below test condition. (Non-Sealed : 80°C)
temperature shock test Voltage Drop		Max	10mV/A	Normal
High	Appearance	disto	k, damage, tion are mitted	Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state at the temperature chamber of the table 6-1 for 300 hours. Then pick it out and leave it until it returns to normal temperature.
temperature test	Voltage	Max 10mV/A		High Temperature Connector Using Part
	Drop			80°C Non - Waterproof Connector
	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it at 25°C ambient temperature and 65% relative humidity for
	Voltage Max		10mV/A	25 hours. And perform 5 cycles of the method specified in figure 6-3. Then pick connector out of chamber and dry
Temperature Humidity Test	Insulation Resistance	Min 100 MΩ	Between terminals housing surface	it for 2 hours or more. (b) 60±2 b; 80±5%RH 90±10%RH 45±20; 80±5%RH 25±20
	Current Leakage 10 μ A or less		or less	85± 10%RH 2hr 4hr 2hr 1chr 2hr 1hr 2hr 1hr 1 CYCLE < Figure 6-3 : Test pattern >
	Appearance	No crac	k, damage,	Engage and disengage connector with terminal assembled 10
-	1			-

Rev.A **4** of 6



Dust Test	Voltage	distortion are permitted Max 10mV/A		times with hands, and diffuse 1.5kg Portland cement(JIS R5210) with fan (or others) for 10 seconds per 15 minutes while maintaining 150mm distance from wall in the closed container of 900~1200mm length, width and height, with connector			
	Drop Appearance	No crack, damage, distortion are permitted		combined. After 1 hour, measure it. Engage and disengage connector with terminal assembled 10 times with hands, and perform test each sample with connector combined.			
Oil and liquid test	Voltage Drop	permitted Max 10mV/A		A. Immerge connector in combined state for 2 hours in mixed oil of 50± 2°C ENG oil (SAE10W) or equivalent oil and B. Immerge connector in combined state for 1 hour in car gasoline (JIS K2202) at normal temperature, and then pick it out. C. Immerge connector in combined state for 1 hour in brake liquid (pure product) at normal temperature, and then pick it out. D. Immerge connector in combined state for 1 hour in 100% washer liquid (pure product) at normal temperature, and then pick it out. E. Immerge connector in combined state for 1 hour in 50% LLC (Long life coolant) at normal temperature, and then pick it out.			
Ozone Test	Appearance	No crack, damage, distortion are permitted			Engage and disengage Connector with terminal assembled 10 times with hands, and samples keep at 40°C and 50±5pphm		
	Voltage Drop	Max 10mv/A		Ozone for 100hour. Then pick connector out of chamber and dry it for 2hours or more			
Sulfur (SO2) gas test	Appearance	No crack, damage, distortion are permitted		ti	Engage and disengage connector with terminal assembled 10 times with hands, and expose it in combined state to sulfur gas of 40±3°C, density 10ppm, humidity 90~95%, for 24 hours.		
	Voltage Drop	Max 10mV/A		Then pick connector out of chamber and dry it for 2 hours or more.			
	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state in the temperature chamber of 120°C or 80°C (follows table 7) for 48			
	Crimp		Min 4kgf	h	0 2 0		
	Tensile Strength	1.25SQ	Min 17kgf	ir	nstant short circuit acc	following vibration test. Then measure cording to the method of clause 4.16 for	
		0.3SQ	Min 6kgf		hours for X, Y, Z eac) Sin Wave Test	en.	
Complex		3.0SQ	Min 35kgf		Division	Condition	
Complex environment endurance Voltage		Max 10mV/A			Ambient temperature/humi dity	Refer to figure 4-8, 90~95%	
test	Drop	Wax	TUMV/A		Applied current	Basic current (Connector electrodes in series.)	
	Tamanassatus	Max 40°C			Current application cycle	120 CYCLE (45 minutes-ON, 15 minutes-OFF)	
	Temperature Rise				Vibration acceleration	4.4G	
		Max 10µs			Frequency	20Hz ~ 200Hz (sweep time: 3 minutes or less)	
	Instant short circuit				Vibration time	40 hours for X, Y, Z each	
					Connector attaching method	Test mode A, B, C	

Rev.A **5** of 6



3.4. Applied Part No List

TE Part no	Description			
0-2109131-1	060/110 18P PLUG ASS'Y			

Rev.A **6** of 6