

# **Test Report**

# **Industrial M12 Series Cable Assembly**



# 1. INTRODUCTION

#### 1.1 Purpose

Testing was performed on M12 Series Circular Connector with cable assembly type to determine its conformance to the requirements of product specification 108-106140.

#### 1.2 Scope

This specification covers performance, test and quality requirements for Industrial M12 Series Circular Connector with cable assembly. Testing was performed at TE Connectivity Shanghai Electrical Test Laboratory.


#### 1.3 Product Description

Part Number	Interface	Туре	Code	Poles	Cable
TAAXXXXXXXX-XXX Shielded Type CA	M12 Plug M12 Receptacle	Straight Right Angle	A-Code	4 Pins 5 Pins	PVC(3X20AWG+1X22AWG drain wire) PVC(2x22AWG+2x24AWG+1x22AWG drain wire) PUR (2x22AWG+2x24AWG+1x22AWG drain wire)
TABXXXXXXXX-XXX Shielded Type CA	M12 Plug M12 Receptacle	Straight Right Angle	B-Code	2 Pins	PUR(2X22AWG or 2X24AWG)

#### 1.4 Product Qualification Test Sequence

Test or Examination		Test Gro	oup		
		В	С	D	E(f)
		Test Sequ	ience		
Examination of product	1	3,6,11,20,26	8	9	1
Voltage proof(withstanding voltage)	4	10,19,25	4,7	4,8	
Insulation resistance	3	9,13,18,24	3,6	3,7	
LLCR	2	2,5,8,17,23	2	2	2,6
Temperature Rising				5(e)	
Impacting water		21	5	6	
Dust(IP6X)		22(b)			
Durability					4
Mating and Un-mating Force					3,5
Sinusoidal vibration		1			
Mechanical shock		4			
Rapid change in temperature		7		1	
Dry heat		12			
Damp heat, cyclic		14(c),16(d)			
Cold		15			
Mixed flowing gas			1		

- (a) When the initial test group A has been completed, the specimens are divided in the 3 groups B, C, D. All connectors in each group shall undergo the tests specified for the relevant group numbers indicate sequence in which tests are performed.
- (b) It's allowed to perform with an additional specimen, extending the total number of specimen by 1.
- (c) First cycle
- (d) Remaining cycles
- (e) Test with additional specimen for over-molding type cable assembly
- (f) This test group should be tested without the screw nut



501-106140-7



# \* Notes:

Numbers indicate the sequence in which the tests are performed.

#### 1.5 Environmental Conditions

Unless otherwise specified, the following environmental conditions prevailed during testing:

• Temperature: 15 to 35°C

Relative Humidity: 20 to 80%

# 2. SUMMARY OF TESTING

#### 2.1. Initial Examination of Product

All specimens were visually examined and no evidence of physical damage detrimental to product performance was observed.

# 2.2 Test Group

# 2.2.1 Group A+B

Group	Test Item	Sample	Requirement	Test Condition and Result	Conclusion
	LLCR	See 1.3.1	10 m Ω Max.	<10 m Ω	meet spec.
Α	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
A	Voltage Proof	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
	Sinusoidal vibration	See 1.3.1	No physical damage; No electrical discontinuity greater than 1µs	See 2.3.1 Fig.1	meet spec.
	LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
	Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.
В	Mechanical shock	See 1.3.1	No physical damage; No electrical discontinuity greater than 1µs	See 2.3.2 Fig.2	meet spec.
	LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
	Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.
	Rapid change in temperature	See 1.3.1	No physical damage	See 2.3.3 Fig.3	meet spec.
	LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
	Voltage proof(withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.

Page 3 of 7



Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.
Dry heat	See 1.3.1	No physical damage	Normal	meet spec.
Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
Damp heat, cyclic	See 1.3.1	No physical damage	See 2.3.2 Fig.4	meet spec.
Cold	See 1.3.1	No physical damage	Normal	meet spec.
Damp heat, cyclic	See 1.3.1	No physical damage	See 2.3.2 Fig.4	meet spec.
LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
Voltage proof(withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown or flashover	meet spec.
Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.
Impacting water	See 1.3.1	No water ingress	No water ingress	meet spec.
LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
Voltage proof(withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown or flashover	meet spec.
Examination of product	See 1.3.1	No physical damage	Normal	meet spec.

2.2.2 Group A+C

Group	Test Item	Sample Number	Requirement	Test Condition and Result	Conclusion
	LLCR	See 1.3.1	10 m Ω Max.	<10 m Ω	meet spec.
Α	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
A	Voltage Proof	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
	Mixed Flowing Gas	See 1.3.1	No corrosion and defect	See 2.3.5 Fig.5	meet spec.
	LLCR	See 1.3.1	Δ15mΩ max.	<15 mΩ	meet spec.
	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
	Voltage proof(withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
С	Impacting water	See 1.3.1	No water ingress	No water ingress	meet spec.
	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
	Voltage proof(withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
	Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.





2.2.3 Group A+D

Group	Test Item	Sample Number	Requirement	Test Condition and Result	Conclusion
	LLCR	See 1.3.1	10 m Ω Max.	<10 m Ω	meet spec.
Α	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
A	Voltage Proof	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
	Rapid change in temperature	See 1.3.1	No physical damage	See 2.3.3 Fig.3	meet spec.
	LLCR	See 1.3.1	$\Delta$ 15m $\Omega$ max.	<15 mΩ	meet spec.
	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
	Voltage See 1.3.1 proof(withstanding voltage)		No breakdown or flashover	No breakdown and flashover	meet spec.
D	Temperature Rising	See 1.3.1	ΔT 30° C Max.	See 2.3.6 Fig.6	meet spec
	Impacting water	See 1.3.1	No water ingress	No water ingress	meet spec.
	Insulation resistance	See 1.3.1	100MΩ Min	>100MΩ	meet spec.
	Voltage proof (withstanding voltage)	See 1.3.1	No breakdown or flashover	No breakdown and flashover	meet spec.
	Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.

# 2.2.3 Group E

	Group E							
Group	Test Item	Sample Number	Requirement	Test Condition and Result	Conclusion			
	Examination of product	See 1.3.1	No defect would impair normal operation	Normal	meet spec.			
	LLCR	See 1.3.1	10 m Ω Max.	<10 m Ω	meet spec.			
E	Mating and Un-mating Force	See 1.3.1	15N Max.	<15N	meet spec.			
	Durability	See 1.3.1	100 cycles for gold plating	Normal	meet spec.			
	Mating and Un-mating Force	See 1.3.1	15N Max.	<15N	meet spec.			
	LLCR	See 1.3.1	10 m Ω Max.	<10 m Ω	meet spec.			



# 2.3 Test Condition and results

# 2.3.1 Vibration test



Fig.1

# 2.3.2 Mechnical shock




Fig.2

# 2.3.3 Rapid change in temperature



Test Step	Temperature	Period				
1	<b>-25</b> ℃	30Minutes				
2	85℃	30 Minutes				
Temperature transfer time: ≤5min						
Cycles: 5						

Fig.3



# 2.3.4 Damp heat, cyclic

Test Step	Initial	Final	Period		
1	23°C/95%RH	40°C/95%RH	3h		
2	40°C/95%RH	40°C/95%RH	9h		
3	40°C/95%RH	23°C/95%RH	3h		
4 23°C/95%RH 23°C/95%RH 9h					
Cycles: 5					

Fig.4

# 2.3.5 Mixed Flowing Gas






	Test (	Condition	Actual Gas Concentration				
Gas		1					
	Source(S)	Test Spec.(Ct)					Data5 Set(c
Cl <sub>2</sub>	100ppm	10ppb	0.15	0.15	0.15	0.15	0.15
$NO_2$	0.10%	200ppb	0.2	0.2	1000	1000	1000
H <sub>2</sub> S	99.5ppm	10ppb	0.1	100	01	100	0.1
$H_2S$							
$SO_2$	0.10%	200ppb	1000	1000	1000	1000	1000
SO <sub>2</sub>							
Dry-bulb Temp.	25°C	25.0℃	25.0°C	25.0℃	25.0℃	25.0℃	25.0℃
Wet-bulb Temp.	75%RH	21.5℃	21.5℃	21.5℃	21.5℃	21.5℃	21.5℃
Tester			Lisa Xu	Lisa Xu	Lisa Xu	Lisa Xu	Lisa Xu

Fig.5

# 2.3.6 Temperature Rising



Temperature Rise Value				
Current	T-room			
Т		24.8 Ref		
ΔΤ	<30°C	/		

Fig.6

# 3. Conclusion

Based on the test results Industrial M12 Series Circular Connectors meet all requirements according to Tyco Electronics product specification 108-106140.