

108-5691 15 SEP 04 Rev.O

1.Scope:

1.1 Contents

This specification covers the requirements for product performance, test methods and quality assurance provisions of .025 T.P.S Connector which includes only connection's part of sensor assembly except sensor's part itself.

Applicable product description and part numbers are as shown in Appendix 1.

2.Applicable Documents:

The following documents form a part of this specification to the extent specified herein. In the event of conflict between the requirements of this specification and the product drawing, the product drawing shall take precedence. In the event of conflict between the requirements of this specification and the referenced documents, this specification shall take precedence.

2.1 AMP Specifications:

A. 109-5000 : Test Specification, General Requirements for Test Methods

B. 114-5278 : Application Specification

Crimping CLEAN BODY 025/040 Receptacle Contact.

C. 501-5586 : Qualification Test Report

2.2 Commercial Standards and Specifications.

A. JASO D605 : Multi-pole Connector for Automobiles

B. JASO D7101 : Test Methods for Plastic Molded Parts

C. JIS C3406 : Low Voltage Wires and Cables for Automobiles

D. JIS D0203 : Method of Moisture, Rain and Spray Test for Automobile PartsE. JIS D0204 : Method of High and Low Temperature Test for Automobile Parts

F. JIS D1601 : Vibration Testing Method for Automobile Parts

G. JIS R5210 : Portland Cement



108-5691 15 SEP 04 Rev.O

3. Requirements:

3.1 Design and Construction:

Product shall be of the design, construction and physical dimensions specified on the applicable product drawing.

3.2 Material:

A. Contact:

a. Receptacle Contact: Pre-tinned Cu Alloy, Brass

b. Tab Contact : Pre-tinned Brass

B. Housing: PBT resin

C. Seal Ring; Wire Seal Rubber: Silicone Rubber

3.3 Ratings:

A. Temperature Rating: -40°C to 120°C

3.4 Performance Requirements and Test Descriptions:

The product shall be designed to meet the electrical, mechanical and environmental performance requirements specified in Fig.1. All tests shall be performed in the room temperature, unless otherwise specified.



108-5691 15 SEP 04 Rev.O

3.5 Test Requirements and Procedures Summary:

Para.	Test Items	Requirements	Procedures						
3.5.1	Confirmation of Product	requirements of applicable product drawing and Application Specification. No. 114-5278	inspection plan.						
		Electrical Requirements							
3.5.2	Termination Resistance (Specified Current)	10mV/A Max. (Initial) 20mV/A Max. (Final)	Measure initial termination resistance of contact test circuit in mated connectors. Fig.3 AMP Spec.109-5311-2						
3.5.3	Termination Resistance (Low Level)	10m Ω Max. (Initial) 20m Ω Max. (Final)	Subject mated contacts assembled in housing to closed circuit current of 10mA Max.at open circuit voltage of 20mV Max. Fig.3 AMP Spec.109-5311-1						
3.5.4	Dielectric Strength	No creeping discharge nor flashover shall occur.	1kV AC for 1 minute. Cutoff current: 1 mA Test between adjacent contacts and between contacts and housing of mated connectors. Fig.4 AMP Spec. 109-5301						
3.5.5	Insulation Resistance	100M Ω Min.	Impressed voltage 500V DC. Test between adjacent contacts and between contacts and housing of mated connectors. Fig.4 AMP Spec. 109-5302						
3.5.6	Current Leakage (Non Sealed type connector only)		12V DC impressed 1min. Fig.5 AMP Spec. 109-5312						
3.5.7	Temperature Rising	current.	Measure temperature rising of mated connectors with all contacts series-wired, by energized current. Test Current: 3A (0.5mm² wire) AMP Spec. 109-5310						
3.5.8	Current Cycling	$\begin{tabular}{lll} Termination Resistance & (Low Level) \\ & & 20m\Omega & Max. & (Final) \\ No & ignition & is allowed during the test. \\ \end{tabular}$	Test Current: 3A (0.5mm² wire) 45minutes"ON",15minutes"OFF", 1000cycles. AMP Spec.109-5308						

Fig.1(To be continued)



108-5691 15 SEP 04 Rev.O

Physical Requirements											
Para.	Test Items		Requirem		Procedures						
3.5.9	Vibration (High Frequency)	than 1 μ s Termination		ntinuity greater cur. nce (Specified	Vibration Frequency: 20~200Hz/3min. Accelerated Velocity: 44.1m/s² Vibration Direction: X.Y.Z Duration: 2 hours each for "X" and "Y", 4 hours for "Z" Fig.6 AMP Spec.109-5202						
3.5.10	Contact Mating Force	7.8N Max			Operation Speed : 100mm/min. Measure the force required to mate contacts. AMP Spec.109-5206						
3.5.11	Contact Unmating Force	0.98N Mir	1.		Operation Speed: 100mm/min. Measure the force required to unmate contacts. AMP Spec.109-5206						
3.5.12	Connector Mating Force	3Pos. 49N	l Max.		Operation Speed : 100mm/min. Measure the force required to mate connectors. AMP Spec.109-5206						
3.5.13	Connector Unmating Force	3Pos. 49N	l Max.		Operation Speed: 100mm/min. Measure the force required to unmate connectors without locking latch set in effect. AMP Spec.109-5206						
3.5.14	Housing Locking Strength	78N Min.			Measure housing locking strength. Operation Speed:100mm/min. AMP Spec. 109-5210						
3.5.15	Contact Insertion Force	9.8N Max	. per contact	t	Measure the force required to insert contacts into housing. Operation Speed:100/mm/min AMP Spec. 109-5211						
3.5.16	Contact Retention Force	39N Min.			Apply axial load to contact without secondary lock set in effrect. Operation Speed: 100mm/min. AMP Spec. 109-5212						
3.5.17	Contact Retention Force (Secondary lock)	78.5N Mir	1.		Apply axial load to contact with secondary lock set in effrect. Operation Speed: 100mm/min. AMP Spec. 109-5212						
3.5.18	Crimp Tensile Strength	Wire mm ² 0.3 0.5	(AWG) 22 20	Crimp Tensile(min.) N 58 88	Apply an axial pull-off load to crimped wire of contact secured or the tester. Operation Speed: 100mm/min. AMP Spec. 109-5205						

Fig.1(To be continued)



108-5691 15 SEP 04 Rev.O

Para.	Test Items	Requirements	Procedures						
3.5.19	Resistance	Termination Resistance	Repeated mating / unmating by hand,						
	to "Kojiri"	(Specified Current)	50cycles.						
		20mV/A Max. (Final)	AMP Spec.109-5215						
3.5.20	Watertight	98kPa Min. (Initial)	Blow compressed air into mated pair						
	Sealing	29.4kPa Min.(Final)	of connectors through a small hole.						
			For this test, wire ends are sealed.						
	(Sealed type		Put the connectors into water and						
	connector only)		must withstand the air pressure of						
			9.8kPa for 30 seconds.						
			Increase the air pressure at a rate of						
			9.8kPa each time until air leakage						
			takes place.						
3.5.21	Handling .	No abnormalities allowed in	Manually operated						
	Ergonomics	manual mating/unmating handling.							
2 5 22	Thormal Chaoli	Environmental Requireme Termination Resistance (Low Level)							
3.5.22	Thermal Shock		Mated connector -30°C/120min.,80°C/120min.						
		20 m Ω Max. (Final)	·						
		Watertight Sealing	Making this a cycle, repeat 5cycles. AMP Spec. 109-5103						
		29.4kPa Min. (Final)	AMP Spec. 109-5105						
3.5.23	Llumidity Ctoody	(Sealed type connector only)	Matadaannaatar						
3.5.23	Humidity, Steady State	, ,	Mated connector,						
	(Non Sealed	100M Ω Min.	90∼95%R.H.,60°C 96hours						
	type connector	Terrimation resistance (Low Level)	AMP Spec. 109-5105						
	only)	20 m Ω Max. (Final)	AMP Spec. 109-3103						
0.5.04	- ,	Current Leakage : 1mA Max.	0.000						
3.5.24	Industrial Gas	Termination resistance (Low Level)	SO ₂ Gas: 10ppm, 90~95%R.H.						
	(SO ₂)	20m Ω Max. (Final)							
3.5.25	· ·	Termination resistance (Low Level)	$120^{\circ}\pm2^{\circ}$,120hours						
	(Heat Aging)	20 m Ω Max. (Final)	AMP Spec. 109-5104						
		Watertight Sealing							
		29.4kPa Min. (Final)							
0.5.00	D : .	(Sealed type connector only)							
3.5.26	Resistance to Cold	Termination resistance (Low Level)	$-50^{\circ}\text{C} \pm 5^{\circ}\text{C}$,120hours						
	(:nin								
	Oold		AMP Spec. 109-5108						
	Oold	Watertight Sealing	AMP Spec. 109-5108						
	3514	Watertight Sealing 29.4kPa Min. (Final)	AMP Spec. 109-5108						
0.5.07		Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only)	·						
3.5.27	Dust	Watertight Sealing 29.4kPa Min. (Final)	Subject JIS R 5210 cement blow						
3.5.27		Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes						
3.5.27	Dust	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes.						
3.5.27	Dust	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat						
3.5.27	Dust	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles.						
	Dust Bombardment	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current) 20mV/A Max. (Final)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles. AMP Spec. 109-5110						
	Dust Bombardment Water Splash	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles. AMP Spec. 109-5110 Expose mated connectors under						
	Dust Bombardment	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current) 20mV/A Max. (Final)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles. AMP Spec. 109-5110 Expose mated connectors under 120°C ± 3°C for 40 minutes, splash						
	Dust Bombardment Water Splash (Sealed type	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current) 20mV/A Max. (Final) Termination Resistance	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles. AMP Spec. 109-5110 Expose mated connectors under 120°C ± 3°C for 40 minutes, splash Water for 20 minutes.						
	Dust Bombardment Water Splash (Sealed type	Watertight Sealing 29.4kPa Min. (Final) (Sealed type connector only) Termination Resistance (Specified Current) 20mV/A Max. (Final) Termination Resistance (Specified Current)	Subject JIS R 5210 cement blow 1.5kg per 10 seconds in 15 minutes intervals for 60 minutes. After completion of duration, repeat mating / unmating for 3 cycles. AMP Spec. 109-5110 Expose mated connectors under 120°C ± 3°C for 40 minutes, splash						

Fig.1 (End)



108-5691 15 SEP 04 Rev.O


3.6 Product Qualification Test Sequence


			Test Group											
Para.	Test Items		2	3	4	5	6	7	8	9	10	11	12	13
		Test Sequence												
3.5.1	Confirmation of Product	1	1	1	1	1, 5	1, 5	1	1	1	1	1	1	1
3.5.2	Termination Resistance (Specified Current)		3,5	3,6				2,4					2,4	2,4
3.5.3	Termination Resistance (Low Level)					2,4			2,5	2,5	2,4	2,5, 8		
3.5.4	Dielectric Strength						4							
3.5.5	Insulation Resistance						თ			7				
3.5.6	Current Leakage						2							
3.5.7	Temperature Rising			4										
3.5.8	Current Cycling					3								
3.5.9	Vibration (High Frequency)							3						
3.5.10	Contact Mating Force	2												
3.5.11	Contact Unmating Force	3												
3.5.12	Connector Mating Force			2										
3.5.13	Connector Unmating Force			5										
3.5.14	Housing Locking Strength				5									
3.5.15	Contact Insertion Force				2									
3.5.16	Contact Retention Force				3									
3.5.17	Contact Retention Force (Secondary lock)				4									
3.5.18	Crimp Tensile Strength	4												
3.5.19	Resistance to "Kojiri"		4											
3.5.20	Watertight Sealing								3,6	3,6		4,7		
3.5.21	Handling Ergonomics		2											
3.5.22	Thermal Shock								4					
3.5.23	Humidity (Steady State)									4				
3.5.24	Industrial Gas (SO ₂)										3			
2 5 25	Temperature Life											,		
3.5.25	(Heat Aging)											3		
3.5.26	Resistance to Cold											6		
3.5.27	Dust Bombardment												3	
3.5.28	Water Splash													3

Numbers indicate sequence in which tests are performed.

Fig.2

108-5691





From the measured readings, deduct the resistance of the wire used for termination. When testing for rated current measurement, apply 12 V DC,1A to the circuit.

For obtaining uniformity of the current density on probing points Y-Y', apply soldering on the probing points prior testing.

Fig.3 Measurement of Termination Resistance




Fig. 4





Fig.5



108-5691 15 SEP 04 Rev.O



The applicable product descriptions and part numbers are as shown in Appendix. 1 Appendix 1

Product Part No.	Description
1318670	.025 Sealed T.P.S Conn. 3Pos. Plug Hsg. Assy
1318671	.025 T.P.S Conn. 3Pos. Plug Hsg. Assy (Non Sealed Type)
1318540	Sensor Assy
1318329	CLEAN BODY 025 Receptacle Contact