



Inverted SMT Thru Board Connector


© 2011 Tyco Electronics Corporation. All Rights Reserved.
TE Connectivity, TE Connectivity (logo) and TE (logo) are trademarks.
Other logos, products and/or Company names might be trademarks of their
respective owners.



Product Description

- **Description**

- The Inverted SMT Thru Board Connector provides a means to bring power to LED aluminum clad boards from the underside of the printed circuit board
- The 2 position connector is currently available with manufacturing capability for 2 through 6 positions



Product Applications

- **Applications**

- LED lighting controls
- Indoor and outdoor lighting fixtures
- General LED illumination fixtures
- Various non-lighting applications that require wire dress connections beneath the printed circuit board

- **Industries / Markets**

- Commercial building, residential and architectural lighting

Features and Benefits

- **Features**

- Low profile design
- Rounded corners to minimize shadowing
- Connector is positioned through cutout or notch in p.c. board
- Surface mount hold downs provide stability during mating and unmating
- High temperature material for reflow processing
- Flat top surface allows for vacuum pick up
- Tape and reel packaging for high speed SMT processing
- RoHS compliant

Product Advantages

- Advantages
 - Eliminates wire dress management issues with discrete wire leads around the surface of the LED p.c. board
 - Accepts TE 2 position Mini CT connector

Performance Data

- Performance Data
 - Materials:
 - Housing: UL 94 VO rated high temperature resistant thermoplastic
 - Contacts: Tin over nickel plated copper alloy
 - Environmental Specifications:
 - Operating Temperature: -30 degree C to +105 degree C
 - Electrical Specifications:
 - Operating Voltage:
 - 50VAC / 50VDC
 - Current Rating
 - #24 AWG – 3A
 - #26 AWG – 2.5A
 - #28 AWG – 1.5A

Performance Data

– Standards & Specifications;

- UL: UL 1977
- Inverted SMT Thru Board Connector Design Objectives: 108-2367
- Inverted SMT Thru Board Connector Application Specification: 114-13245
- Mini CT Connector Product Specification: 108-60025
- Mini CT Connector Product Specification: 114-5245

Key Contacts

- Alexander Hunt III, Product Manager, Americas
717-986-5911
ahunt@te.com
- Felix Heckmann, Product Marketing, EMEA
(49) 6103-7093166
fheckmann@te.com
- Lily, Product Marketing Engineer, Asia
(86) 755-2515-4719
lily.hao@te.com