

Low Profile Micro MATE-N-LOK Connector System

May 3, 2011

© 2011 Tyco Electronics Corporation. All Rights Reserved.
MATE-N-LOK, TE Connectivity, TE Connectivity (logo) and TE (logo) are trademarks.
Other logos, products and/or Company names might be trademarks of their respective owners.



Low Profile Micro MATE-N-LOK Connector System

Product Description

Product Description

- Wire-to-board connector system
- High density 3mm centerline
- Side latch housings
- Right angle surface mount headers
- 2, 3, or 4 circuit positions
- Rated for 5A and 250 VA
- Black and natural colors available
- 24-20 and 30-26 AWG wire range




Low Profile Micro MATE-N-LOK Connector System

Features and Benefits

Features

- New Side Latch Feature allows for an ultra-low profile (less than 4.7mm).



- Positive latching housings help prevent connector unmating
- Polarized housings help prevent connector mismating
- Surface mount hold-downs provide robust header support
- Utilizes standard Micro MATE-N-LOK contacts

Low Profile Micro MATE-N-LOK Connector System

Applications

Applications

- Designed specifically for
LED lighting Applications
- Consumer lighting
 - Shelf / cabinet lighting
 - Under-counter illumination
 - Cove lighting
- Commercial lighting
 - Signage
 - Freezer / refrigerator
 - Display case

Low Profile Micro MATE-N-LOK Connector System

Sales Support

- Product flyer 8-1773450-8
- Press release
- Soft shell catalog 82181
- Sample room stock available

Low Profile Micro MATE-N-LOK Connector System

Key Contacts

- James Dunbar, Product Manager
+(1) 717-986-7672
jgdunbar@te.com
- Tom Michielutti, Product Engineer
+(1) 717-986-7657
tmichiel@te.com
- Bill Varner, Pricing Analyst
+(1) 336-727-5132
wjvarner@te.com