

2			1			
	LOC DIST		REVISIONS			٦
		P LTR	DESCRIPTION	DATE	DWN AP	V D
		1	PROPOSED	30JAN2013	DF SG	j i
		2	REVISED NOTE, LENS SUB-ASSY WAS NOSE	18MAR2014	DF SG	j
		3	REMOVED CRIMP PROTECTIVE CAP	03SEP2014	DF SG	j
		А	ECO-14-018447	15DEC2014	kg jb	1
PROTE		THREA	CRIMP SLEEVE BASE SUB-ASSEMBL SSEMBLY DED SHROUD			
THREADED SHROUD ZINC-LEAD ALLOY SS NICKEL	ł	P R O I E (CKAGED, BASE SUB-ASS SUB-ASSEMBLY WITH SHF CTIVE CAP AND SLEEVE	EMBLY, Youd,		
PPFR-7INC-IFAD ALLOY				2125059 PART		

MATERIAL: COPPER-ZINC-LEAD ALLOY PART COMMENTS NUMBER D. FABIAN THIS DRAWING IS A CONTROLLED DOCUMENT. -ETE TE Connectivity СНК DIMENSIONS: TOLERANCES UNLESS OTHERWISE SPECIFIED: APVD NAME KIT, PIN TERMINUS ASSEMBLY SIZE 16 EB mm 0 PLC 1 PLC 2 PLC 3 PLC 4 PLC PRODUCT SPEC ±-±-±0.13 ±-±-108-127013 APPLICATION SPEC SIZE CAGE CODE DRAWING NO RESTRICTED TO ANGLES FINISH WEIGHT 200779 C-2125059 MATERIAL -SCALE 5.1 SHEET 1 OF 1 REV A Customer Drawing

А