



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
AD	00	B		REVISED PER ECO-14-000069	15APR2014	NK	MM

- 1 -A- SHALL BE THE INTERSECTION OF THE POST AND HOUSING.
- 2 THE NOTE DIMENSION APPLIES AT THE INTERSECTION OF THE POST AND HOUSING.
- 3 ASSEMBLIES MAY NOT EXCEED BOW LIMITATIONS AS STATED PER, AMP SPECIFICATION 102-25044.
- 4 FINISH: 0.000127 [.0000050] GOLD DUPLEX (LEAD-FREE).
- 5 CONTACT: COPPER ALLOY



2,22,27,35	2,22,27,35	3.584	72	1977871-1
ROW X	ROW Y	C	NO. OF POSITIONS	PART NUMBER
POST OMITTED				

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KIRAN HOLAL 05SEP2012	 TE Connectivity
DIMENSIONS: mm [INCHES]		CHK MIKE MILLER 05SEP2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD MIKE MILLER 05SEP2012	
0 PLC ± - 1 PLC ± - 2 PLC ± 0.5[.02] 3 PLC ± 0.13[.005] 4 PLC ± 0.013[.0005] ANGLES ± -		NAME KIRAN HOLAL	
MATERIAL		PRODUCT SPEC	HEADER ASSEMBLY, MOD II, BREAKAWAY, RIGHT ANGLE, DOUBLE ROW, HIGH TEMPERATURE, .100 X.100C/L, W/.025 SQUARE POSTS.
FINISH		APPLICATION SPEC	SIZE A2
5		WEIGHT	CAGE CODE 00779
		CUSTOMER DRAWING	DRAWING NO C=1977871
		SCALE 5:1	RESTRICTED TO
		SHEET 1 of 1	REV B