JB8-3



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks Accessories + Jumper Bars

General Information	
Extended Product Type:	JB8-3
Product ID:	1SNK908303R0000
EAN:	3472599097681
Catalog Description:	JB8-3 Jumper Bar - Orange
Long Description:	Facilitate & secure your jumper bar assembly process: - Screwless mounti ng, - Pre-cut poles for alternated jumpering between terminal blocks, - Insu lated, - Positive locking, - Perfectly adapted to low level electrical contact (20mA, 50mV).

Ordering

Color:	Orange
Minimum Order Quantity:	50 piece
Customs Tariff Number:	85369010
Popular Downloads	
Data Sheet, Technical Information:	1SNK160030D0201
Instructions and Manuals:	1SNK160027C0201
Dimensions	
Product Net Width:	8 mm
Product Net Height:	21.6 mm
Product Net Length:	27.8 mm
Product Net Depth / Length:	27.8 mm
Product Net Weight:	4.1 g
Technical	
Spacing:	8 mm
Function:	Jumper Bars
Rated Current (I _n):	Main Circuit 57 A
Rated Short-time Withstand Current (I _{cw}):	for 1 s 1200 A
Rated Voltage (U _r):	1000 V
Rated Impulse Withstand Voltage (U _{imp}):	6000 V
Dielectric Test Voltage:	2200 V

Power Loss:	1.8 W
Degree of Protection:	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
Insulation Material:	Polyamide
Suitable For:	ZK6
	ZK6-3P
	ZK6-PE
	ZK6-PE-3P
	ZS10
	ZS10-SF
	ZS10-SF-R ZS10-S-R2
	ZS10-S-R2 ZS4-D2-SF1
	ZS4-D2-SF1-R
echnical UL/CSA	
Maximum Operating Voltage UL/CSA:	Main Circuit 600 V
Flammability According to UL94:	V0
nvironmental	
IVIronmental	
Ambient Air Temperature:	Operation -55 +110 °C
	Storage -55 +110 °C
Resistance to Vibrations acc. to IEC 60068-2-6:	Compliant
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
artificates and Declarations (F	Desument Number)
ertificates and Declarations (D	
ATEX Certificate:	1SND162004A1708
ATEX Certificate: CB Certificate:	1SND162004A1708 1SND161018A0202
CB Certificate:	1SND161018A0202
CB Certificate: Instructions and Manuals:	1SND161018A0202 1SNK160027C0201
CB Certificate: Instructions and Manuals: RoHS Information:	1SND161018A0202 1SNK160027C0201
CB Certificate: Instructions and Manuals: RoHS Information: assifications	1SND161018A0202 1SNK160027C0201 1SND230499F0202
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code:	1SND161018A0202 1SNK160027C0201 1SND230499F0202 X 2925379
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code: E-nummer: ETIM 4:	1SND161018A0202 1SNK160027C0201 1SND230499F0202 X 2925379 EC000489 - Cross-connector for terminal block
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code: E-nummer: ETIM 4: ETIM 5:	1SND161018A02021SNK160027C02011SND230499F0202X2925379EC000489 - Cross-connector for terminal blockEC000489 - Cross-connector for terminal block
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code: E-nummer: ETIM 4:	1SND161018A0202 1SNK160027C0201 1SND230499F0202 X 2925379 EC000489 - Cross-connector for terminal block
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code: E-nummer: ETIM 4: ETIM 5:	1SND161018A02021SNK160027C02011SND230499F0202X2925379EC000489 - Cross-connector for terminal blockEC000489 - Cross-connector for terminal block
CB Certificate: Instructions and Manuals: RoHS Information: assifications Object Classification Code: E-nummer: ETIM 4: ETIM 5: ETIM 6:	1SND161018A02021SNK160027C02011SND230499F0202X2925379EC000489 - Cross-connector for terminal blockEC000489 - Cross-connector for terminal block

Package Level 1 Depth / Length:	117 mm
Package Level 1 Height:	50 mm
Package Level 1 Gross Weight:	0.205 kg
Package Level 1 EAN:	3472599097681
Package Level 2 Units:	1500 piece
Package Level 3 Units:	144000 piece

