






REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN APVD
C		REVISED PER ECO-14-000933	28JAN2014	AP DD
C1		REVISED PER ECN-24-252171	05MAR2024	AP RS



- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD ON PCB TAILS, NICKEL OVERALL.
- 4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH, Ø3.66 DRILL, AND Ø6.5 PAD.
- 6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART ON SHEET 2 FOR OTHER POSITIONS.




LEFT GUIDED BACKPLANE HOLE PATTERN (CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 02FEB2011	TE Connectivity
DIMENSIONS: mm		CHK J. EARY 02FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. EARY 02FEB2011	NAME IMPACT, 5 PAIR, 10 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.39 PTH
0 PLC ±		PRODUCT SPEC	
1 PLC ±0.25		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=2007843
2 PLC ±0.13		WEIGHT	
3 PLC ±		CUSTOMER DRAWING	SCALE 5:1 SHEET 1 OF 2 REV C1
4 PLC ±			
ANGLES ±			
FINISH SEE TABLE			

REVISIONS				
P	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

3	H	5.5	8-2007843-6	OBSOLETE
3	H	4.9	8-2007843-5	
3	H	4.5	8-2007843-4	
2	H	5.5	8-2007843-3	
2	H	4.9	8-2007843-2	
2	H	4.5	8-2007843-1	
3	G	5.5	7-2007843-6	
3	G	4.9	7-2007843-5	
3	G	4.5	7-2007843-4	
2	G	5.5	7-2007843-3	
2	G	4.9	7-2007843-2	
2	G	4.5	7-2007843-1	
3	F	5.5	6-2007843-6	
3	F	4.9	6-2007843-5	
3	F	4.5	6-2007843-4	
2	F	5.5	6-2007843-3	
2	F	4.9	6-2007843-2	
2	F	4.5	6-2007843-1	
3	E	5.5	5-2007843-6	
3	E	4.9	5-2007843-5	
3	E	4.5	5-2007843-4	
2	E	5.5	5-2007843-3	
2	E	4.9	5-2007843-2	
2	E	4.5	5-2007843-1	
3	D	5.5	4-2007843-6	
3	D	4.9	4-2007843-5	
3	D	4.5	4-2007843-4	
2	D	5.5	4-2007843-3	
2	D	4.9	4-2007843-2	
2	D	4.5	4-2007843-1	
3	C	5.5	3-2007843-6	
3	C	4.9	3-2007843-5	
3	C	4.5	3-2007843-4	
2	C	5.5	3-2007843-3	
2	C	4.9	3-2007843-2	
2	C	4.5	3-2007843-1	
3	B	5.5	2-2007843-6	
3	B	4.9	2-2007843-5	
3	B	4.5	2-2007843-4	
2	B	5.5	2-2007843-3	
2	B	4.9	2-2007843-2	
2	B	4.5	2-2007843-1	
3	A	5.5	1-2007843-6	
3	A	4.9	1-2007843-5	
3	A	4.5	1-2007843-4	
2	A	5.5	1-2007843-3	
2	A	4.9	1-2007843-2	
2	A	4.5	1-2007843-1	
3	-	5.5	2007843-6	
3	-	4.9	2007843-5	
3	-	4.5	2007843-4	
2	-	5.5	2007843-3	
2	-	4.9	2007843-2	
2	-	4.5	2007843-1	
FINISH	KEY POSITION	DIM M	PART NUMBER	OBSOLETE



REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 02FEB2011	TE Connectivity
DIMENSIONS: mm		CHK J. EARY 02FEB2011	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. EARY 02FEB2011	NAME IMPACT, 5 PAIR, 10 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.39 PTH
0 PLC ±0.25		PRODUCT SPEC	
1 PLC ±0.13		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
2 PLC ±		WEIGHT	A100779C=2007843
3 PLC ±		CUSTOMER DRAWING	SCALE 5:1 SHEET 2 OF 2 REV C1
4 PLC ±			
ANGLES FINISH			
SEE TABLE			