

1. ASSEMBLY TESTED FOR CONTINUITY, OPENS, SHORTS, EEPROM PROGRAM AND SIGNAL INTEGRITY.
2. ROHS AND REACH COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TE SPECIFICATION TEC-138-702.

3 LABEL INFORMATION:

TE 2163489-[ ]	TE LOGO AND P/N
___ METERS	LENGTH
YYWW	DATE CODE
MADE IN _____	COUNTRY OF ORIGIN

4 LABEL INFORMATION:


TE 2163489-[ ]	TE LOGO AND P/N
MINI-SAS HD	
YYWWSSSS	YYWW= DATE CODE, SSSS= SERIAL NUMBER
[Barcode]	BARCODE

5, MINI-SAS HD EEPROM PROGRAMMED PER 2163489\_EEPROM.

6 -1 ONLY: LABEL IS APPLIED TO THE CENTER OF CABLE ASSEMBLY.

3 +0.08 -0 METERS	2163489-4
2 +0.08 -0 METERS	2163489-3
1 +0.08 -0 METERS	2163489-2
0.5 +0.05 -0 METERS	2163489-1 6
L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN P.LI 09MAR2012	TE Connectivity	
DIMENSIONS: mm		CHK J.MEYERS 09MAR2012	NAME CABLE ASSEMBLY, 30 AWG INFINITWIST MINI-SAS HD, 4X TO MINI-SAS, 4X	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J.MEYERS 09MAR2012	PRODUCT SPEC	
0. PLC ± -		APPLICATION SPEC		
1. PLC ± -		SIZE		
2. PLC ± -		CAGE CODE		
3. PLC ± -		DRAWING NO		
4. PLC ± -		RESTRICTED TO		
ANGLES ± -		WEIGHT		
MATERIAL FINISH		A1 00779 C=2163489		
		CUSTOMER DRAWING SCALE 1:1 SHEET 1 OF 2 REV C		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN P. LI	09MAR2012	<b>STE</b> TE Connectivity	
DIMENSIONS: mm		CHK J. MEYERS	09MAR2012		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. MEYERS	09MAR2012	NAME CABLE ASSEMBLY, 30 AWG INFINITWIST MINI-SAS HD, 4X TO MINI-SAS, 4X	
0 PLC ± -		PRODUCT SPEC		APPLICATION SPEC	
1 PLC ± -		SIZE		CAGE CODE	
2 PLC ± -		DRAWING NO		RESTRICTED TO	
3 PLC ± -		WEIGHT		A1 00779	
4 PLC ± -		SCALE		C=2163489	
ANGLES ± -		CUSTOMER DRAWING		SCALE 1:1 SHEET 2 OF 2 REV C	