




REVISIONS				
P.	LTN	DESCRIPTION	DATE	DWN APVD
B		REVISED PER ECO-14-017043	24NOV2014	AP DD





1. MATERIAL:
 HOUSING: LCP GLASS FILLED UL94V-0
 TERMINALS: HIGH PERFORMANCE COPPER ALLOY

2. FINISH:
 30μ" MIN GOLD IN CONTACT AREA
 SELECTIVE TIN ON PCB TAILS.
 NICKEL OVERALL.

3. FINISH:
 30μ" MIN GOLD IN CONTACT AREA
 SELECTIVE TIN-LEAD ON PCB TAILS.
 NICKEL OVERALL.



LEFT GUIDED
 BACKPLANE HOLE PATTERN
 (CONNECTOR SIDE)
 SCALE 4:1



SECTION Z-Z

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 13MAY2010	TE Connectivity
DIMENSIONS: mm		CHK J. EARY 13MAY2010	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. EARY 13MAY2010	NAME
0 PLC	±	PRODUCT SPEC	IMPACT, 6 PAIR, 12 COLUMN, UNGUIDED DUAL END WALL ASSEMBLY, ORTHOGONAL, 0.39 PTH
1 PLC	±0.25	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO
2 PLC	±0.13	WEIGHT	A100779C=2227220
3 PLC	±	Customer Drawing	SCALE 4:1 SHEET 1 OF 2 REV B
4 PLC	±		
ANGLES	±0		
FINISH	SEE TABLE		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

2227220-1												
PART NUMBER												
CONTACT LAYOUT												
A = 4.5mm (DIM M)												
B = 4.9mm (DIM M)												
C = 5.5mm (DIM M)												
X = EMPTY												
COLUMNS												
	1	2	3	4	5	6	7	8	9	10	11	12
A	B	B	B	B	B	B	B	B	B	B	B	B
B	B	B	B	B	B	B	B	B	B	B	B	B
C	B	B	B	B	B	B	B	B	B	B	B	B
D	B	B	B	B	B	B	B	B	B	B	B	B
E	B	B	B	B	B	B	B	B	B	B	B	B
F	B	B	B	B	B	B	B	B	B	B	B	B
G	B	X	B	B	B	B	B	B	B	B	B	B
H	X	X	B	B	B	B	B	B	B	B	B	B
J	X	B	B	B	B	B	B	B	B	B	B	B
K	B	X	B	B	B	B	B	B	B	B	B	B
L	X	X	B	B	B	B	B	B	B	B	B	B
M	X	B	B	B	B	B	B	B	B	B	B	B
N	B	X	B	X	B	X	B	B	B	B	B	B
P	X	X	X	X	X	X	B	B	B	B	B	B
Q	X	B	X	B	X	A	B	B	B	B	B	B
R	B	X	B	X	B	X	B	B	B	B	B	B
S	X	X	X	X	X	X	B	B	B	B	B	B
T	X	B	X	B	X	B	B	B	B	B	B	B

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 13MAY2010	TE Connectivity
DIMENSIONS:		CHK J. EARY 13MAY2010	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EARY 13MAY2010	NAME IMPACT, 6 PAIR, 12 COLUMN, UNGUIDED DUAL END WALL ASSEMBLY, ORTHOGONAL, 0.39 PTH
	0 PLC ± 1 PLC ±0.25 2 PLC ±0.13 3 PLC ± 4 PLC ±	PRODUCT SPEC	APPLICATION SPEC
MATERIAL	FINISH	WEIGHT	RESTRICTED TO
-	SEE TABLE	-	A100779C=2227220
Customer Drawing		SCALE 4:1	SHEET 2 OF 2 REV B