

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT By - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
C4		REVISED PER ECR-16-016457	28NOV16	O.C D.Z

DIM A

8.60

4.82

TE

TE LOGO

EDGE OF BOARD

4.82

3.96 TYP

Ø1.75/1.65

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.60 THICK PC BOARD

3.96 TYP

PIN POSITION # 1

14.60

HOUSING

PIN

9.40

3.69

8.21

- HOUSING MATERIAL: NYLON, UL94 V0.
- PIN MATERIAL: BRASS.
- PIN PLATING: 0.0030 MIN TIN OVER 0.0010 NICKEL.
- COMPLY WITH GLOW WIRE REQUIREMENTS FOR PARTS OF NON-METALLIC MATERIAL SUPPORTING A CURRENT-CARRYING CONNECTION DETAILED IN IEC 60335-1, SECTION 30 (GWT).

△5 "O" WITH POST
"X" WITHOUT POST

3-1744524-0 SHOWN
SEE BELOW TABLE FOR PART NUMBER INFORMATION

0	X	0	X	0	X	0	0	X	0		10	NATURAL	39.60±0.30	5-1744524-0
0	X	0	X	0	X	0	X	0	0		10	NATURAL	39.60±0.30	4-1744524-0
0	X	0	0	0	X	0	0	0	0	0	11	NATURAL	43.56±0.30	3-1744524-1
0	0	X	0	X	0	X	0	X	0		10	NATURAL	39.60±0.30	3-1744524-0
1	2	3	4	5	6	7	8	9	10	11	NO. OF POSITIONS	COLOR	DIM A	PART NUMBER
POST POSITIONS											△5			

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN OTTO CHEN 09JAN15	 TE Connectivity	
DIMENSIONS: mm		CHK DANIEL ZHANG 12JAN15		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD DANIEL ZHANG 12JAN15	NAME HEADER ASSEMBLY-ECONOMY POWER VERTICAL	
0 PLC ± 1 PLC ± 0.5 2 PLC ± 0.30 3 PLC ± - 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-5609	DRAWING NO 3-1744524-0	
MATERIAL SEE NOTES		APPLICATION SPEC	WEIGHT 0	RESTRICTED TO -
		SCALE N/A	SHEET 1 OF 1	REV C4

1471-9 (1/15)

3-1744524-0