






LOC		DIST		REV		REV		REVISIONS		DATE	APPD
CF	39	P	F	ZONE	LTR	DESCRIPTION					
✓	✓			0		REL WAS 92-3165-058			6-3-93	J.F.	
✓	✓			A		REV PER 0B20-0300-96			4-3-96	T5/CA	
				B		REV PER 0U30-0177-00			17APR00	T5/CA	



9.995 [.3935]	18	37.775±0.05 [1.4872±.0020]	19 x 5	620730-5
9.995 [.3935]	10	21.775±0.05 [.8572±.0020]	11 x 5	620730-4
-	5	11.775±0.050 [.4636±.0020]	6 x 5	620730-3
-	3	7.775±0.050 [.3061±.0020]	4 x 5	620730-2
-	4	9.775±0.050 [.3848±.0020]	5 x 5	620730-1
C	B	A	NO POSN	PART NO

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON:		DR 6-3-93 L.MORNINGSTAR		PART NO	
2 PLC DEC ±2 [.008]	3 PLC DEC ± -	CHK 6-3-93 J.FEDDER	APPD 6-3-93 J.FEDDER	AMP Incorporated Harrisburg, PA 17105-3608	
ANGLES ± -		APPD 6-3-93 J.FEDDER	PRODUCT SPEC		
MATERIAL	THERMOPLASTIC	APPLICATION SPEC		NAME SHROUD, 2MM HM	
FINISH	COLOR BLACK	WEIGHT			
THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		SIZE	CAGE CODE	DRAWING NO	
		D	00779	G-620730	
		SCALE	4:1	SHEET	1 OF 1