





- MATERIAL: CONNECTOR - NYLON UL94-V2 (ORANGE).
CONTACTS - 0.30[.012] THICK COPPER ALLOY (BRIGHT TIN-LEAD 0.00203[.000080] MIN. THICK FOR CONTACTS 641435-2 THRU 2-641435-4). (MATTE TIN PLATE 0.00203[.000080] MIN. THICK FOR CONTACTS 3-641435-2 THRU 5-641435-4).
- CONTACTS ACCEPT #18 AWG SOLID, FUSED STRANDED OR STRANDED (7 STRANDS) WIRE WITH 2.41 [.095] MAX INSULATION DIA.
- BOW, IN ANY DIRECTION, NOT TO EXCEED 0.15 [.006] PER IN.
- HOUSING FEATURES: CLOSED END.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- △ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- △ OBSOLETE PARTS



SECTION A-A

△ SUPERCEDED 5-641435-4	91.14 [3.588]	95.20 [3.748]	99.06 [3.900]	24	5-641435-4
△ SUPERCEDED 4-641435-5	55.47 [2.184]	59.54 [2.344]	63.40 [2.496]	15	4-641435-5
△ OBSOLETE	43.59 [1.716]	47.65 [1.876]	51.51 [2.028]	12	4-641435-2
△ SUPERCEDED 3-641435-9	31.70 [1.248]	35.76 [1.408]	39.62 [1.560]	9	3-641435-9
△ SUPERCEDED 3-641435-6	19.81 [.780]	23.88 [.940]	27.74 [1.092]	6	3-641435-6
△ SUPERCEDED 3-641435-4	11.89 [.468]	15.95 [.628]	19.81 [.780]	4	3-641435-4
△ SUPERCEDED 3-641435-3	7.92 [.312]	11.99 [.472]	15.85 [.624]	3	3-641435-3
△ SUPERCEDED 3-641435-2	3.96 [.156]	8.03 [.316]	11.89 [.468]	2	3-641435-2
△ SUPERCEDED 5-641435-4	91.14 [3.588]	95.20 [3.748]	99.06 [3.900]	24	5-641435-4
△ SUPERCEDED 4-641435-5	55.47 [2.184]	59.54 [2.344]	63.40 [2.496]	15	4-641435-5
△ OBSOLETE	43.59 [1.716]	47.65 [1.876]	51.51 [2.028]	12	4-641435-2
△ SUPERCEDED 3-641435-9	31.70 [1.248]	35.76 [1.408]	39.62 [1.560]	9	3-641435-9
△ SUPERCEDED 3-641435-6	19.81 [.780]	23.88 [.940]	27.74 [1.092]	6	3-641435-6
△ SUPERCEDED 3-641435-4	11.89 [.468]	15.95 [.628]	19.81 [.780]	4	3-641435-4
△ SUPERCEDED 3-641435-3	7.92 [.312]	11.99 [.472]	15.85 [.624]	3	3-641435-3
△ SUPERCEDED 3-641435-2	3.96 [.156]	8.03 [.316]	11.89 [.468]	2	3-641435-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN S CARPENTER 23JUN05	STE TE Connectivity	
DIMENSIONS: mm [INCHES]		8/13/03		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD D BOSSI 8/13/03	NAME MTA 156	
0 PLC ± -	1 PLC ± -	PRODUCT SPEC	KR	
2 PLC ± 0.13[.005]	3 PLC ± -	APPLICATION SPEC	18 AWG	
4 PLC ± -	ANGLES ± -	SIZE CAGE CODE DRAWING NO	RESTRICTED TO	
MATERIAL -	FINISH -	WEIGHT	A1 00779 C=641435	
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 of 1 REV H