	Title of Test	Test Number	
TEST RECORD	Drop test Standard level 610mm		
Tyco Electronics Corporation EMEA Region	Tester	Date Started	Date Complete
	Kitty Tan	19.May.11	
Requester		Weight	Quantity
Package request		9.5<11.5<18.6	360pcs
T dehage request		kg	0000003
Product Description		Part No	No of Boxes
18P HSG		1-2112780-9	1

TEST PROCEDURE: Tyco Electronics Packaging Specification 107-18078


Standard Packaging Drop Test

Specimen Weight	Drop Heights [mm]		
[kg]	Standard Level	Extra Level	
up to 9,5 kg	460	760	
over 9,5 to 18,6 kg	310	610	
over 18,6 to 27,7 kg	200	460	
over 27,7 kg	200	310	
Number of Drops	3	7	

LOCATION:

PACKAGING DESCRIPTION: Layer pack in CTN

CTN P/N: 1927003-1 Air pad: 110455-2 Paper pad: 1-1927018-3



RESULTS:

Test Procedure				
Drop	Standard Level	Extra Level	Comments	
1	Corner 3-4-5	Corner 3-4-5		
2	Edge 3-5	Edge 3-5		
3	Face 5	Edge 3-4		
4		Edge 4-5		
5		Face 5		
6		Face 4		
7		Face 3		

Drop Test

Drop Height: 760mm

Drop Procedure: Corner (3-4-5) \longrightarrow Edge (3-5) \longrightarrow Edge (3-4) \longrightarrow Edge (4-5) \longrightarrow Face (5) \longrightarrow Face (4) \longrightarrow Face (3)





Before Test:

No products damaged, CTN is good with its appearance.



© 2011 Tyco Electronics Corporation Harrisburg, PA All International Rights Reserved Class 1

404-110 04/02 Page 1 of 1

After Test:

The corner of CTN is crapy.



There are 23pcs lower part fall off, rail rate is 6.39%







There are 5pcs products lock broken, fail rate is 1.39%

