



UTILUX ALUMINIUM CRIMP LINKS AK TYPE

KEY FEATURES

- Solid barrier
- High conductivity aluminium
- Pre-filled with jointing compound
- Individually packed in sealed plastic
- Alternative sizes made to order

Utilux is a brand that has built an enviable reputation for high quality, reliable electrical connectors. For over 90 years, this dynamic Australian brand has been a leader in the field of interconnection systems.

Our aim is to provide the best possible products and services to keep our customers at the cutting edge of industry standards - internationally.

You can be sure that Utilux branded products are fabricated from the finest materials and produced to exacting tolerances. They represent the latest technology and the best design for the tasks they are required to perform.

Utilux is a leading brand of electrical connectors sold to original equipment manufacturers and electrical distribution companies throughout Australia, New Zealand and Asia. A comprehensive range, the most up to date production technology and the highest quality control standards ensure that there are Utilux connectors, of optimum reliability and durability, for all major power distribution applications.


As part of the worlds largest electrical connector company, TE Connectivity, the development of products is an ongoing commitment. It is done on a global basis, utilising the talents of many people throughout the organisation to ensure a global product for a local market.

Customers can count on consistent, high quality products, driven by TE's proven innovation and backed by our extraordinary customer support.

UTILUX ALUMINIUM CRIMP LINKS



Utilux Aluminium Lugs and Links are manufactured from high conductivity aluminium to maximise conductivity. Markings are used to clearly identify the cable to be used, die combination and crimping position. Care should be taken in the preparation of aluminium conductors to ensure proper scratch brushing and inhibiting compound is applied.



PRODUCT SELECTION INFORMATION						
Catalogue Number	Conductor Area (mm ²)	Conductor Stranding	Dimensions (mm)			Crimping Die
			A	G	H	
AK6	6	7/1.04	70	3.5	30	38-90AL
AK10	10	7/1.35	70	4.5	30	38-90AL
AK16	16	7/1.70	67	5.5	30	38-90AL
AK25	25	7/2.14 - 19/1.35	67	7	30	38-90AL
AK35	35	19/1.53	67	8.5	30	38-90AL
AK50	50	19/1.78	68	9.5	30	38-132AL
AK70	70	19/2.14	68	11	30	38-132AL
AK95	95	19/2.52 - 37/1.78	127	13	57	38-173AL / 40-172AL
AK120	120	37/2.03	127	15	57	38-173AL / 40-172AL
AK150	150	37/2.25	127	16.5	57	38-220AL / 40-220AL
AK185	185	37/2.52	127	18.5	57	38-220AL / 40-220AL
AK240	240	61/2.25	127	21	57	38-284AL / 40-283AL
AK300	300	61/2.52	127	23.5	57	38-284AL / 40-283AL
AK400	400	61/2.85	140	26.5	60	40-390AL
AK500	500	61/3.20	140	29.5	60	40-390AL
AK630	630	127/2.52	142	34.5	60	40-432AL
AK800	800	127/2.85	260	39	115	40-432AL

Larger sizes available, subject to approved quantities.

te.com/energy

©2016 TE Connectivity Ltd. family of companies. All Rights Reserved. EPP-2487-DDS15-AU-2/16

Utilux, TE Connectivity and TE Connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners. While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

FOR MORE INFORMATION:

TE Customer Support Centers

NSW/QLD/NT/ACT: +61 (2) 9554 2695
 VIC/TAS/SA: +61 (3) 9271 5243
 WA: +61 (8) 9358 7806
 New Zealand: +64 (9) 634 4580