


Lighting Product Overview

Interconnect Solutions for Lighting

From outdoor luminaires to commercial refrigeration, innovation in lighting is taking advantage of broad-based technological progress. Tyco Electronics can help you create and apply lighting products to your development programs with our recently launched product innovations.



SMT and Thru Hole Poke-in Wire Lighting Connector

Product Flyer : 1773453-5

Positions	SMT Poke-in Connector	Thru Hole Poke-in Connector	Gel Filled SMT Poke-in Connector	Gel Filled Thru Hole Poke-in Connector
1	2008563-1	2008839-1	2008994-1	2008995-1
2	1954097-1	2008106-1	1954785-1	2008996-1



Micro Poke-in Connectors

Product Flyer : 4-1773459-8


Positions	SMT Poke-in Connector	Size
1	2134611-1	8.2mm (L) x 3.3mm (W) x 2.475mm (H)
		Blade Contact : 2058301-1 Socket Contact : 2058302-1



Hermaphroditic Blade and Receptacle Connector

Product Flyer : 6-1773454-3

Positions	Blade/Receptacle	Dust Covers	Plug Housings	Wire-To-Board Cable Assembly
2	2058703-1	2058128-1	2058299-1	2058300-1
4	2058703-2	2058128-2	2058299-2	2058300-2
6	2058703-3	2058128-3	2058299-3	2058300-3
		Blade Contact : 2058301-1 Socket Contact : 2058302-1		



Mini Hermaphroditic Connectors

Product Flyer : 7-1773456-9

Positions	Blade/Receptacle
2	1971567-1
4	1971567-2
6	1971567-3



SlimSeal SSL Connector

Product Flyer : 4-1773455-9

Positions	Right Angle SMT Header Assembly	Vertical SMT Header Assembly	Right Angle Thru Hole Header Assembly	Vertical Thru Hole Header Assembly	Plug Cable Assembly	Receptacle Cable Assembly
2	2106056-2	2106053-2	2106111-2	2106112-2	2106378-2	2106391-2
3	2106056-5	2106053-4	2106111-4	2106112-4	2106378-3	2106391-3
4	2106056-8	2106053-6	2106111-6	2106112-6	2106378-4	2106391-4
		Receptacle Contact : 2106123-1 Tab Contact : 2106124-2				



NECTOR S Line Connector

Product Flyer : 1773457-7

Voltage	6-Way Distributor Assembly	6-Way Distributor Assembly (switchable)	Plug to Pigtail	Outlet to Pigtail
HV 250 VAC (Euro)	1-2083038-2	1-2083040-2	293285-1	1-2083033-6
125 VAC (UL)	1-2083078-1	1-2083079-1	293285-1	1-2083077-6
LV 42 DC (EURO)	1-2083039-2	1-2083041-2	293285-1	2-2083034-6
LV 42 DC (UL)	2-2083079-1	2-2083081-1	293285-1	2-2083077-6

Pin Contact : 9-1773459-3 Socket Contact : 8-1773459-0




LIGHT-N-LOK Connector

Product Flyer : 1773445-9

Positions	LIGHT-N-LOK Connector - WHITE	LIGHT-N-LOK Connector - ORANGE
2	2008144-1*	2008910-1*
3	2008152-1*	2008152-2*

*Part number include a plug and a receptacle



CoolSplice Connectors

Product Flyer : 8-1773450-8

Wire Type	Receptacle Housings	
Stranded Wire	Unsealed (green buttons) standard version	293545-1
Stranded Wire	Sealed (blue buttons) standard version	293545-2
Ribbon Cable	Standard version (transparent, no color)	5-293521-1
Ribbon Cable	End version with bridge (transparent, light blue color)	5-293522-1




IDC SSL Connector

Product Flyer : 5-1773455-1

Positions	Closed End Connector (SMT)	Feed Thru Connector (SMT)	Closed End Connector (Thru Hole)	Feed End Connector (Thru Hole)
1	X-2106003-1	X-2106431-1	X-2106489-1	X-2106751-1
2	X-2106003-2	X-2106431-2	X-2106489-2	X-2106751-2
3	X-2106003-3	X-2106431-3	X-2106489-3	X-2106751-3
4	X-2106003-4	X-2106431-4	X-2106489-4	X-2106751-4

Note : X (Blank) = 18 AWG X (1) = 20 AWG X (2) = 22 AWG X (3) = 24 AWG



Inverted SMT Thru Board Connector

Product Flyer : 7-1773453-0

Positions	Inverted Thru Board Connector	AMP Mini CT Cable Assembly	Positions	Inverted Thru Board Connector	AMP Mini CT Cable Assembly
2	2106091-1	2058943-1	5	2106091-4	2058943-4
3	2106091-2	2058943-2	6	2106091-5	2058943-5
4	2106091-3	2058943-3			

FOR MORE INFORMATION

te.com/industry/lighting

TE Technical Support Center

Internet:	te.com/help
USA:	+1 (800) 522-6752
Canada:	+1 (905) 475-6222
Mexico:	+52 (0) 55-1106-0800
Latin/S. America:	+54 (0) 11-4733-2200
Germany:	+49 (0) 6251-133-1999
UK:	+44 (0) 800-267666
France:	+33 (0) 1-3420-8686
Netherlands:	+31 (0) 73-6246-999
China:	+86 (0) 400-820-6015

Part numbers in this brochure are RoHS Compliant*, unless marked otherwise.

*as defined www.te.com/leadfree

te.com

© 2011 Tyco Electronics Corporation, a TE Connectivity Ltd. company. All Rights Reserved.

1-1773458-4 CIS FP 3M 06/2011

CoolSplice, LIGHT-N-LOK, MATE-N-LOK, NECTOR, AMP, TE Connectivity, TE connectivity (logo) and TE (logo) are trademarks.

Cree and X-Lamp are registrations and MP-L is a trademark of Cree, Inc.

Other logos, product and/or company names might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

