



CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC15002128160

Valid from: Nov.19,2021

Valid until:long-term

NAME AND REGISTERED ADDRESS OF THE APPLICANT Tyco Electronics (Shanghai) Co., Ltd.
Unit 5, Unit 6, 2 / F, Building 20, No. 999 Yinglun Road, China (Shanghai) Pilot Free Trade Zone

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Tyco Electronics (Shanghai) Co., Ltd.
Unit 5, Unit 6, 2 / F, Building 20, No. 999 Yinglun Road, China (Shanghai) Pilot Free Trade Zone

NAME AND LOCATION OF THE FACTORY Tyco Electronics(Qingdao) Ltd.
12 Xinghui Road, Jiaozhou Bay Comprehensive Bonded Zone, Hetao Street, Chengyang District, Qingdao City, Shandong Province, China

PRODUCT NAME, MODEL AND SPECIFICATION Faston 250
see appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS GB/T 17196-2017

TYPE OF CERTIFICATION SCHEMES Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-448319-2016.

Date of original issued: Jun.23,2015

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body.

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC15002128160

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

41802 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 41802-4 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2232111-1 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 41802-5 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2347379-1 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2366406-1 6.3*0.8 105°C (接线容量: 0.34mm²、0.5 mm²、0.75 mm²) 黄铜 锡; 2366406-2 6.3*0.8 105°C (接线容量: 0.34mm²、0.5 mm²、0.75 mm²) 黄铜 锡; 2366407-1 6.3*0.8 105°C (接线容量: 0.75mm²、1.0 mm²、1.5 mm²) 黄铜 锡; 2366407-2 6.3*0.8 105°C (接线容量: 0.75mm²、1.0 mm²、1.5 mm²) 黄铜 锡; 2366409-1 6.3*0.8 105°C (接线容量: 0.34mm²、0.5 mm²、0.75 mm²、1.0 mm²) 黄铜 锡; 2366409-2 6.3*0.8 105°C (接线容量: 0.34mm²、0.5 mm²、0.75 mm²、1.0 mm²) 黄铜 锡; 2347379-1 6.3*0.8 105°C (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡



CHINA QUALITY CERTIFICATION CENTRE



产品认证证书

证书编号: CQC15002128160

发证日期: 2021年11月19日

有效期至: 长期有效

委托人名称 泰科电子(上海)有限公司
及注册地址 中国(上海)自由贸易试验区英伦路999号20幢2楼5单元,6单元

制造商名称 泰科电子(上海)有限公司
及注册地址 中国(上海)自由贸易试验区英伦路999号20幢2楼5单元,6单元

生产企业名称 泰科电子(青岛)有限公司
及生产地址 山东省青岛市城阳区河套街道胶州湾综合保税区兴慧路12号

产品名称和系列、规格、型号 扁形快速连接端头(插套)
见附件

产品标准和技术要求 GB/T 17196-2017

认证模式 产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC11-448319-2016 认证规则的要求,特发此证。

本证书为变更证书,证书首次颁发日期:2015年06月23日

本证书的有效性依据发证机构的定期监督获得保持。

可通过扫描下方二维码或登录国家认监委网站(www.cnca.gov.cn)查验证书信息



签发: 谢肇煦



中国质量认证中心





产品认证证书

证书编号: CQC15002128160

第 1 页 共 1 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号:

41802 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 41802-4 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2232111-1 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 41802-5 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2347379-1 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡; 2366406-1 6.3*0.8 105℃ (接线容量: 0.34mm²、0.5 mm²、0.75 mm²) 黄铜 锡; 2366406-2 6.3*0.8 105℃ (接线容量: 0.34mm²、0.5 mm²、0.75 mm²) 黄铜 锡; 2366407-1 6.3*0.8 105℃ (接线容量: 0.75mm²、1.0 mm²、1.5 mm²) 黄铜 锡; 2366407-2 6.3*0.8 105℃ (接线容量: 0.75mm²、1.0 mm²、1.5 mm²) 黄铜 锡; 2366409-1 6.3*0.8 105℃ (接线容量: 0.34mm²、0.5 mm²、0.75 mm²、1.0 mm²) 黄铜 锡; 2366409-2 6.3*0.8 105℃ (接线容量: 0.34mm²、0.5 mm²、0.75 mm²、1.0 mm²) 黄铜 锡; 2347379-1 6.3*0.8 105℃ (接线容量: 0.75mm²、1.5 mm²、2.5 mm²、4 mm²) 黄铜 锡



中国质量认证中心