Certificate Number Report Reference Date	UL-US-2004185-0 E28476-20200930 23-Oct-2020
Issued to:	TYCO Electronics Corp 2901 Fulling Mill Rd Middletown, PA United States 17057
This is to certify that representative samples of	ECBT2 - Connectors for Use in Data, Signal, Control and Power Applications - Component See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.
Standard(s) for Safety:	UL 1977, 3rd Ed., Issue Date: 2016-01-07, Revision Date: 2019-08-07
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Bamples

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-US-2004185-0 E28476-20200930 23-Oct-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D8000 Dynamic Connector, X-2351965-X, prefix	Connectors
number X- can be 1-, 2-, 3 Different dash (-) number	Y Un Y Un Y Un Y Un Y U
can represent key type. 1- represent the X key, 2-	ハーハーハーハーハ
represent the Y key, 3- represent the Z key. Suffix	$\times \times \times \times$
number -X can be 2	$\Delta m \Delta m \Delta m \Delta m \Delta m \Delta m$
D8000 Dynamic Connector, X-2351981-X, prefix	Connectors
number X- can be 1-, 2-, 3 Different dash (-) number	
can represent key type. 1- represent the X key, 2-	0000
represent the Y key, 3- represent the Z key. Suffix	VIEVIEVIEVIEVI
number -X can be 2.	<u> </u>
D8000 Dynamic Connector, X-2352216-X, prefix	Connectors
number X- can be 1-, 2-, 3 Different dash (-) number	
can represent key type. 1- represent the X key, 2-)(U_1)(U_1)(U_1)(U_1)(U_1)(U_1)(U_1)(U_1
represent the Y key, 3- represent the Z key. Suffix	
number -X can be 2.	AAAA

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date

UL-CA-2002838-0 E28476-20200930 23-Oct-2020

Issued to: TYCO Electronics Corp 2901 Fulling Mill Rd Middletown, PA United States 17057

This is to certify that representative samples of

ECBT8 - Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:	CSA C22.2 NO. 182.3, 2nd Ed., Issue Date: 2016-07-01, Revision Date: 2019-01-01
Additional Information:	See the UL Online Certifications Directory at https://ig.ulprospector.com for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

4 Mally

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

Certificate Number Report Reference Date UL-CA-2002838-0 E28476-20200930 23-Oct-2020

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
D8000 Dynamic Connector, X-2351965-X, prefix number X- can be 1-, 2-, 3 Different dash (-) number can represent key type. 1- represent the X key, 2-	Connectors
represent the Y key, 3- represent the Z key. Suffix number -X can be 2	
D8000 Dynamic Connector, X-2351981-X, prefix number X- can be 1-, 2-, 3 Different dash (-) number can represent key type. 1- represent the X key, 2- represent the Y key, 3- represent the Z key. Suffix number -X can be 2.	Connectors
D8000 Dynamic Connector, X-2352216-X, prefix number X- can be 1-, 2-, 3 Different dash (-) number can represent key type. 1- represent the X key, 2- represent the Y key, 3- represent the Z key. Suffix number -X can be 2.	Connectors

Bamely



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/