Certificate of Compliance

Issued to:

Certificate Number:

UL-US-2011901-7

Report Reference:

E28476-20201229

Issue Date:

2024-05-15

TYCO Electronics Corp 2901 Fulling Mill Rd Middletown, PA 17057 United States

This certificate confirms that representative samples of: ECBT2 - Connectors for Use in Data, Signal, Control and Power Applications - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1977, Edition 4, Issue Date 2022-12-07

Additional Information: See UL Product iQ® at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch UL Mark Certification Program Manager



Certificate number Report reference Date

UL-US-2011901-7 E28476-20201229 2024-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model | Product Description |
|--|---------------------|
| 2366515-0, All models may be prefixed by 1- through 8- | Connectors |
| indicating color. | |
| Dynamic D1000 Slim Connectors, 2366515-2, Provided | Connectors |
| with Prefix 3- or 4- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-4, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-6, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-8, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| 2366600-0, All models may be prefixed by 1- through 8- | Connectors |
| indicating color. | |
| Dynamic D1000 Slim Connectors, 2366600-2, Provided | Connectors |
| with Prefix 3- or 4- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366600-4, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366600-6, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | _ |
| Dynamic D1000 Slim Connectors, 2366600-8, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | - |
| Dynamic D1000 Slim Connectors, 2375948-2 | Connectors |
| Dynamic D1000 Slim Connectors, 2375948-3, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | - |
| Dynamic D1000 Slim Connectors, 2375948-5, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-7, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-9, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375951-2, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375951-3, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375951-5, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | 0 |
| Dynamic D1000 Slim Connectors, 2375951-7, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |

ORi

David Piecuch UL Mark Certification Program Manager



Certificate number Report reference

 mber
 UL-US-2011901-7

 ence
 E28476-20201229

 Date
 2024-05-15

| Dynamic D1000 Slim Connectors, 2375951-9, Provided with Prefix 1- or 2- denoting Key Position | Connectors |
|---|------------|
| 2420333-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420333-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420334-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420334-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423582-6, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423582-8, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423584-6, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423584-8, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2439105-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2439215-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| DYNAMIC D1000 SLIM RECEPTACLE CONNECTOR, 2476752-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| DYNAMIC D1000 SLIM RECEPTACLE CONNECTOR, 2476752-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |

Pi

David Piecuch UL Mark Certification Program Manager



Certificate of Compliance

Issued to:

TYCO Electronics Corp 2901 Fulling Mill Rd Middletown, PA 17057 United States

This certificate confirms that representative samples of: ECBT8 - Connectors for Use in Data, Signal, Control and Power Applications Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 182.3, 2nd Ed., Issue Date: 2016-07, Revision Date: 2021-5

Additional Information: See UL Product iQ® at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

Certificate Number:

UL-CA-2009312-7

Report Reference:

E28476-20201229

Issue Date:

2024-05-15



Certificate number Report reference Date

UL-CA-2009312-7 E28476-20201229 2024-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

| Model | Product Description |
|--|---------------------|
| 2366515-0, All models may be prefixed by 1- through 8- | Connectors |
| indicating color. | |
| Dynamic D1000 Slim Connectors, 2366515-2, Provided | Connectors |
| with Prefix 3- or 4- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-4, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-6, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366515-8, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| 2366600-0, All models may be prefixed by 1- through 8- | Connectors |
| indicating color. | |
| Dynamic D1000 Slim Connectors, 2366600-2, Provided | Connectors |
| with Prefix 3- or 4- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366600-4, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366600-6, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2366600-8, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-2 | Connectors |
| Dynamic D1000 Slim Connectors, 2375948-3, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-5, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-7, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375948-9, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |
| Dynamic D1000 Slim Connectors, 2375951-2, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | - |
| Dynamic D1000 Slim Connectors, 2375951-3, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | - |
| Dynamic D1000 Slim Connectors, 2375951-5, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | - |
| Dynamic D1000 Slim Connectors, 2375951-7, Provided | Connectors |
| with Prefix 1- or 2- denoting Key Position | |

Daville

David Piecuch UL Mark Certification Program Manager



Certificate number Report reference

Date

UL-CA-2009312-7 E28476-20201229 2024-05-15

| Dynamic D1000 Slim Connectors, 2375951-9, Provided with Prefix 1- or 2- denoting Key Position | Connectors |
|---|------------|
| 2420333-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420333-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420334-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2420334-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423582-6, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423582-8, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423584-6, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2423584-8, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2439105-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| 2439215-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| DYNAMIC D1000 SLIM RECEPTACLE CONNECTOR, 2476752-0, All models may be prefixed by 1- through 8- indicating color. | Connectors |
| DYNAMIC D1000 SLIM RECEPTACLE CONNECTOR, 2476752-4, All models may be prefixed by 1- through 8- indicating color. | Connectors |

Daul P.

David Piecuch UL Mark Certification Program Manager

