## CERTIFICATE OF COMPLIANCE

Certificate Number E353372

Report Reference E353372-20120625 Issue Date 2020-SEPTEMBER-14

Issued to: TYCO Electronics Corp

2901 Fulling Mill Rd Middletown PA 17057

This certificate confirms that representative samples of

COMPONENT - CONNECTORS FOR USE IN

PHOTOVOLTAIC SYSTEMS

See Addendum Page

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 6703, Connectors for use in Photovoltaic Systems

CSA-C22.2 No 182.5, Connectors for use in Photovoltaic

Systems

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>



## CERTIFICATE OF COMPLIANCE

Certificate Number E353372

Report Reference E353372-20120625 Issue Date 2020-SEPTEMBER-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Component Photovoltaic Connector Cat. No. PV4-AX and PV4-BX, X could be blank or "1"; PV4-Syx, y could be "M" or "F", x could be "2.5" for 14 AWG, "4.0" for 12 AWG or "6.0" for 10 AWG; PV4-S1yx, y could be "M" or "F", x could be "2.5" for 14 AWG, "4.0" for 12 AWG or "6.0" for 10 AWG; PV4-Hyx, y could be "M" or "F", x could be "2.5" for 14 AWG, "4.0" for 12 AWG or "6.0" for 10 AWG.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

