Certificate Number UL-US-L66375-24-81306102-3

Report Reference E66375-20160318

Date 29-Aug-2023

Issued to: Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date:

2017-11-15

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Carrent Jennings (1802)

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-US-L66375-24-81306102-3

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	LLV-LV-LV-LV-LV-LV
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$\langle a \rangle / \langle a $
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	LTY LTV LTV LTV LTV
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	TE VIII VIII VIII VIII V

Olbrah Jenning-Corne



Deborah Jennings-Conner, VP Regulatory Services

Certificate Number UL-CA-L66375-44-81306102-3

Report Reference E66375-20160318

Date 29-Aug-2023

Issued to: Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for

Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-

01

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Webrah Jennings-Corne



Certificate Number UL-CA-L66375-44-81306102-3

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	トレイトアンストインドンイストン
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$4 \times \sqrt{n} \times \sqrt{n} \times \sqrt{n} \times \sqrt{n} \times \sqrt{n}$
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	LPV LV LV LV LV LV LV
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	TE VIII VIII VIII VIII V

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



Certificate Number Report Reference UL-US-2003099-2 E66375-20160318

Date

29-Aug-2023

Issued to:

Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date:

2017-11-15

Additional Information:

See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Olbrah Jenning - Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-US-2003099-2

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	L LV L L
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$4\pi N (n N ($
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	TEN TENTENT ENTENT EN
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	TE YOU YOU YOU YOU

Survey Jennings - Corne

(II)

Certificate Number | | Report Reference |

UL-CA-2002093-2 E66375-20160318

Date 29-Aug-2023

Issued to:

Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for

Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-

01

Additional Information:

See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Olbrah Jenning-Course

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-CA-2002093-2

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	LTV-LV-TV-TV-TV-TV
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$(a \times \sqrt{a} \times \sqrt{a} \times \sqrt{a} \times \sqrt{a} \times \sqrt{a})$
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	LIN LIVING TO VERY LIVE TO VERY
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	II. VIII. VIII. VIII. VIII. VI

Neborah Jennings-Conner VP Regulatory Service



Certificate Number Report Reference UL-US-2003074-2 E66375-20160318

Date

29-Aug-2023

Issued to:

Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX2 - Photocontrols, Plug-in, Locking Type - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

UL 773, 5th Ed., Issue Date: 2016-03-18, Revision Date:

2017-11-15

Additional Information:

See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Vebrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

¥

Certificate Number UL-US-2003074-2

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	L LV L L
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$4\pi N (n N ($
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	TENTENT ENTENT ENTENT
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	TE YOU YOU YOU YOU

Survey Jennings which

(II)

Certificate Number Report Reference UL-CA-2002072-2 E66375-20160318

Date

29-Aug-2023

Issued to:

Tyco Electronics Austria GmbH

Schrackstrasse 1

Waidhofen an der Thaya 3830

Austria

This is to certify that representative samples of

WJFX8 - Photocontrols, Plug-in, Locking Type Certified for

Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete

in certain constructional features or restricted in

performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety:

CSA C22.2 NO. 182.2-M1987, 1st Ed, Issue Date: 1987-12-

01

Additional Information:

See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

Olbrah Jennings-Course

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-CA-2002072-2

Report Reference E66375-20160318

Date 29-Aug-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
2213730, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2213748, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2213871, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2306128, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2306129, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	L LV L L
2306130, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	$4\pi N (n N ($
2311664, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2315031, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2315539, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	
2325661, May be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, or with or without prefix 1	contacts
2336396, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2338716, May be follow by a dash and additional	Photocontrol cover
suffixes 1, 2, 3, or with or without prefix 1-, 2-, 3	TENTENT ENTENT ENTENT
2357998, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359482, may be follow by a dash and additional	Photocontrol base with blades and dimming
suffixes 1, 2, 3, 4, 5, 6 or with or without prefix 1	contacts
2359615, may be followed by a dash and additional	Photocontrol cover
suffixes 1, 2, 3 or with or without prefix 1-, 2-, 3	TE YOU YOU YOU YOU

Sura Jenny Corne

