SAFETY ORGANIZATIONS

THIS FILTER HAS BEEN FORMALLY RECOGNIZED, CERTIFIED OR APPROVED BY THE LISTED AGENCY. THEREFORE, ALL TEST/REGUIREMENTS SPECIFIED IN THE LATEST REVISION OF THE FOLLOWING AGENCY STANDARDS HAVE BEEN MET:

UL RECOGNIZED: UL 1283 CSA CERTIFIED: CSA 22.2, # 8 VDE APPROVED: VDE 565-3

OPERATING SPECIFICATIONS

LINE CURRENT/VOLTAGE: 15 AMP, 120/250 VAC,

10 AMP/40°C, 250 VAC

LINE FREQUENCY: 50-60Hz

MAXIMUM LEAKAGE CURRENT,

EACH LINE TO GROUND:

0.22 mA@ 120V 60Hz 0.38 mA@ 250V 50Hz

OPERATING AMBIENT TEMP. RANGE: -10°C TO +40°C @ RATED CURRENT, Ir.

 $I_0 = I_r - \sqrt{\frac{100 - T_0}{100}}$ 60

0.250 FASTONS WITH-

Ø 0.069 HOLE

(2X)

RELIABILITY SPECIFICATIONS:

STORAGE TEMPERATURE: -40°C TO +85°C HUMIDITY: 21 DAYS @ 40°C 95% RH. CURRENT OVERLOAD TEST: 6 TIMES In FOR

8 ZECONDS

TEST SPECIFICATIONS:

INDUCTANCE: 0.13 mH NOMINAL

CAPACITANCE: (MEASURED @ 1KHz, 0.250VAC MAX., 25°C±1°C)

0.0052 μF ±20% LINE TO GROUND: LINE TO LINE: 0.0105 μF ±20% 1.5M △

DISCHARGE RESISTOR: L/G AND L/L I.R

NO DISCHARGE RESISTOR:

6000M ← (MIN.) @ 100VDC,

20°C AND 50% RH


RECOMMENDED RECEIVING INSPECTION HIPOT:


LINE TO GROUND: 1500 VAC OR 2250 VDC FOR 1 MINUTE


LINE TO LINE: 1450 VDC FOR 1 MINUTE

FILTER APPROVAL:

THE BEST WAY TO SELECT AND QUALIFY A FILTER IS FOR YOUR ENGINEERING TO TEST THE UNIT IN YOUR EQUIPMENT.








CATALOG # 15EBS1

DATE

10-15-02


ECN # APPRVD.

PUNCH PANEL FROM OUTSIDE





PANEL THICKNESS	PANEL CUTOUT "A"
0.031-0.052	1.260
0.046-0.068	1.350



<u> 50n-</u>	_50	<u>\</u> (MIN	<u>IMU</u>	M)	INZ	ERT.		322		
FREQUENCY MHz		. 05	0.1	. 15	0.5	1	3.0	5	10	30	
COMMON dB				1	5	8	/	20	26	40	
DIFF. dB				2	10	16	24	28	28	40	

PROJECTION UNLESS OTHERWISE SPECIFIED, TOLERANCE TO BE ±.025 MATERIAL & FINISH: AS SUPPLIED

THIRD ANGLE

This document is proprietory to CORCOM IN	С.
and is not to be reproduced nor used for	
manufacturing purposes except on CORCOM'S	
prior written consent.	



POWER LINE FILTER

CAD FILE: G:	\CD\15EBS101	TYCD # 0-1609005-5		
SCALE: NITS	DATE:	CATALOG NO.	REV.	
1/1/2	8-10-02	4 5 DDC 4	4	
DRW. BY:	DRIG:	15EBS1		
l ZD	I ELC	. =,		