




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN	APVD	
DF	00	0	CONVERTED RADIALL DWG TO TYCO ACAD DWG	11/03	--	--
		1	REVISED	22APR10	RF	JM

- 1 FRONT AND REAR INSULATORS: THERMOSET EPOXY PER ASTM D 5948  
 CONTACT RETENTION CLIPS: COPPER ALLOY PER ASTM B194  
 REAR GROMMET & INTERFACIAL SEAL: FLUOROSILICONE ELASTOMER  
 PER MIL-R-25988B, EXCEPT 4.6.6.1
- 2 DATE CODE: YEAR & WEEK (YYWW)
- 3. DESCRIPTIVE PART NUMBER: GPRAE09PA  
 THIS INSERT CONTAINS 3 CAVITIES FOR SIZE 20 PIN CONTACTS  
 THIS INSERT CONTAINS 6 CAVITIES FOR SIZE 16 PIN CONTACTS
- 4. THIS PRODUCT IS SOLD BY TYCO ELECTRONICS UNDER A LICENSE FROM RADIALL SA.



THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT



1738060-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	NOV03	Tyco Electronics Corporation	
DIMENSIONS: mm [INCHES]		R	FLAIG	Harrisburg, PA 17105-3608	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK	NOV03	NAME	
0 PLC ± -		J	MOSIER	GPR-A PIN INSERT, CLASS E, CONTACT ARRANGEMENT 09	
1 PLC ± -		APVD	NOV03	SIZE	CAGE CODE
2 PLC ± 0.05 [.002]		J	MOSIER	A2	00779
3 PLC ± -		PRODUCT SPEC		DRAWING NO	RESTRICTED TO
4 PLC ± -		APPLICATION SPEC		C=1738060	-
ANGLES ± -		WEIGHT	-	SCALE	SHEET
FINISH		CUSTOMER DRAWING		1:1	1 of 1
MATERIAL				REV	1
1					