






P	LTR	DESCRIPTION	DATE	DWN	APVD
	C8	REVISED PER ECN-23-235743	18OCT2023	BKW	DH
	C9	REVISED PER ECN-24-251700	08FEB2024	BKW	DH

1. CONTINUOUS STRIP ON REELS
2. WIRE SIZE IS #18-#14 AWG
3. INSULATION RANGE IS 3.05-4.32
4. MATING TAB THICKNESS IS 0.76-0.84

5 UL APPROVED FOR #18-#14 AWG

6 PRELIMINARY PART - NOT RELEASED FOR PRODUCTION
PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING



GAP AS REQUIRED TO MEET FORCE SPECIFICATIONS AND 0.71 MAX

SUPERSEDED BY 2238196-3

NICKEL	STEEL	6 1742198-4
TIN	BRASS	5 1742198-3
NICKEL	STEEL	5 1742198-1
FINISH	MATERIAL	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. WEAVER 23SEP2023	TE TE Connectivity	
DIMENSIONS: mm		CHK D. HUMPHREY 23SEP2023		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD W. MOYER 23SEP2023	NAME FASTON, 250 STD REC STR F-CR, AWG 18-14	
0 PLC ± 1 PLC ± 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±5°		PRODUCT SPEC 108-5178	SIZE A3	
MATERIAL SEE TABLE		APPLICATION SPEC 114-2036	CAGE CODE 00779	DRAWING NO 1742198
FINISH SEE TABLE		WEIGHT -	RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 OF 1
			REV C9	