

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20




BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
J

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	28APR2005	J.T	Y.Y



2-M2x0.4 TAP
SCREW DESTRUCTION TORQUE : 0.294Nm MIN (3kgfcm MIN)

1827136-1 : AS SHOWN




1	INSULATION SHEET	⑧
2	NUT (M2x0.4)	⑦
1	BRACKET (L)	⑥
1	BRACKET (R)	⑤
1	LOWER SHELL	④
1	UPPER SHELL	③
1	PUSH-PUSH SUB ASSY	②
1	HEADER ASSY (TOP TYPE, RIGHT BUTTON)	①
QTY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	±0.5
1 PLC	±0.5
2 PLC	±0.5
3 PLC	±0.5
4 PLC	±0.5
ANGLES	±5°

MATERIAL

FINISH

DWN 28APR2005

J.TANIGAWA

CHK 28APR2005

Y.YAMAMOTO

APVD 28APR2005

Y.YAMAMOTO

PRODUCT SPEC

108-78192, 108-5923

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

tyco
ElectronicsTyco Electronics AMP K.K.
Kawasaki, Japan

NAME
CARDBUS-ExpressCard CONNECTOR
TOP MOUNT TYPE
PUSH-PUSH RIGHT BUTTON

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1827136	

SCALE	SHEET	OF	REV
1:1	1	4	A

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

LOC
J

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD

SEE SHEET 1




SECT B-B



SECT A-A
SCALE 2:1

TABLE-1

POST LENGTH	5	3.5	4.25
CIRCUIT NO.	1, 17, 34, 35, 51, 68	36, 67	OTHERS




DETAIL D
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:

mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±0.5
1 PLC ±0.5
2 PLC ±0.5
3 PLC ±0.5
4 PLC ±0.5
ANGLES ±5°

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

tyco
Electronics

Tyco Electronics AMP K.K.
Kawasaki, Japan

NAME

CARDBUS-ExpressCard CONNECTOR
TOP MOUNT TYPE
PUSH-PUSH RIGHT BUTTON

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3 00779 C-1827136

SCALE

1:1

SHEET

2

OF

4

REV

A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2002 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

P

LTR



DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

APPLICABLE P.C. BOARD LAYOUT
(VIEW FROM CONN.
MOUNTING SIDE)DETAIL F
(SCALE 2:1)

NOTE


- 1 REFER TO TABLE 1 FOR POST CONTACT LENGTH.
- 2 RECOMMENDED TIGHTENING TORQUE
: FROM 0.15N·m (1.5kg·cm) TO 0.2N·m (2kg·cm)
- 3 APPLIED CARD: PCMCIA ATTRIBUTE PC CARD.
- 4 NO ELECTRONICS COMPONENTS. (NO SIGNAL LINE AREA)
- 5 GROUNDING PAD.
- 6 NO COMPONENT AREA.
- 7 STAND OFF 1.95mm AREA.
- 8 STAND OFF 1.75mm AREA.
- 9 STAND OFF 1.65mm AREA.
- 10 SEE CUSTOMER REPORT TCR-04023 & TCR-04024 FOR DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

単位: 概

mm

MATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:

一般公差

- | | | |
|----|-----|-------|
| 0 | PLC | ± 0.5 |
| 1 | PLC | ± 0.5 |
| 2 | PLC | ± 0.5 |
| 3 | PLC | ± 0.5 |
| 4 | PLC | ± 0.5 |
| 5 | PLC | ± 0.5 |
| 6 | PLC | ± 0.5 |
| 7 | PLC | ± 0.5 |
| 8 | PLC | ± 0.5 |
| 9 | PLC | ± 0.5 |
| 10 | PLC | ± 0.5 |

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

tyco
ElectronicsTyco Electronics AMP K.K.
Kawasaki, Japan

NAME

名称

CARDBUS-EXPRESSCARD CONNECTOR
TOP MOUNT TYPE
PUSH-PUSH RIGHT BUTTON

SIZE

CAGE CODE

DRAWING NO

番号

A3 00779

C-1827136

RESTRICTED TO

SCALE
尺度 1:1

SHEET

3 OF 4

REV

A

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION



COPYRIGHT 2002

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

変更

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

0.6mm PITCH CARD EDGE CONNECTOR
FOR THIS CARDBUS PRODUCTS

PARTS NUMBER	DESCRIPTION
1123215-1	HARD TRAY ASSY
1376045-1	ON TAPING(EMBOSS)


DETAIL H

PIN ASSIGNMENT

FOR TOP MOUNT

COMMON		UPPER SLOT		LOWER SLOT	
PIN NO.	REC CONN	PIN NO.	EXPRESS CARD	PIN NO.	REC CONN
150	150P	1	150P	150	150P
149	149P	2	149P	149	149P
148	148P	3	148P	148	148P
147	147P	4	147P	147	147P
146	146P	5	146P	146	146P
145	145P	6	145P	145	145P
144	144P	7	144P	144	144P
143	143P	8	143P	143	143P
142	142P	9	142P	142	142P
141	141P	10	141P	141	141P
140	140P	11	140P	140	140P
139	139P	12	139P	139	139P
138	138P	13	138P	138	138P
137	137P	14	137P	137	137P
136	136P	15	136P	136	136P
135	135P	16	135P	135	135P
134	134P	17	134P	134	134P
133	133P	18	133P	133	133P
132	132P	19	132P	132	132P
131	131P	20	131P	131	131P
130	130P	21	130P	130	130P
129	129P	22	129P	129	129P
128	128P	23	128P	128	128P
127	127P	24	127P	127	127P
126	126P	25	126P	126	126P
125	125P	26	125P	125	125P
124	124P	27	124P	124	124P
123	123P	28	123P	123	123P
122	122P	29	122P	122	122P
121	121P	30	121P	121	121P
120	120P	31	120P	120	120P
119	119P	32	119P	119	119P
118	118P	33	118P	118	118P
117	117P	34	117P	117	117P
116	116P	35	116P	116	116P
115	115P	36	115P	115	115P
114	114P	37	114P	114	114P
113	113P	38	113P	113	113P
112	112P	39	112P	112	112P
111	111P	40	111P	111	111P
110	110P	41	110P	110	110P
109	109P	42	109P	109	109P
108	108P	43	108P	108	108P
107	107P	44	107P	107	107P
106	106P	45	106P	106	106P
105	105P	46	105P	105	105P
104	104P	47	104P	104	104P
103	103P	48	103P	103	103P
102	102P	49	102P	102	102P
101	101P	50	101P	101	101P
100	100P	51	100P	100	100P
99	99P	52	99P	99	99P
98	98P	53	98P	98	98P
97	97P	54	97P	97	97P
96	96P	55	96P	96	96P
95	95P	56	95P	95	95P
94	94P	57	94P	94	94P
93	93P	58	93P	93	93P
92	92P	59	92P	92	92P
91	91P	60	91P	91	91P
90	90P	61	90P	90	90P
89	89P	62	89P	89	89P
88	88P	63	88P	88	88P
87	87P	64	87P	87	87P
86	86P	65	86P	86	86P
85	85P	66	85P	85	85P
84	84P	67	84P	84	84P
83	83P	68	83P	83	83P
82	82P	69	82P	82	82P
81	81P	70	81P	81	81P
80	80P	71	80P	80	80P
79	79P	72	79P	79	79P
78	78P	73	78P	78	78P
77	77P	74	77P	77	77P
76	76P	75	76P	76	76P

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mmMATERIAL
材料TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC	± 0.5
1 PLC	± 0.5
2 PLC	± 0.5
3 PLC	± 0.5
4 PLC	± 0.5
ANGLES	± 5°

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC

製品規格

APPLICATION SPEC

取付適用規格

WEIGHT

CUSTOMER DRAWING

tyco
ElectronicsTyco Electronics AMP K.K.
Kawasaki, JapanNAME
名称CARDBUS-EXPRESSCARD CONNECTOR
TOP MOUNT TYPE
PUSH-PUSH RIGHT BUTTON

SIZE

CAGE CODE

DRAWING NO

番号

1827136

RESTRICTED TO

SCALE
尺度 1:1

SHEET

4 OF 4

REV
A