








LOC		DIST		REVISIONS			
CM	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A7		REVISED PER ECR-21-119230	08NOV2021	SS	VS

- 1 PARTS COMPLY TO AMP SOLDERABILITY SPECIFICATION 109-11-2.
- 2 CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.
- 3 TAPE & REEL PACKAGING.
- 4 ADHESIVE TAPE
5. DIMENSIONS SHOWN REPRESENT PRODUCT IN DRY CONDITION. ADDITIONAL 2% GROWTH DUE TO END USE LOCATION MOISTURE ABSORPTION MAY OCCUR AND SHOULD BE ACCOUNTED FOR.



3 DIMENSIONAL MODEL
SCALE 4:1



△ 3 △ 4	PHOSPHOR BRONZE, PRE-TIN	NYLON, UL94V-2, NATURAL	5-2029002-1
△ 3	PHOSPHOR BRONZE, PRE-TIN	NYLON, UL94V-2, NATURAL	5-2029002-0
	PHOSPHOR BRONZE, PRE-TIN	NYLON, UL94V-2, NATURAL	2029002-1
REMARKS	PIN CONTACT MATERIAL AND FINISH	HOUSING MATERIAL AND COLOR	PART NUMBER

RECOMMENDED MOUNTING HOLE PATTERN FOR 1.57 [.062] THICK P.C. BOARD

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN K. WHITAKER 26SEP2007	CHK D. COLEY 26SEP2007	APVD D. COLEY 26SEP2007	NAME D. COLEY
0 PLC ±	1 PLC ±	PRODUCT SPEC			
2 PLC ±0.131(.005)	3 PLC ±	APPLICATION SPEC			
4 PLC ±	ANGLES ±	SIZE CAGE CODE DRAWING NO RESTRICTED TO			
FINISH ±	40° 30'	WEIGHT			
MATERIAL SEE TABLE	SEE TABLE	CUSTOMER DRAWING			

SCALE 5:1 SHEET 1 OF 1 REV A7

STE TE Connectivity

SOCKET HEADER ASSEMBLY, 9 CIRCUIT, SHORT TAIL, UNIVERSAL MATE-N-LOK(TM)

©=2029002