

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

REV

DATE

DWN

APVD

CM

53

A1

REVISED PER ECR-17-015922

07NOV2017

BDA

KR

4

4

3

2

1

7.62

SEE DETAIL A

11.68

27.43±0.38

26.67

14.73 REF

DETAIL A

OPTIONAL CONSTRUCTION

1

2

3

4

MATES WITH APPROPRIATE UNIVERSAL MATE-N-LOK CAP OR HEADER.

SMALL NICKS ARE PERMITTED ON THE CIRCUIT TOWERS WHICH COULD INCREASE THE INITIAL HOUSING MATING FORCE BY UP TO 4.4 NEWTONS [1.0 LBS]. NO INDIVIDUAL NICKED TOWER SHALL INCREASE THIS FORCE BY OVER 2.2 NEWTONS [.5 LBS].

DIMENSIONS SHOWN REPRESENT PRODUCT IN DRY, AS MOLDED, CONDITION. ADDITIONAL 2% GROWTH DUE TO SUBSEQUENT MOISTURE ABSORPTION MAY OCCUR AND SHOULD BE ACCOUNTED FOR.

FOUR RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION. SIX RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION, OPTIONAL.

NATURAL

COLOR

2029388-1

PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

0

1

2

3

4

PLC

PLC

PLC

PLC

PLC

±

±

±

±

±

—

—

± 0.20

—

± 0°30'

ANGLES

FINISH

—

—

DWN

CHK

APVD

NAME

jr_ruth

TOM_MICHELUTTI

TOM_MICHELUTTI

10AUG11

10AUG11

10AUG11

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

2029388

—

CUSTOMER DRAWING

SCALE

4:1

SHEET

1

OF

1

REV

A1

4805 (3/11)