

Molded Parts  
Specification Control Drawing

Part Number : 202A163-X-54  
Description : Boot, Straight

NOTES

1. All dimensions are in 

inches

[millimeters]
2. Dimensions appearing in table are as follows:

a - As Supplied

b - After Unrestricted Recovery
3. Coating is required. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.




TABLE OF DIMENSIONS									
PART NUMBER	H		J		P	R	JO	W	CH
	Min	Max	Min	Max	±10%	±10%	Ref	±20%	±.12
	a	b	a	b	b	b	b	b	a
202A163-X-54	1.68 [42,7]	1.08 [27,4]	1.68 [42,7]	.37 [9,4]	3.90 [99,1]	2.47 [62,7]	.71 [18,0]	.08 [2,03]	.50 [12,7]

Molded Parts  
Specification Control Drawing

Part Number : 202A163-X-54  
Description : Boot, Straight

COMPATABILITY CHART					
MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-25	Elastomer, Fluid Resistant	RT-1325	/180,/184	S-1030	Adhesive

ORDERING INFORMATION

202A163

-25

-54

/180

Base part number

Material dash number  
(See Compatability Chart)

Modification number  
(If necessary, see front of scd binder for a complete list)

Adhesive slash number  
(If necessary, see Compatability Chart)

If this document is printed it becomes uncontrolled.  
Check for the latest revision.

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR  
NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION