





REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
1		PROPOSED	01JUN2009	JKS CR
2		REVISED	21SEP2010	JKS CR
3		REVISED PER ECO-11-004849	09MAR2011	WS RP
A		REVISED PER ECO-16-015907	24NOV2016	AP RP



- 1 MATERIAL:  
CONTACT - PHOS BRONZE  
HOUSING & CHICKLET - LCP, UL 94V-0, COLOR - BLACK
- 2 FINISH: CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-2303-1; BASED ON TELECORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE).
- 3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 4 CONNECTOR MARKED ON EITHER SIDE OF HOUSING WITH PART NUMBER 85 OHM, AND DATE CODE IN APPROXIMATE AREA SHOWN
- 5 REFERENCE APPLICATION SPEC FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESS.
- 6. CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT. TECHNICAL REFERENCE GR-1217-CORE, ISSUE 1, NOVEMBER 1995.



2065490-1  
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 01JUN2009	TE Connectivity	
DIMENSIONS:		CHK C. RITTER 01JUN2009	NAME	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD C. RITTER 01JUN2009	PRODUCT SPEC	
0 PLC	±	PRODUCT SPEC	VERTICAL RECEPTACLE ASSEMBLY,	
1 PLC	±	APPLICATION SPEC	5 PAIR, 8 COLUMN, 39mm STACK HEIGHT	
2 PLC	±	APPLICATION SPEC	TinMan, 85 OHM	
3 PLC	±	APPLICATION SPEC	SIZE	
4 PLC	±	APPLICATION SPEC	CAGE CODE DRAWING NO	
ANGLES	±	APPLICATION SPEC	RESTRICTED TO	
MATERIAL	FINISH	WEIGHT	A100779C=2065490	
			CUSTOMER DRAWING	
		SCALE	SHEET 1 OF 1 REV A	