








THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



As shown 1-2199230-5



M	108-115042	50u'' MIN.	1.125	1.375	-6.125	1.5	14.0	2.0	14.0	1-2199230-7
		30u'' MIN.								1-2199230-6
		15u'' MIN.								1-2199230-5
		10u'' MIN.								1-2199230-4
	108-115049	GOLD FLASH								1-2199230-3
A	108-115042	10u'' MIN.	1.375	1.125	6.625	14.5	1.0	14.5	1.5	1-2199230-2
E					2.625	10.5	5.0	10.5	5.5	1-2199230-1
B					5.625	13.5	2.0	13.5	2.5	1-2199230-0
A	108-115042	30u'' MIN.			6.625	14.5	1.0	14.5	1.5	2199230-9
	15u'' MIN.	2199230-8								
	108-115049	GOLD FLASH								2199230-7
E	108-115042	30u'' MIN.			2.625	10.5	5.0	10.5	5.5	2199230-6
B					5.625	13.5	2.0	13.5	2.5	2199230-5
E		15u'' MIN.			2.625	10.5	5.0	10.5	5.5	2199230-4
B	5.625				13.5	2.0	13.5	2.5	2199230-3	
E	108-115049	GOLD FLASH			2.625	10.5	5.0	10.5	5.5	2199230-2
B					5.625	13.5	2.0	13.5	2.5	2199230-1
KEY ID.	PRODUCT SPEC.	GOLD SPEC.	DIM. G	DIM. F	DIM. E	DIM. D	DIM. C	DIM. B	DIM. A	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	0 PLC ± 0.30
	1 PLC ± 0.30
	2 PLC ± 0.20
	3 PLC ± 0.10
	4 PLC ± -
	ANGLES ± 3°
MATERIAL	FINISH
-	-

DWN	90CT2012
CHK	90CT2012
APVD	90CT2012
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	

STE TE Connectivity Ltd.

M.2(NGFF) MINI CARD MOUNTING TYPE
0.50mm PITCH 67 POS. 4.2mm HEIGHT
FOR DOUBLE SIDED MODULE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2199230	-

CUSTOMER DRAWING

SCALE 4:1

SHEET 2 OF 4

REV B4

