




050/110/250 46P COVER ASSY TYPE A

2219072-1




2219072-2



< EXPLODE VIEW >

NOTES


1. DELIVERY CONDITION: LEVER (2) IN PRELOCKED POSITION
CPA (3) IN PRELOCKED POSITION
2. LEVER MOUNTING POSITION
3. LEVER MUST ROTATE SMOOTHLY UNTIL LOCKING
4. LEVER AND CPA END LOCK POSITION
5. GENERAL TOLERNACE : ± 0.3 , $\pm 3^\circ$
6. APPLICABLE PLUG ASS'Y PN:2209520, 2317063
7. SEE THE SHEET 2 OF 2 ABOUT OTHERS SERIES.




SECTION A-A
SCALE 2:1

LEVER OPERATING POSITION


APPLY TO ALL KINDS OF 050/110/250 COVER ASSY SERIES (BASED ON 2219072)



1 LEVER CPA OPENED.
(PRE-LOCKED)



2 LEVER MOUNTING POSITION



3 LEVER, CPA CLOSED(2nd LOCK)

				G	G					F	G1	F			F1	F					F	F													
				ASSY P/N	ASSY DESCRIPTION																	ASSY P/N													
				COVER ASSY TYPE E	9-2219072-4	COVER ASSY TYPE D	9-2219072-2	COVER ASSY TYPE B (NON-CPA/BASIC LEVER)	8-2219072-2	COVER ASSY TYPE A (NON-CPA/BASIC LEVER)	7-2219072-2	COVER ASSY TYPE B (NON-CPA/NON RIB LEVER)	6-2219072-2	COVER ASSY TYPE A (NON-CPA/NON RIB LEVER)	5-2219072-2	COVER ASSY TYPE C (NON-RIB LEVER)	4-2219072-9	COVER ASSY TYPE C (NON-RIB LEVER)	4-2219072-2	COVER ASSY TYPE B (NON-RIB LEVER)	3-2219072-2	COVER ASSY TYPE A (HAND GRIP LEVER)	2-2219072-3	COVER ASSY TYPE A (NON-RIB LEVER)	2-2219072-2	COVER ASSY TYPE B	1-2219072-3	COVER ASSY TYPE B	1-2219072-2	COVER ASSY TYPE B	1-2219072-1	COVER ASSY TYPE A	0-2219072-2	COVER ASSY TYPE A	0-2219072-1
F1	13	RED	PBT-GF10	CPA	-	-	-	-	-	-	-	-	-	-	-	I	-	-	-	-	-	-	-	-	-	I	I	I	I	I	I	I	I	I	
	12	GRAY	PBT-GF10	CPA	-	-	-	-	-	-	-	-	-	-	-	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	11	GRAY	PBT-GF20	HAND GRIP LEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	10	GRAY	PBT-GF20	LEVER TYPE B	I	I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G	9	GRAY	PBT-GF20	NON-RIB LEVER	-	-	-	-	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	8	GRAY	PBT-GF20	BASIC LEVER	-	-	-	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	7	GRAY	PBT-GF20	LEVER TYPE A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	I	-	I	I	I	I	I	I	I	I	
	6	BLACK	PBT-GF20	LEVER TYPE A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	I	-	I	I	I	I	I	I	I	
F	5	BLACK	PBT-GF20	COVER HSG TYPE E	I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	BLACK	PBT-GF20	COVER HSG TYPE D	-	-	I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	BLACK	PBT-GF20	COVER HSG TYPE C	-	-	-	-	-	-	-	-	-	-	-	I	I	I	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	BLACK	PBT-GF20	COVER HSG TYPE B	-	-	-	I	-	I	-	I	-	I	-	-	-	-	I	-	-	-	-	-	I	I	I	I	I	I	I	I	I	I	
F	1	BLACK	PBT-GF20	COVER HSG TYPE A	-	-	-	I	-	I	-	I	-	I	-	-	-	-	I	-	-	I	I	-	-	-	-	-	-	-	I	I	I	I	
NO		COLOR/FINISH	MATERIAL	DESCRIPTION	QTY																														

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
SEE TABLE

TOLERANCES UNLESS OTHERWISE SPECIFIED

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±
±
±
±
±
±
±

OWN
CHK
APVD
YJ YOUN

NAME
PRODUCT SPEC
APPLICATION SPEC
WEIGHT

09JUN2020
10AUG2022
24MAR2023
25MAR2025

EW
CH
SY
DG

YJ
KT
KT
YH

TE Connectivity

050/110/250 46P COVER ASSY

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=2219072

RESTRICTED TO

CUSTOMER DRAWING



SCALE
1:1

SHEET
1



OF
3

REV
G1



46P COVER ASSY TYPE B
1-2219072-1
1-2219072-2
1-2219072-3





SCALE 1:2





46P COVER ASSY TYPE A (NON-RIB LEVER)
2-2219072-2 (F)





SCALE 1:2





46P COVER ASSY TYPE B (NON-RIB LEVER)
3-2219072-2





SCALE 1:2





46P COVER ASSY TYPE C (NON-RIB LEVER)
4-2219072-2
(61) 4-2219072-9





SCALE 1:2





46P COVER ASSY TYPE A (NON-CPA/NON-RIB LEVER)
5-2219072-2 (F)





SCALE 1:2





46P COVER ASSY TYPE B (NON-CPA/NON-RIB LEVER)
6-2219072-2





SCALE 1:2





46P COVER ASSY TYPE A (NON-CPA/BASIC LEVER)
7-2219072-2 (F)





SCALE 1:2



46P COVER ASSY TYPE B (NON-CPA/BASIC LEVER)
8-2219072-2



SCALE 1:2





8. REFER 1 PAGE FOR THE UNSPECIFIED DIMENSION.
- CPA STROKE DISTANCE.



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN		SEE SHEET 1		TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED		CHK	APVD				
mm		0 PLC	±		PRODUCT SPEC				
		1 PLC	±		APPLICATION SPEC				
MATERIAL		2 PLC	±			SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		3 PLC	±			A1	00779	C=2219072	
SEE SHEET 1		4 PLC	±						
		MOLES	±						
		FINISH	±						
CUSTOMER DRAWING				WEIGHT		SCALE		SHEET	
						2:1		2 OF 3	
								REV	
								G1	



46P COVER ASSY TYPE D ⬢₆
9-2219072-2





SCALE 1:2





46P COVER ASSY TYPE E ⬢₆
9-2219072-4





SCALE 1:2




46P COVER ASSY TYPE A (HAND GRIP LEVER) ⬢_{F1}
2-2219072-3



SCALE 1:2



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	 TE Connectivity				
DIMENSIONS:				CHK					-
mm				APVD					-
				PRODUCT SPEC					
				APPLICATION SPEC					
				SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
				A 1		00779	©=2219072		
MATERIAL				WEIGHT					
SEE SHEET 1				CUSTOMER DRAWING		SCALE	1:1	SHEET 3 OF 3	REV G