



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION20

© COPYRIGHT 20BY -ALL RIGHTS RESERVED.




LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	RELEASED PER ECO-13-011472	08AUG2013	CJV	MRS



DETAIL A
SCALE 12.000

NOTES: UNLESS OTHERWISE SPECIFIED:

- 1 HEATSINK MARTEIAL: ALUMINUM ALLOY
- 2 FINISH: BLACK ANNODIZED
- 3 2-56 SHOULDER BOLT AND SPRING PRE-ASSEMBLED AND HELD IN PLACE WITH CLIP
- 4 FULL ROUND PERMITTED ON TOP OF HEATSINK FINS



4	E-CLIP	4
4	SPRING	3
4	2-56 SHOULDER SCREW	2
1	HEATSINK, FRONT TO BACK AIRFLOW	1
- 1	DESCRIPTION	ITEM NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 05SEP2012	TE Connectivity			
DIMENSIONS: mm (inch)		CHK M. SCHMITT 05SEP2012				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. SCHMITT 05SEP2012	NAME CFP HEATSINK ASSEMBLY, FRONT TO BACK AIRFLOW			
0 PLC ±- 1 PLC ±0.5 2 PLC ±0.25 3 PLC ±0.125 4 PLC ±0.0001 ANGLES ±1° FINISH		PRODUCT SPEC -	SIZE 114-13263		RESTRICTED TO -	
MATERIAL 1		APPLICATION SPEC 114-13263	CAGE CODE A260779		DRAWING NO. C-2227288	
		WEIGHT -	SCALE 1.000		SHEET 1 OF 1	
		CUSTOMER DRAWING			REV A	