




1. MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
EMI SPRING- COPPER ALLOY, NICKEL PLATED.
HOUSING- POLYESTER LCP WITH 94V-0.
CHICKLET- POLYESTER LCP WITH 94V-0.
CONTACT- COPPER ALLOY.
LIGHTPIPE- POLYCARBONATE WITH 94V-0.

2 CONTACT FINISH: 0.76µm GOLD ON MATING AREA, 0.7-1.5µm MATT TIN ON COMPLIANT AREA, ALL OVER 1.27µm NICKEL.

3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

4. MINIMUM PCB THICKNESS OF 1.57.

5 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND TRACES.

6 CROSS-HATCHED AREAS REPRESENT ZONES ON THE PCB THAT COME IN CONTACT WITH OR BE IN CLOSE PROXIMITY TO THE PLASTIC HOUSING OR THE CONNECTOR CAGE. INDICATED AREAS TO BE CONSIDERED TRACE FREE.

7 PART NUMBER AND DATE CODE MAKED IN APPROXIMATE AREA SHOWN.

8 HATCHED AREA IS PLACEMENT ZONE FOR LED. LED SHOULD BE CENTERED WITHIN ZONE. RECOMMEND 0805 PACKAGE.

9 CONTACT FINISH: 0.08µm MINIMUM GOLD OVER 0.68µm PALLADIUM-NICKEL ON MATING AREA, 0.7-1.5µm MATT TIN ON COMPLIANT AREA, ALL OVER 1.27µm NICKEL.

10 LOW Br/Cl AS DEFINED IN TEC-138-702.

1 LIGHT PIPE WITH COATING.

2 REMOVE THE PCB HOLES FOR 3-2299870-0 FOR SPECIAL APPLICATION.

3 HEAT SINK WITH NICKEL PLATING


4 OBSOLETE

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				K4		REVISED PER ECN-23-216737	08JUN2023	AB	SZ
				K5		REVISED PER ECN-23-241272	21NOV2023	RY	SZ


1310	7	2	WITH HS & WITH LP	3-2299870-8	
	3	2	WITH HS & WITHOUT LP +INSULATING TAPE	3-2299870-6	
	7	2	WITH HS & WITHOUT LP	3-2299870-1	
	7	2	WITH HS & WITH LP	3-2299870-0	
	4	2	WITH HS & WITH LP	2-2299870-8	
	5	2	WITH INNER HS ONLY& NO LP	2-2299870-7	
	5	2	WITHOUT HS & WITH LP	2-2299870-5	
	8	2	WITH HS & WITHOUT LP	2-2299870-4	
	6	2	WITH HS & WITH LP	2-2299870-3	
	6	2	WITH HS & WITHOUT LP	2-2299870-2	
411	2	2	WITHOUT UPPER HS OR LP	2-2299870-1	
	5	2	WITH HS & WITH LP	2-2299870-0	
	6	2	WITH HS & WITH LP	1-2299870-9	
	4	2	WITH HS & WITH LP	1-2299870-8	
	4	2	WITH HS & WITHOUT LP	1-2299870-6	
	5	2	WITH HS & WITH LP	1-2299870-5	
	9	2	WITH HS & WITHOUT LP	1-2299870-3	
	2	2	WITH HS & WITHOUT LP	1-2299870-2	
	4	2	WITH HS & WITH LP	1-2299870-0	
	3	2	WITH HS & WITH LP	2299870-9	
1	3	2	WITH HS & WITH LP	2299870-8	
	3	2	WITH HS & WITH LP	2299870-7	
	3	2	WITH HS & WITHOUT LP	2299870-6	
	2	2	WITHOUT UPPER HS OR LP	2299870-5	
	2	2	WITHOUT UPPER HS OR LP	2299870-4	
	9	2	WITH HS & WITHOUT LP	2299870-3	
	2	2	WITH HS & WITHOUT LP	2299870-2	
	2	2	WITH HS & WITH LP	2299870-1	
	PAGE		CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE	28JAN2016	STE TE Connectivity	
DIMENSIONS:		CHK	SEAN HAN	28JAN2016		
mm		APVD	SEAN HAN	28JAN2016		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	108-60102	APPLICATION SPEC		
0 PLC ±		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
1 PLC ±0.25		114-60015	100779	C=2299870		
2 PLC ±0.15		WEIGHT	-	-	SCALE	
3 PLC ±		CUSTOMER DRAWING	1:1	SHEET 1 OF 16		
4 PLC ±					REV	
ANGLES ±						
FINISH					K5	
SEE NOTE 1						
SEE NOTE 2						


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-		SEE SHEET 1	-	-	-




2299870-1 AS SHOWN
SCALE 2:1




2299870-2 AND 1-2299870-2AS SHOWN
SAME AS 2299870-1 EXCEPT
W/O LEGHT PIPE AND ORGANIZER
SCALE 2:1




2299870-4 AS SHOWN
SAME AS 2299870-2 EXCEPT
W/O EXTERNAL HEAT SINK AND LP
SCALE 2:1




2299870-5
2-2299870-1
SCALE 2:1




2299870-1
SCALE 2:1



2299870-2
1-2299870-2
SCALE 2:1



2299870-4
SCALE 2:1




2299870-5
2-2299870-1
SCALE 2:1


30.9	1-2299870-2
31.9	2299870-2
DIM.A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 28JAN2016	 TE Connectivity				
DIMENSIONS:		CHK SEAN HAN 28JAN2016					
mm		APVD SEAN HAN 28JAN2016	NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSPF+ STACKED WITH HS			
		PRODUCT SPEC					
	0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	108-60102	SIZE	CAGE CODE			
		APPLICATION SPEC					
		MATERIAL			114-60015	DRAWING NO	
		SEE NOTE 1			WEIGHT	A100779C=2299870	
		SEE NOTE 2		CUSTOMER DRAWING		RESTRICTED TO	
				SCALE 1:1		SHEET 2 OF 16	
						REV K5	


LOC		DIST		REVISIONS						
GP		00		P	LTR	DESCRIPTION		DATE	DWN	APVD
				-		SEE SHEET 1		-	-	-




2299870-6
SCALE 2:1




2299870-6
SCALE 2:1




2299870-7
SCALE 2:1




SCALE 5:2




2299870-8
SCALE 2:1




2299870-8
SCALE 2:1




2299870-9
SCALE 2:1



SCALE 2:1




3-2299870-6
SCALE 2:1
1. INSULATING TAPE IS ADDED
2. ALL OTHER SPECS ARE THE SAME AS 2299870-6





2299870-7
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	TIM XUE	28JAN2016	 TE Connectivity				
			CHK	SEAN HAN	28JAN2016					
			APVD	SEAN HAN	28JAN2016					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:				NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZOSFP+ STACKED WITH HS			
mm										


LOC		DIST		REVISONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	





1-2299870-0
SCALE 2:1




1-2299870-0
SCALE 2:1





1-2299870-6
SCALE 2:1



SCALE 2:1




1-2299870-8
2-2299870-8
SCALE 2:1




1-2299870-8
2-2299870-8
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE		28JAN2016		 TE Connectivity	
		CHK	SEAN HAN		28JAN2016			
DIMENSIONS:		APVD	SEAN HAN		28JAN2016		NAME	
mm		PRODUCT SPEC						
		108-60102					CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	
		APPLICATION SPEC						
		114-60015						
		FINISH						
		WEIGHT						
MATERIAL		CUSTOMER DRAWING					RESTRICTED TO	
SEE NOTE 1		SEE NOTE 2					A100779C=2299870	
							SCALE 1:1	
							SHEET 4 OF 16	
							REV K5	



LOC		DIST		REVISIONS				
GP		00		P	LTR	DESCRIPTION		DATE
					-	SEE SHEET 1		-




1-2299870-5
SCALE 3:2





SCALE 2:1




2-2299870-5
SCALE 3:2





SCALE 2:1




2-2299870-7
REMOVE THE LP, ALL OTHERS ARE THE SAME AS 2-2299870-5
SCALE 3:2




SCALE 2:1




2-2299870-0
SCALE 3:2




SCALE 2:1




THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TIM XUE		28JAN2016		 TE Connectivity	
				CHK	SEAN HAN		28JAN2016			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SEAN HAN		28JAN2016		NAME	
mm				PRODUCT SPEC						
		0 PLC ±		108-60102		SIZE		CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS		
		1 PLC ±0.25		APPLICATION SPEC						
		2 PLC ±0.15		114-60015		CAGE CODE				
		3 PLC ±		WEIGHT		DRAWING NO				
4 PLC ±								RESTRICTED TO		
MATERIAL		FINISH		CUSTOMER DRAWING		SCALE		SHEET		
SEE NOTE 1		SEE NOTE 2				1:1		5		
								16		
								REV		
								K5		



LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	OWN	APVD
		-		SEE SHEET 1	-	-	-




2-2299870-2
SCALE 2:1





SCALE 2:1




2-2299870-3
SCALE 2:1




SCALE 2:1




1-2299870-9
SCALE 2:1




- A -




1-2299870-9
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 28JAN2016		 TE Connectivity		
DIMENSIONS:		CHK SEAN HAN 28JAN2016				
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	
		APVD SEAN HAN 28JAN2016				
MATERIAL		PRODUCT SPEC 108-60102		SIZE	CAGE CODE DRAWING NO RESTRICTED TO	
		APPLICATION SPEC 114-60015				A1
		WEIGHT -				
SEE NOTE 1		SEE NOTE 2		CUSTOMER DRAWING		
				SCALE 1:1 SHEET 6 OF 16 REV K5		



LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




3-2299870-0
SCALE 2:1





SCALE 2:1





3-2299870-1
SCALE 2:1



SCALE 2:1




3-2299870-8
SCALE 2:1




3-2299870-8
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 28JAN2016	 TE Connectivity		
DIMENSIONS:		CHK SEAN HAN 28JAN2016			
mm		APVD SEAN HAN 28JAN2016	NAME CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSPF+ STACKED WITH HS		
		PRODUCT SPEC 108-60102			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APPLICATION SPEC 114-60015	SIZE A100779C=2299870		
		FINISH			
MATERIAL SEE NOTE 1		WEIGHT -	RESTRICTED TO -		
SEE NOTE 2		CUSTOMER DRAWING			
		SCALE 1:1		SHEET 7 OF 16	REV K5


LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




2-2299870-4
SCALE 2:1




SECTION U-U
SCALE 2:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 28JAN2016	 TE Connectivity		
		CHK SEAN HAN 28JAN2016			
DIMENSIONS:		APVD SEAN HAN 28JAN2016	NAME CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	RESTRICTED TO -	
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC			
		108-60102			
		APPLICATION SPEC			
		114-60015			
MATERIAL		WEIGHT	SIZE A1	CAGE CODE 00779	
SEE NOTE 1		-	DRAWING NO C=2299870		
		CUSTOMER DRAWING		SCALE 1:1	
				SHEET 8	
				OF 16	
				REV K5	

LOC		DIST		REVISIONS						
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD	
				-		SEE SHEET 1	-	-	-	




HEAT SINK CLIP
PN: 1-2300832-7

HEAT SINK
PN: 1-2304280-3
COLOR: BLACK

CAGE AND CONNECTOR ASSEMBLY
PN: 2299870-4

2299870-3 AS SHOWN, KIT PACKAGE
SCALE 3:1




HEAT SINK CLIP
PN: 1-2300832-7

HEAT SINK
PN: 1-2304280-8
COLOR: BLACK



CAGE AND CONNECTOR ASSEMBLY
PN: 2299870-4

1-2299870-3 AS SHOWN, KIT PACKAGE
SCALE 3:1



2	2	1-2300832-7	HEAT SINK CLIP	3
2	-	1-2304280-8	HEAT SINK	2
-	2	1-2304280-3		
1	1	2299870-4	CAGE AND CONNECTOR ASSEMBLY	1
1-2299870-3	2299870-3	PART NUMBER	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 28JAN2016	 TE Connectivity	
DIMENSIONS:		CHK SEAN HAN 28JAN2016		
mm		APVD SEAN HAN 28JAN2016	NAME	
		PRODUCT SPEC	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS	
		108-60102		
		APPLICATION SPEC		
		114-60015		
MATERIAL		WEIGHT	SIZE	CAGE CODE
SEE NOTE 1		-	A1	00779
SEE NOTE 2		DRAWING NO		RESTRICTED TO
		C=2299870		-
CUSTOMER DRAWING		SCALE		1:1
		SHEET		9 OF 16
		REV		K5

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-





1-2304280-3 HEAT SINK SHOWN
(THE COLOR IS BLACK)
SCALE 5:1





THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TIM XUE	28JAN2016	 TE Connectivity				
				CHK	SEAN HAN	28JAN2016					
				APVD	SEAN HAN	28JAN2016					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS					
mm				PRODUCT SPEC							

LOC		DIST		REVISONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
GP	00	-	SEE SHEET 1	-	-	-	-




1-2300832-7, HEAT SINK CLIP
SCALE 5:1





THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	TIM XUE		28JAN2016		 TE Connectivity											
				CHK	SEAN HAN		28JAN2016													
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SEAN HAN		28JAN2016		NAME	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZQSFP+ STACKED WITH HS										
mm		0 PLC ±.015		PRODUCT SPEC		108-60102														
		1 PLC ±0.25		APPLICATION SPEC																
		2 PLC ±0.15		114-60015		SIZE					CAGE CODE	DRAWING NO	RESTRICTED TO							
		3 PLC ±.		WEIGHT		A1					00779C=2299870									
		4 PLC ±.		FINISH		CUSTOMER DRAWING					SCALE		1:1	SHEET	11	OF	16	REV	K5	
MATERIAL		SEE NOTE 1		SEE NOTE 2																


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-		SEE SHEET 1	-	-	-



RECOMMENDED PANEL CUTOUT
AND PC BOARD PANEL POSITION
SCALE 5:2




2299870-1 BEZEL LOCATION AS SHOWN
SECTION V-V
SCALE 3:1




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE		28JAN2016		 TE Connectivity	
		CHK	SEAN HAN		28JAN2016			
DIMENSIONS:		APVD	SEAN HAN		28JAN2016		NAME	
mm		PRODUCT SPEC						


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




2299870-8
1-2299870-8
SECTION V-V
SCALE 4:1




2-2299870-5
RECOMMENDED PANEL CUTOUT
SCALE 5:2




2-2299870-0
SCALE 5:2




2299870-8
1-2299870-0
1-2299870-8
2-2299870-3
RECOMMENDED PANEL CUTOUT
SCALE 5:2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	28JAN2016	 TE Connectivity	
		CHK	28JAN2016		
DIMENSIONS:		APVD	28JAN2016	NAME	
mm					
				PRODUCT SPEC	
				APPLICATION SPEC	
MATERIAL				SIZE	
SEE NOTE 1				CAGE CODE	
				DRAWING NO	
				RESTRICTED TO	
				A100779C=2299870	
				SCALE	
				1:1	
				SHEET	
				13	
				OF	
				16	
				REV	
				K5	
				CUSTOMER DRAWING	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28JAN2016 TIM XUE CHK 28JAN2016 SEAN HAN APVD 28JAN2016 SEAN HAN		 TE Connectivity	
DIMENSIONS: mm		TO DIMENSIONS UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH		NAME CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS, THRU BEZEL, 2X2 ZQSF+ STACKED WITH HS	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE CAGE CODE DRAWING NO.	
MATERIAL SEE NOTE 1		WEIGHT - CUSTOMER DRAWING		RESTRICTED TO - A1 00779 C=2299870	
SEE NOTE 2				SCALE 1:1 SHEET 14 OF 16 REV K5	



Technical drawing of a mechanical part showing dimensions and a surface texture symbol. The drawing includes the following dimensions and features:

- Top horizontal dimension: 2.43 TYP.
- Right vertical dimension: 3.40 TYP.
- Bottom horizontal dimension: 1.60 TYP.
- Surface texture symbol: A triangle with the number 8 inside, pointing to the left surface of the part.

Technical drawing of a mechanical part. The drawing shows a cross-section of a part with a central circular feature. The part is symmetrical about a vertical centerline. Dimensions are indicated: 2X 0.99 for the top horizontal section and 4X 2.00 for the bottom horizontal section. The part has a complex, irregular outer profile.

Technical drawing of a mechanical part, likely a valve or plug, showing dimensions and tolerances. The drawing includes a cross-section view and a side view.

Dimensions and Tolerances:

- Top horizontal dimension: 0.30 TYP
- Right vertical dimension: 3.00 TYP
- Bottom right horizontal dimension: 1.50 TYP
- Bottom horizontal dimension: 4×1.75
- Left vertical dimension: 4×4.00

Features and Callouts:

- A central circular feature with a cross-hatched pattern, labeled with a circled $+$.
- A rectangular feature with a cross-hatched pattern, labeled with a circled 6 .
- A circular feature with a cross-hatched pattern, labeled with a circled 6 .
- A circular feature with a cross-hatched pattern, labeled with a circled 6 .
- A circular feature with a cross-hatched pattern, labeled with a circled 6 .

2X 0.88

2X 1.75


2X 4.00

2X 2.00


DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 28JAN2016 TIM XUF CHK 28JAN2016 SEAN HAN APVD 28JAN2016 SEAN HAN		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±0.25 2 PLC ±0.15 3 PLC ±.1 4 PLC ±.1 ANGLES ±.1		NAME CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS , THRU BEZEL, 2X2 ZOSFP+ STACKED WITH HS	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE A1	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		DRAWING NO C=2299870	
		WEIGHT -		RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 1:1 SHEET 15 OF 16 REV K5	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



RECOMMENDED 2-2299870-5 LP LOCATION
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	TIM XUE		28JAN2016		 TE Connectivity	
		CHK	SEAN HAN		28JAN2016			
DIMENSIONS:		APVD	SEAN HAN		28JAN2016		NAME	
mm		PRODUCT SPEC						
		APPLICATION SPEC					SIZE	
		114-60015						
		WEIGHT					A100779C=2299870	
		FINISH						
MATERIAL		CUSTOMER DRAWING					SCALE 1:1	
SEE NOTE 1		SEE NOTE 2					SHEET 16 OF 16	
							REV K5	