







REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL DRAWING	26DEC2019	VM	SH




SCALE 4:1



SCALE 4:1



DETAIL A
SCALE 8:1



1. MATERIAL:
CAGE MATERIAL : 0.25 THICK STAINLESS STEEL.
SPRING MATERIAL: COPPER ALLOY

2. FINISH:
SPRING: NICKEL PLATING

3. MATES WITH QSFP28 MSA COMPATIBLE TRANSCEIVER.

4. REFERENCE APPLICATION SPEC 114-32023 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.

6. MINIMUM PC BOARD THICKNESS: SINGLES SIDED: 1.57 MIN
DOUBLE SIDED: 2.20 MIN


7. DATUM -A- IS TOP SURFACE OF THE HOST BOARD.

8. DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN


9. HEIGHT WITHOUT TRANSCEIVER INSERTION.

10. FOR WITH REAR EONS VERSION ONLY


0	2337376-3
2	2337376-1
# OF REAR EONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: JASON YANG 26SEP2018		 TE Connectivity	
		CHK: SEAN HAN 26SEP2018			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±0.25		CAGE ASSEMBLY, QSFP28 1X1, THRU	
		1 PLC ±0.25		BEZEL, WITH EMI SPRING FINGER	
		2 PLC ±0.20		-	
		3 PLC ±0.100			
		4 PLC ±			
ANGLES		±		SIZE	
		FINISH		CAGE CODE DRAWING NO	
MATERIAL				A 00779C-2337376	
-		-		RESTRICTED TO	
-		-		SCALE 2:1 SHEET 1 OF 3 REV A	
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-		-			
-					



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



2337376-1
SCALE 4:1



2337376-3
SCALE 4:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JASON YANG 26SEP2018	TE Connectivity	
		CHK SEAN HAN 26SEP2018		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
mm		0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.100 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC
MATERIAL		- -		APPLICATION SPEC
		RESTRICTED CUSTOMER		SIZE CAGE CODE DRAWING NO
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428
				114-32023
				108-19428</

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-

