

	1 3 0	260 +10/-0	2340861-3
	500	1000 +10/-0	2340861-2
	250	500 +10/-0	2340861-1
	(" M ")	"L"	TE P/N
THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN 02AUG2018 В. MATTHEWS снк 02AUG2018 G. GUTGOLD	E TE	TE Connectivity
DIMENSIONS: MM 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013	APVD - NAME 	SLIVER 2.0 2C 30AV STRAIGHT TO STRAIG	
3 FLC ±0.001 ANGLES ±- MATERIAL FINISH	weight A	200779C-2340861	RESTRICTED TO
	CUSTOMER DRAWING	SCALE	1:1 SHEET 1 OF 3 REV A 1

В

D

С

4			3	
THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20		
C COPYRIGHT 20 BY -	ALL RIGHTS RESERVED.			

		P1			P2		
	PIN NO.	PAIR NO.	DESIGNATION	WIRE TYPE	DESIGNATION	PAIR NO.	PIN N
ſ	— A 1		GROUND	DISCRETE	GROUND		A 1
-	— A 2		GROUND	DISCRETE	GROUND		A 2
1MONED	— A 3		GROUND	DISCRETE	GROUND		A 3
	— A 4		GROUND	DISCRETE	GROUND		A 4
-	— A 5		GROUND	DISCRETE	GROUND		A 5
	— A 6		GROUND	DISCRETE	GROUND		A 6
	Α7		SIDE BAND	DISCRETE	SIDE BAND		A 7
	A 8		SIDE BAND	DISCRETE	SIDE BAND		A 8
	A 9		SIDE BAND	DISCRETE	SIDE BAND		A 9
	A 1 0		SIDE BAND	DISCRETE	SIDE BAND		A 1 (
	A 1 1		SIDE BAND	DISCRETE	SIDE BAND		A 1 1
	A 1 2		SIDE BAND	DISCRETE	SIDE BAND		A 1 2
	A 1 3		GND		GND		A 1 3
	A 1 4		CLK	DIFF PAIR	CLK		A 1 4
	A 1 5		CLK	DIFF PAIR	CLK		A 1 5
	A 1 6		GND		GND		A 1 6
	A 1 7	0	РСІеТХ	DIFF PAIR	РСІеТХ	0	A 1 -
	A 1 8	0	PCIe TX	DIFF PAIR	PCIe TX	0	A 1 8
	A 1 9		GND		GND		A 1 (
	A 2 0	1	РСІеТХ	DIFF PAIR	РСІеТХ	1	A 2 (
	A 2 1	1	PCIe TX	DIFF PAIR	PCIe TX	1	A 2 1
	A 2 2		GND		GND		A 2 2
	A 2 3	2	РСІеТХ	DIFF PAIR	РСІеТХ	2	A 2 3
	A 2 4	2	PCIe TX	DIFF PAIR	PCIe TX	2	A 2 4
	A 2 5		GND		GND		A 2 5
	A 2 6	3	РСІеТХ	DIFF PAIR	РСІеТХ	3	A 2 6
	A 2 7	3	PCIe TX	DIFF PAIR	PCIe TX	3	A 2 7
	A 2 8		GND		GND		A 2 8
			KEY		KEY		
	A 2 9		GND		GND		A 2 9
	A 3 0	4	РСІеТХ	DIFF PAIR	РСІеТХ	4	A 3 (
	A 3 1	4	PCIe TX	DIFF PAIR	PCIe TX	4	A 3 1
	A 3 2		GND		GND		A 3 2
	A 3 3	5	РСІеТХ	DIFF PAIR	РСІеТХ	5	A 3 3
	A 3 4	5	PCIe TX	DIFF PAIR	PCIe TX	5	A 3 4
	A 3 5		GND		GND		A 3 5
	A 3 6	6	РСІеТХ	DIFF PAIR	РСІеТХ	6	A 3 6
	A 3 7	6	PCIe TX	DIFF PAIR	PCIe TX	6	A 3 7
	A 3 8		GND		GND		A 3 8
	A 3 9	7	РСІеТХ	DIFF PAIR	РСІеТХ	7	A 3 9
	A 4 0	7	PCIe TX	DIFF PAIR	PCIe TX	7	A 4 0
	A 4 1		GND		GND		A 4 1
	A 4 2		SIDE BAND	DISCRETE	SIDE BAND		A 4 2

D

С

В

А

2

REVISIONS

Р	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1

— COMMONED

THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 02AUG2018 B. MATTHEWS CHK 02AUG2018 G. GUTGOLD	≞ TE	TE Connectivi	t y
DIMENSIONS: 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013	G. GUIGOLD APVD - - PRODUCT SPEC - APPLICATION SPEC	NAME SLIVER 2.0 2C 30A STRAIGHT TO STRAI -		
MATERIAL -	4 PLC ±0.0001 ANGLES ±- FINISH		size cage code drawing no A 2 0 0 7 7 9 C=234086		RESTRICTED T
-	-	CUSTOMER DRAWING	SCALE	1:1 SHEET 2 OF	3 ^{REV} A1

В

А

С

D

4			3	
THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20		
C COPYRIGHT 20 BY -	ALL RIGHTS RESERVED.			

		P1 P2		2				
		PIN NO.	PAIR NO.	DESIGNATION	WIRE TYPE	DESIGNATION	PAIR NO.	PIN NO.
D	Г	— B 1		12V POWER	DISCRETE	12V POWER		B 1
	-	— В 2		12V POWER	DISCRETE	12V POWER		В2
		— ВЗ		12V POWER	DISCRETE	12V POWER		В3
	COMMONED —	— В4		12V POWER	DISCRETE	12V POWER		B 4
	-	— В 5		12V POWER	DISCRETE	12V POWER		В5
		— Вб		12V POWER	DISCRETE	12V POWER		Β6
		Β7		SIDE BAND	DISCRETE	SIDE BAND		Β7
		Β8		SIDE BAND	DISCRETE	SIDE BAND		B8
		В9		SIDE BAND	DISCRETE	SIDE BAND		В9
		B10		SIDE BAND	DISCRETE	SIDE BAND		B10
		B 1 1		3.3 AUX POWER	DISCRETE	3.3 AUX POWER		B 1 1
		B12		SIDE BAND	DISCRETE	SIDE BAND		B12
С		B13		GND		GND		B13
		B 1 4		CLK	DIFF PAIR	CLK		B14
		B 1 5		CLK	DIFF PAIR	CLK		B15
		B16		GND		GND		B16
		B 1 7	0	PCIe RX	DIFF PAIR	PCIe RX	0	B17
		B18	0	PCIe RX	DIFF PAIR	PCIe RX	0	B18
		B19		GND		GND		B19
		B 2 0	1	PCIe RX	DIFF PAIR	PCIe RX	1	B 2 0
		B 2 1	1	PCIe RX	DIFF PAIR	PCIe RX	1	B 2 1
		B 2 2		GND		GND		B 2 2
		B 2 3	2	PCIe RX	DIFF PAIR	PCIe RX	2	B 2 3
		B 2 4	2	PCIe RX	DIFF PAIR	PCIe RX	2	B 2 4
		B 2 5		GND		GND		B 2 5
В		B 2 6	3	PCIe RX	DIFF PAIR	PCIe RX	3	B 2 6
		B 2 7	3	PCIe RX	DIFF PAIR	PCIe RX	3	B 2 7
		B 2 8		GND		GND		B 2 8
				KEY		KEY		
		B 2 9		GND		GND		B 2 9
		B 3 0	4	PCIe RX	DIFF PAIR	PCIe RX	4	B 3 0
		B 3 1	4	PCIe RX	DIFF PAIR	PCIe RX	4	B 3 1
		B 3 2		GND		GND		B 3 2
		B 3 3	5	PCIe RX	DIFF PAIR	PCIe RX	5	B 3 3
		B 3 4	5	PCIe RX	DIFF PAIR	PCIe RX	5	B 3 4
		B 3 5		GND		GND		B 3 5
		B 3 6	6	PCIe RX	DIFF PAIR	PCIe RX	6	B36
		B 3 7	6	PCIe RX	DIFF PAIR	PCIe RX	6	B 3 7
		B 3 8		GND		GND		B 3 8
A		B 3 9		PCIe RX	DIFF PAIR	PCIe RX		B 3 9
		B 4 0		PCIe RX	DIFF PAIR	PCIe RX	7	B 4 0
		B 4 1		GND SIDE BAND		GND SIDE BAND		B 4 1
		B 4 2		SIDE BAND	DISCRETE	SIDE BAND		B 4 2

2

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	A P V [
	-	SEE SHEET 1	-	-	-

1

COMMONED

	THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 02AUG2018 B. MATTHEWS снк 02AUG2018 G. GUTGOLD	- TE Connectivity	
-	DIMENSIONS: 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013	APPLICATION SPEC	NAME SLIVER 2.0 2C 30AWG STRAIGHT TO STRAIGHT -	
	MATERIAL	4 PLC ±0.0001 ANGLES ±- FINISH - -	WEIGHT	SIZE CAGE CODE DRAWING NO RESTRICT A 2 0 0 7 7 9 C=2340861 - - SCALE 1:1 SHEET 3 ° 3 REV	

С

D

В

А