


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
1		PRELIMINARY RELEASE	03AUG2018	BM GG
2		CORRECT LABEL	07AUG2018	BM GG



1. ALL MATERIALS, COMPONENTS AND PROCESS SHALL COMPLY WITH TEC-138-702. (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).
2. NO REACH SvHC SHALL BE CONTAINED ABOVE THE THRESHOLD AS DEFINED IN REACH SvHC COMPLIANCE DEFINITION IN ANNEX A OF TEC-138-702.
3. ASSEMBLY TO BE TESTED FOR CONTINUITY, OPENS, SHORTS, AND SIGNAL INTEGRITY.
4. CABLE BEND RADIUS TBD.
5. SEE SHEET 2 FOR WIRING SCHEMATIC.
6. CONNECTORS ARE GEN-Z COMPLIANT.
7. LABEL INFORMATION SHOWN BELOW:

THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

TE LOGO		2340863-X	TE P/N
DATE CODE & SERIAL #	YYWWSSSS	BARCODE-CODE 39 "YYWWSSSS"	BARCODE (DATECODE/SERIAL#)
COUNTRY OF ORIGIN	MADE IN _____		

1000 +10/-0	2340863-2
500 +10/-0	2340863-1
"L" MM	TE P/N

8. CABLE CONNECTOR P/N 2333031-2 AND 2340621-2, MATES WITH TE SLIVER RECEPTACLE P/N 2331813-X, OR 2331814-X.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	STE TE Connectivity	
DIMENSIONS: mm		CHK G. GUTGOLD 03AUG2018	NAME SLIVER 2.0 2C 30AWG STRAIGHT TO RIGHT ANGLE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	SIZE A2	
0 PLC ±		PRODUCT SPEC -	CAGE CODE 00779	
1 PLC ±0.5		APPLICATION SPEC -	DRAWING NO C-2340863	
2 PLC ±0.13		WEIGHT -	RESTRICTED TO -	
3 PLC ±0.013		CUSTOMER DRAWING	SCALE 1:1 SHEET 1 OF 3 REV 2	
4 PLC ±0.0001				
ANGLES ±				
FINISH -				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

P1			WIRE TYPE	P2		
PIN NO.	PAIR NO.	DESIGNATION		DESIGNATION	PAIR NO.	PIN NO.
A1		RETURN	DISCRETE	12V POWER		A1
A2		RETURN	DISCRETE	12V POWER		A2
A3		RETURN	DISCRETE	12V POWER		A3
A4		RETURN	DISCRETE	12V POWER		A4
A5		RETURN	DISCRETE	12V POWER		A5
A6		RETURN	DISCRETE	12V POWER		A6
A7		SIDE BAND	DISCRETE	SIDE BAND		A7
A8		SIDE BAND	DISCRETE	SIDE BAND		A8
A9		SIDE BAND	DISCRETE	SIDE BAND		A9
A10		SIDE BAND	DISCRETE	SIDE BAND		A10
A11		SIDE BAND	DISCRETE	SIDE BAND		A11
A12		SIDE BAND	DISCRETE	SIDE BAND		A12
A13		GND		GND		A13
A14		CLK	DIFF PAIR	CLK		A14
A15		CLK	DIFF PAIR	CLK		A15
A16		GND		GND		A16
A17	1	PCIeTX	DIFF PAIR	PCIeTX	1	A17
A18	1	PCIe TX	DIFF PAIR	PCIe TX	1	A18
A19		GND		GND		A19
A20	2	PCIeTX	DIFF PAIR	PCIeTX	2	A20
A21	2	PCIe TX	DIFF PAIR	PCIe TX	2	A21
A22		GND		GND		A22
A23	3	PCIeTX	DIFF PAIR	PCIeTX	3	A23
A24	3	PCIe TX	DIFF PAIR	PCIe TX	3	A24
A25		GND		GND		A25
A26	4	PCIeTX	DIFF PAIR	PCIeTX	4	A26
A27	4	PCIe TX	DIFF PAIR	PCIe TX	4	A27
A28		GND		GND		A28
A29		KEY		KEY		A29
A29		GND		GND		A29
A30	5	PCIeTX	DIFF PAIR	PCIeTX	5	A30
A31	5	PCIe TX	DIFF PAIR	PCIe TX	5	A31
A32		GND		GND		A32
A33	6	PCIeTX	DIFF PAIR	PCIeTX	6	A33
A34	6	PCIe TX	DIFF PAIR	PCIe TX	6	A34
A35		GND		GND		A35
A36	7	PCIeTX	DIFF PAIR	PCIeTX	7	A36
A37	7	PCIe TX	DIFF PAIR	PCIe TX	7	A37
A38		GND		GND		A38
A39	8	PCIeTX	DIFF PAIR	PCIeTX	8	A39
A40	8	PCIe TX	DIFF PAIR	PCIe TX	8	A40
A41		GND		GND		A41
A42		SIDE BAND	DISCRETE	SIDE BAND		A42

THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	 TE Connectivity	
DIMENSIONS: mm		CHK G. GUTGOLD 03AUG2018		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SLIVER 2.0 2C 30AWG STRAIGHT TO RIGHT ANGLE
MATERIAL		0 PLC ±-	PRODUCT SPEC	SIZE
		1 PLC ±0.5	APPLICATION SPEC	CAGE CODE
		2 PLC ±0.13	WEIGHT	DRAWING NO
		3 PLC ±0.013	CUSTOMER DRAWING	RESTRICTED TO
		4 PLC ±0.0001	SCALE 1:1	SHEET 2 OF 3
		ANGLES ±	REV 2	
		FINISH		

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-		SEE SHEET 1	-	-

P1			WIRE TYPE	P2		
PIN NO.	PAIR NO.	DESIGNATION		DESIGNATION	PAIR NO.	PIN NO.
B1		12V POWER	DISCRETE	12V POWER		B1
B2		12V POWER	DISCRETE	12V POWER		B2
B3		12V POWER	DISCRETE	12V POWER		B3
B4		12V POWER	DISCRETE	12V POWER		B4
B5		12V POWER	DISCRETE	12V POWER		B5
B6		12V POWER	DISCRETE	12V POWER		B6
B7		SIDE BAND	DISCRETE	SIDE BAND		B7
B8		SIDE BAND	DISCRETE	SIDE BAND		B8
B9		SIDE BAND	DISCRETE	SIDE BAND		B9
B10		SIDE BAND	DISCRETE	SIDE BAND		B10
B11		3.3 AUX POWER	DISCRETE	3.3 AUX POWER		B11
B12		SIDE BAND	DISCRETE	SIDE BAND		B12
B13		GND		GND		B13
B14		CLK	DIFF PAIR	CLK		B14
B15		CLK	DIFF PAIR	CLK		B15
B16		GND		GND		B16
B17	0	PCIe RX	DIFF PAIR	PCIe RX	0	B17
B18	0	PCIe RX	DIFF PAIR	PCIe RX	0	B18
B19		GND		GND		B19
B20	1	PCIe RX	DIFF PAIR	PCIe RX	1	B20
B21	1	PCIe RX	DIFF PAIR	PCIe RX	1	B21
B22		GND		GND		B22
B23	2	PCIe RX	DIFF PAIR	PCIe RX	2	B23
B24	2	PCIe RX	DIFF PAIR	PCIe RX	2	B24
B25		GND		GND		B25
B26	3	PCIe RX	DIFF PAIR	PCIe RX	3	B26
B27	3	PCIe RX	DIFF PAIR	PCIe RX	3	B27
B28		GND		GND		B28
		KEY		KEY		
B29		GND		GND		B29
B30	4	PCIe RX	DIFF PAIR	PCIe RX	4	B30
B31	4	PCIe RX	DIFF PAIR	PCIe RX	4	B31
B32		GND		GND		B32
B33	5	PCIe RX	DIFF PAIR	PCIe RX	5	B33
B34	5	PCIe RX	DIFF PAIR	PCIe RX	5	B34
B35		GND		GND		B35
B36	6	PCIe RX	DIFF PAIR	PCIe RX	6	B36
B37	6	PCIe RX	DIFF PAIR	PCIe RX	6	B37
B38		GND		GND		B38
B39	7	PCIe RX	DIFF PAIR	PCIe RX	7	B39
B40	7	PCIe RX	DIFF PAIR	PCIe RX	7	B40
B41		GND		GND		B41
B42		SIDE BAND	DISCRETE	SIDE BAND		B42

THIS PRINT IS  
**PRELIMINARY**  
 UNQUALIFIED PRODUCT  
 CONTACT PRODUCT ENGINEERING  
 BEFORE USING THIS PRINT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. MATTHEWS 03AUG2018	 TE Connectivity	
DIMENSIONS: mm		CHK G. GUTGOLD 03AUG2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME SLIVER 2.0 2C 30AWG STRAIGHT TO RIGHT ANGLE	
		PRODUCT SPEC -	SIZE A2	
0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±- FINISH -		APPLICATION SPEC -	CAGE CODE A200779	DRAWING NO C-2340863
MATERIAL -	WEIGHT -	CUSTOMER DRAWING	RESTRICTED TO -	SCALE 1:1 SHEET 3 OF 3 REV 2