






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	PRODUCTION RELEASE	13JUN2019	JW	SH
	A1	ADD 1-4 PN	11JUL2023	TP	SZ



DETAIL A
SCALE 8:1




SCALE 2:1


- 1 CAGE ASSEMBLY: STAINLESS STEEL.
HEAT SINK: ALUMINUM/BLACK ANODIZE.
HEAT SINK CLIP: STAINLESS STEEL.
EMI SPRING: COPPER ALLOY/NICKEL PLATE.
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025 FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4 DATE CODE (YYWWD) MARKED APPROXIMATELY
AS SHOWN.
5. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.
6. MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.45 MIN
DOUBLE SIDED: 2.20 MIN
- 7 ONLY FOR VERSION WITH REAR EONS
- 8 PROPOSAL ONLY


W/REAR EONS&STANDOFF	23	NET	2-2343986-3
W/REAR EONS&STANDOFF	16	SAN	2-2343986-2
W/REAR EONS&STANDOFF	13.7	PCI	2-2343986-1
W/O REAR EONS	-	-	1-2343986-4
W/O REAR EONS	23	NET	1-2343986-3
W/O REAR EONS	16	SAN	1-2343986-2
W/O REAR EONS	13.7	PCI	1-2343986-1
W/ REA EONS	18.5	CUSTOMERIZED	2334986-4
W/ REAR EONS	23	NET	2334986-3
W/ REAR EONS	16	SAN	2343986-2
W/ REAR EONS	13.7	PCI	2343986-1
REMARK	DIM A	HEATSINK	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	13SEP2018	 TE Connectivity	
DIMENSIONS: mm		CHK S. HAN	13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSPFDD -	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HAN	13SEP2018		
		PRODUCT SPEC 108-60122			
0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 4 PLC ± 4 PLC ± ANGLES ± FINISH		APPLICATION SPEC 114-60025			
MATERIAL		WEIGHT -	SIZE 	CAGE CODE -	DRAWING NO 
		CUSTOMER DRAWING		RESTRICTED TO -	
				SCALE 2:1	SHEET 1 of 6
				REV A 1	

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-










D


C

B


A



DETAIL B
SCALE 5:1



DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN J. WANG 13SEP2018	TE Connectivity CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD			
mm		CHK S. HAN 13SEP2018				
		APVD S. HAN 13SEP2018				
		PRODUCT SPEC -				
		APPLICATION SPEC -	SIZE A2	CAGE CODE -	DRAWING NO C-2346986	RESTRICTED TO -
MATERIAL -	FINISH -	WEIGHT -	CUSTOMER DRAWING			

SCALE 2:1

SHEET 6 OF 6

REV A1