


1471-9 (3/13)



	500	1000 + 10/ - 0	2361331-2
	250	500 +10/-0	2361331-1
	(" M ")	"L"	TE P/N
THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN 22AUG2019 B. MATTHEWS CHK 22AUG2019 R. HENRY	€ TE	TE Connectivity
DIMENSIONS: MM 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013	APVD - NAM - PRODUCT SPEC - APPLICATION SPEC	ESLIVER 2.0 1C 30AV STRAIGHT TO STRAIG	
A PLC ±0.0001 ANGLES ±- MATERIAL FINISH - -	WEIGHT _ A	ze cage code drawing no 200779 C=2361331 scale	RESTRICTED TO - SHEET OF REV 1
	CUSTOMER DRAWING	SCALE	1:1 SHEET 1 OF 3 REV 1

В

D

С

-B28

А

4			3
THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20	
C COPYRIGHT 20 BY -	ALL RIGHTS RESERVED.		

		P	l			P2		
	PIN # PAIR # DESI	DESIGNATION	WIRE TYPE	DESIGNATION	PAIR #	PIN #		
Г	— A 1		GROUND	DISCRETE	GROUND		A 1 -	7
-	— A 2		GROUND	DISCRETE	GROUND		A 2 -	_
	— A 3		GROUND	DISCRETE	GROUND		A 3 -	
COMMONED —	— A 4		GROUND	DISCRETE	GROUND		A 4 -	_ COMMONE
-	A 5		GROUND	DISCRETE	GROUND		A 5 –	_
L	— A 6		GROUND	DISCRETE	GROUND		A 6 _	
	Α7		SIDE BAND	DISCRETE	SIDE BAND		A 7	
	A 8		SIDE BAND	DISCRETE	SIDE BAND		A 8	
	A 9		SIDE BAND	DISCRETE	SIDE BAND		A 9	
	A 1 0		SIDE BAND	DISCRETE	SIDE BAND		A 1 0	
	A 1 1		SIDE BAND	DISCRETE	SIDE BAND		A 1 1	
	A 1 2		SIDE BAND	DISCRETE	SIDE BAND		A 1 2	
	A 1 3		GND		GND		A 1 3	
	A 1 4		CLK	DIFF PAIR	CLK		A 1 4	
	A 1 5		CLK	DIFF PAIR	CLK		A 1 5	
	A 1 6		GND		GND		A16	
	A 1 7	0	РСІеТХ	DIFF PAIR	РСІеТХ	0	A 1 7	
	A 1 8	0	PCIe TX	DIFF PAIR	PCIe TX	0	A 1 8	
	A 1 9		GND		GND		A 1 9	
	A 2 0	1	РСІеТХ	DIFF PAIR	РСІеТХ	1	A 2 0	
	A 2 1	1	PCIe TX	DIFF PAIR	PCIe TX	1	A 2 1	
	A 2 2		GND		GND		A 2 2	
	A 2 3	2	РСІеТХ	DIFF PAIR	РСІеТХ	2	A 2 3	
	A 2 4	2	PCIe TX	DIFF PAIR	PCIe TX	2	A 2 4	
	A 2 5		GND		GND		A 2 5	
	A 2 6	3	РСІеТХ	DIFF PAIR	РСІеТХ	3	A 2 6	
	A 2 7	3	PCIe TX	DIFF PAIR	PCIe TX	3	A 2 7	
	A 2 8		GND		GND		A 2 8	

А

D

С

В

2

REVISIONS

Ρ	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1

THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 22AUG2019 B. MATTHEWS снк 22AUG2019 R. HENRY	STE TE Connectivi	† y
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013	R. HENRI APVD - - PRODUCT SPEC - APPLICATION SPEC	NAME SLIVER 2.0 1C 30AWG STRAIGHT TO STRAIGHT -	
MATERIAL	4 PLC ±0.0001 ANGLES ±- FINISH - -		SIZE CAGE CODE DRAWING NO A 2 0 0 7 7 9 \bigcirc 2 36 1 3 3 1 SCALE 1:2 SHEET 2 OF	RESTRICTED TO - 3 REV 1

D

С

В

А

	4			3		
	THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20			
	C COPYRIGHT 20 BY -	ALL RIGHTS RESERVED.				
D						
					1	
			P1			
					WIRE TYPE	
		PIN #	PAIR #	DESIGNATION		DESIGNATION

		F	21		P	2		
	PIN #	PAIR #	DESIGNATION	WIRE TYPE	DESIGNATION	PAIR #	PIN #	
Г	— B 1		12V POWER	DISCRETE	12V POWER		B 1 •	
-	— B 2		12V POWER	DISCRETE	12V POWER		Β2.	_
	— B 3		12V POWER	DISCRETE	12V POWER		В3.	
1 M O N E D —	— B 4		12V POWER	DISCRETE	12V POWER		Β4.	COMMONE
-	- B 5		12V POWER	DISCRETE	12V POWER		В5 -	_
L	— B6		12V POWER	DISCRETE	12V POWER		Β6.	
	Β7		SIDE BAND	DISCRETE	SIDE BAND		Β7	
	Β8		SIDE BAND	DISCRETE	SIDE BAND		B8	
	В9		SIDE BAND	DISCRETE	SIDE BAND		В9	
	B10		SIDE BAND	DISCRETE	SIDE BAND		B10	
	B 1 1		3.3 AUX POWER	DISCRETE	3.3 AUX POWER		B 1 1	
	B12		SIDE BAND	DISCRETE	SIDE BAND		B12	
	B13		GND		GND		B13	
	B14		CLK	DIFF PAIR	CLK		B14	
	B15		CLK	DIFF PAIR	CLK		B15	
	B16		GND		GND		B16	
	B 1 7	0	PCIeRX	DIFF PAIR	P C I e R X	0	B17	
	B18	0	PCIe RX	DIFF PAIR	PCIe RX	0	B18	
	B 1 9		GND		GND		B19	
	B 2 0	1	P C I e R X	DIFF PAIR	PCI e R X	1	B 2 0	
	B 2 1	1	PCIe RX	DIFF PAIR	PCIe RX	1	B 2 1	
	B 2 2		GND		GND		B 2 2	
	B 2 3	2	PCIeRX	DIFF PAIR	P C I e R X	2	B 2 3	
	B 2 4	2	PCIe RX	DIFF PAIR	PCIe RX	2	B 2 4	
	B 2 5		GND		GND		B 2 5	
	B 2 6	3	PCIeRX	DIFF PAIR	P C I e R X	3	B 2 6	
	B 2 7	3	PCIe RX	DIFF PAIR	PCIe RX	3	B 2 7	
	B 2 8		GND		GND		B28	

С

В

А

2

REVISIONS

Ρ	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

1

D

	THIS DRAWING IS A C	ONTROLLED DOCUMENT.	DWN 22AUG2019 B. MATTHEWS CHK 22AUG2019 R. HENRY	TE Connectivity
	dimensions: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	NAME SLIVER 2.0 1C 30AWG
		0 PLC ±- 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001	PRODUCT SPEC - APPLICATION SPEC	STRAIGHT TO STRAIGHT - size cage code drawing no
$\left \right $	MATERIAL _	4 PLC ±0.0001 ANGLES ±- FINISH –		A = 200779 C = 2361331 -
	_	-	CUSTOMER DRAWING	SCALE 1:2 SHEET 3 OF 3 REV 1

С

В

А