






LOC		DIST		P		F		ZONE		LTR		REVISIONS			
AG	1											DESCRIPTION	DATE	APPD	
												V	ADDED -4 PER NPR 94-107	9-15-94	AH
												W	REV PER EC 063C-0381-01	02MAY02	HW







- 1 SLOT FOR SCREWDRIVER ACTUATION.
- 2 HOUSING IS BLACK POLYESTER, LEVER IS NATURAL POLYESTER, CONTACTS ARE BERYLLIUM COPPER.
- 3 FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7066 AND INSTRUCTION SHEET 6811.
- 4 CONTACT FINISH TO BE .000030 GOLD OVER NICKEL FOR BOTH 53921-1 AND 53921-3 ASSEMBLIES.
- 5 REMOVABLE TAPE TO SEAL ACTUATOR END.

POSN		0	1
COMMON TO	1		●
	2	●	
	3	●	
	4		●
	9		●
	10	●	
	11	●	
	12		●



4 PDT INPUT/OUTPUT



EXTENDED SCREWDRIVER SLOT		53921-4
SCREWDRIVER SLOT		53921-3
EXTENDED LEVER		53921-1
DESCRIPTION		PART NO
DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm (INCHES) TOLERANCES ON: 2 PLC DEC ± - 3 PLC DEC ± .012 ANGLES ± -	DR 2-9-94 R. MARION CHK 2-9-94 R. TALLEY APPD 2-9-94 TOM SUDNIK APPD 2-9-94 MIKE STADDON	AMP Incorporated Harrisburg, PA 17105-3608 NAME SWITCH ASSY, PREPROGRAMMED DIP, 2 POSITION
MATERIAL	PRODUCT SPEC	
FINISH	APPLICATION SPEC	SIZE
		CAGE CODE
		DRAWING NO
		SCALE
		SHEET
		1 OF 1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.