



MATED WITH: PASSEND ZU:	LOC AI	DIST -	REVISIONS AENDERUNGEN DESCRIPTION BESCHREIBUNG				DATE	DWN	APVD
-	-	-	P	LTR					
PROJEKT NR.: 95-52166				A	EG00 1068 97	15.09.97	C.Beuj.	Hahn	
				A1	EG00 0622 01(116-18005-600 DEL.SUPERS.BY 1452108)	28.02.01	CB	TS	

siehe AMP Zeichnung 1452108
 SEE AMP DRAWING 1452108

116-18005-600 OBSOLETE
 SUPERSEDED BY 1452108

THIS DRAWING IS UNPUBLISHED.
 VERTRAULICHE UNVEROFFENTLICHTE ZEICHNUNG.
 RELEASED FOR PUBLICATION
 FREI FUER VEROEFFENTLICHUNG
 BY AMP INCORPORATED.
 ALL RIGHTS RESERVED.
 ALLE RECHTE VORBEHALTEN.
 COPYRIGHT 1997

CUSTOMER PART NO		AMP PART NO	REV.	PCS.	MATERIAL	SURFACE COLOR	DESCRIPTION
DIMENSIONS: DIMENSIONEN: mm		DWN C. Beu	15-SEP-97	MATERIAL		-	FINISH OBERFLAECHE/FARBE -
TOLERANCES UNLESS OTHERWISE SPECIFIED; ALLGEMEINTOLERANZEN		CHK J. Hahn	15-SEP-97	 AMP Deutschland GmbH D - 63225 Langen		NAME Micro Power Quadlok RUBBER PLUG FOR CAVITY DIA 6.4 Blindstopfen für Kammer ø6.4	
n. ISO 8015 m. ISO 2768 - mH -E p. DIN 16901 - T40		APVD -	-				
n. ISO 8015 m. ISO 2768 - mH -E p. DIN 16901 - T40		PRODUCT SPEC PRODUKTSPEZ.	-	DRAWING NO ZEICHNUNGS-NR.		RESTRICTED TO NUR FUER	
n. ISO 8015 m. ISO 2768 - mH -E p. DIN 16901 - T40		APPLICATION SPEC VERARBEITUNGSSPEZ.	-	SIZE A4	CAGE CODE 00779	C-967653	
n. ISO 8015 m. ISO 2768 - mH -E p. DIN 16901 - T40		WEIGHT GEWICHT	-	CUSTOMER DRAWING /KUNDENZEICHNUNG		MASSSTAB -	BLATT 1 OF 1 VON 1
n. ISO 8015 m. ISO 2768 - mH -E p. DIN 16901 - T40						A1	