



**NOTES: (UNLESS OTHERWISE SPECIFIED)**

1. ALL DIMENSIONS ARE IN MILLIMETERS [in].
2. DIMENSIONS APPLY AFTER FINISHING.
3. MANUFACTURE TO BE COMPLIANT WITH EU RoHS DIRECTIVE, USE MATERIALS THAT DO NOT CONTAIN REACH SUBSTANCES OF VERY HIGH CONCERN >1000ppm, AND USE DRC CONFLICT-FREE SOURCED MATERIALS.
4. SAFETY BREAK ALL SHARP CORNERS AND EDGES .02 MAXIMUM.
5. PACKAGEING: TAPE AND REEL
6. ANTENNA: CERAMIC PATCH
  1. FREQ: 1575MHz - 1602MHz
  2. VSWR: 1.8 MAX
  3. CLEARANCE: 5mm TOP AND SIDES



7. LINX LOGO AND ART WORK TO BE PRINTED AS SHOWN USING BLACK EPOXY INK.

**WARNING:** THIS DRAWING CONTAINS PROPRIETARY INFORMATION THAT IS THE SOLE PROPERTY OF LINX TECHNOLOGIES, AND SHALL BE TREATED AS SUCH. NO DISCLOSURE OR REPRODUCTION OF THIS DOCUMENT IS PERMITTED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS WRITTEN PERMISSION OF LINX TECHNOLOGIES OR ITS DESIGNATED AGENTS.



159 ORT LANE  
MERLIN, OR 97532

MATERIAL:		INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5. .X ±2.0      ANGLES: ±1° .XX ±1.00     SURFACE: ✓ .XXX ±.500	PROJECTION: 	TITLE: <b>ANT GNSS L1 SM CPA 12x12</b>	
FINISH:	DRAWN: JHAGER	DT: 9/30/20	SIZE <b>A</b>	DWG. NO. <b>C-ANT-GNSSCP-SM12L1</b>	REV <b>A</b>
VAR	ENGR:	DT:	SCALE: 4:1	DO NOT SCALE DRAWING	SHEET 1 OF 1