






ANGLE 3

DRAWN	K.WINCZURA		DATE	31/05/2012		3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER:				BTZ SERIES				 Polamco 
SALES APPR				31/05/2012			TITLE:				BANDING BACKSHELL				
DESIGN APPR	K. SHEPPARD		DATE	31/05/2012	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	MATERIAL ALUMINIUM ALLOY	ASSY USED ON: MIL-DTL-28840								
PROD APPR							THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		SHT	1	
QUAL APPR					FINISH TABLE 3										
ISSUE	REV.	DCR		6102			NCAGE CODE U5792		WEIGHT						
3															

TABLE 1

SHELL SIZE	A THREAD	ØB MAX	ØT MIN	C ±0,5	D ±0,5	E ±0,5	F ±0,5	K ±0,5
11	3/4 - 20UNEF	26,5	9,2	19,7	26,2	31,2	32,0	22,4
13	7/8 - 20UNEF	29,7	12,6	20,8	26,6	34,3	33,5	23,3
15	1 - 20UNEF	31,3	16,3	21,5	27,5	36,7	35,4	24,2
17	1 1/8 - 18 UNEF	35,5	18,8	21,5	28,3	39,5	36,7	26,2
19	1 1/4 - 18UNEF	38,7	21,9	22,0	28,8	42,8	38,3	25,3
23	1 7/16 -18UNEF	43,6	27,2	22,6	30,0	48,2	41,6	28,2
25	1 9/16 -18UNEF	47,2	30,5	23,6	30,9	51,0	43,0	31,5
29	1 7/8 - 16UN	55,2	36,5	25,7	31,2	60,3	45,2	37,0
33	2 1/16 -16UN	60,5	41,6	26,7	32,8	63,4	47,7	38,5

TABLE 2

ENTRY SIZE	ØG MIN	ØH MAX
03	4,7	13,9
04	6,3	13,9
05	7,9	15,5
06	9,5	17,2
07	11,1	18,7
08	12,7	20,3
09	14,2	21,9
10	15,8	23,5
11	17,4	25,1
12	19,0	26,7
13	20,6	28,3
14	22,2	29,9
15	23,8	31,5
16	25,4	33,1
17	27,0	34,7
18	28,6	36,3
19	30,2	37,9
20	31,8	39,5
21	33,3	41,1
22	35,0	42,7
23	36,5	44,3
24	38,1	45,9

TABLE 3

CODE	FINISH
C	ELECTROLESS NICKEL
B	CADMIUM OLIVE DRAB OVER ELECTROLESS NICKEL
ZB	ZINC COBALT OLIVE DRAB OVER ELECTROLESS NICKEL
ZN	ZINC NICKEL BLACK PASSIVATE OVER ELECTROLESS NICKEL

LIST NOT EXHAUSTIVE, SEE PLATING TABLE FOR OTHER OPTIONS

BTZ1-16-08-1-C

SERIES _____

CONNECTOR INTERFACE _____

ANGLE _____

SHELL SIZE (TABLE 1) _____

ENTRY SIZE (TABLE 2) _____


MATERIAL _____

ALUMINIUM ALLOY _____

FINISH (TABLE 3) _____

DRAWN	K.WINCZURA		DATE	31/05/2012		3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER:				BTZ SERIES				 Polamco 
SALES APPR				31/05/2012			TITLE:				BANDING BACKSHELL				
DESIGN APPR	K. SHEPPARD		31/05/2012		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	MATERIAL ALUMINIUM ALLOY	ASSY USED ON: MIL-DTL-28840								
PROD APPR							THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP		SHT	2	
QUAL APPR					FINISH TABLE 3		NCAGE CODE U5792		WEIGHT						
ISSUE	REV.	DCR		6102			3								

WIRE LOCKING OPTION



BTZ1-16-08-1-C-SB-L50-W

SERIES
CONNECTOR INTERFACE
ANGLE
SHELL SIZE (TABLE 1)
ENTRY SIZE (TABLE 2)
MATERIAL
ALUMINIUM ALLOY
FINISH (TABLE 3)
BAND REF.
SB - STANDARD BAND
MB - MICRO BAND
OMIT FOR NONE REQUIRED
LENGTH CODE IN MM
OMIT FOR STANDARD 38,20MM
WIRE LOCKING OPTION
OMIT FOR NONE REQUIRED

DRAWN	K.WINCZURA		DATE	31/05/2012	 3RD ANGLE PROJECTION NOT TO SCALE	PART NUMBER: BTZ SERIES(L**(W)				 Polamco 		
SALES APPR			DATE	31/05/2012		TITLE: BANDING BACKSHELL						
DESIGN APPR	K. SHEPPARD		DATE	31/05/2012	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN MILLIMETRES GENERAL TOL LINEAR +/-0.25MM ANGULAR +/- 1°	ASSY USED ON: MIL-DTL-28840						
PROD APPR												
QUAL APPR					MATERIAL ALUMINIUM ALLOY FINISH TABLE 3	THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POLAMCO LTD IT MUST NOT BE COPIED, USED FOR MANUFACTURE OR OTHERWISE DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				POLAMCO LTD, WESTON LOCK, LOWER BRISTOL ROAD BATH BA2 1EP	SHT 3	DRAWING NO: P10390
ISSUE 3	REV.	DCR 6102										
NCAGE CODE U5792				WEIGHT								