

Α4

U5792

~−P35877

SCALE

1:5


SHEET

 \Box F

AA

WEIGHT:

CUSTOMER DRAWING





ONE STEP BAND STRAP - STRAIGHT

| PART NUMBER | ENTRY SIZE | A ±1,8 [±.071] | B ±1,0 [±.040] | C ±0,2 [±.010] | D REF. | E REF. |
|----------------|------------------|-------------------|-------------------|-------------------|---------------|---------------|
| BND-0812S | D-0812S 03 TO 12 | | 5,0 [.197] | 2,9 [.114] | 0,4 [.016] | 1,8 [.071] |
| BND-1412S | 03 TO 24 | 362,0 [14.252] | 5,0 [.197] | 2,9 [.114] | 0,4 [.016] | 1,8 [.071] |
| BND-1425S | 03 TO 24 | 362,1 [14.260] | 8,9 [.350] | 6,2 [.244] | 0,5 [.020] | 1,9 [.075] |

TWO STEP BAND STRAP - STRAIGHT

| 1400121 07440 011741 | | | | | | | | | |
|----------------------|---------------|-------------------|-------------------|-------------------|---------------|---------------|--|--|--|
| PART NUMBER | ENTRY SIZE | A ±1,8 [±.071] | B ±1,0 [±.040] | C ±0,2 [±.010] | D REF. | E REF. | | | |
| BND-1012S | 03 TO 12 | 241,0 [9.488] | 5,1 [.201] | 3,0 [.118] | 0,4 [.016] | 2,2 [.087] | | | |
| BND-1225S | 03 TO 24 | 358,8 [14.126] | 8,3 [.327] | 6,2 [.244] | 0,5 [.020] | 2,5 [.098] | | | |
| BND-1212S | 03 TO 24 | 362,0 [14.252] | 5,0 [.197] | 3,0 [.118] | 0,5 [.020] | 2,5 [.098] | | | |






ONE STEP BAND STRAP - PRE-COILED

| PART NUMBER | ENTRY SIZE | ØA REF | |
|----------------|---------------|-----------------|--|
| BND-0812P | 03 TO 12 | 28,5 [1.120] | |
| BND-1412P | 03 TO 24 | 44,5 [1.752] | |
| BND-1425P | 03 TO 24 | 44,5 [1.752] | |

TWO STEP BAND STRAP - PRE-COILED

| PART NUMBER | ENTRY SIZE | ØA REF | |
|----------------|---------------|-----------------|--|
| BND-1012P | 03 TO 12 | 28,5 [1.120] | |
| BND-1225P | 03 TO 24 | 44,5 [1.752] | |
| BND-1212P | 03 TO 24 | 44,5 [1.752] | |



В

20

COPYRIGHT

| | | | | | | | REV. | ISIONS | | | |
|------------------------------|--|--|---|--|-----------------|---|--|---|----------------|--|---------------|
| | | | PART NUMBER | DESCRIPTION | | BAND SLOT WIDTH (MM) | | | ON | | |
| D FOR PUBLICATION | | | M81306/1-02 | BND-0812P BND-1412S BND-1412P PRE-CALIBRATED HAND TOOL FOR ONE STEP | | TENSION RELEASE LEVER BAND SLOT CUT-OFF BLADE GRIPPER RELEA | | | | TOOL BODY PULL-UP HANDLE ELEASE HANDLE | |
| | | | M81306/1-01 | | | CUT-OFF HANDLE TENSION RELEASE LEVER TOOL BODY CUT-OFF BLADE GRIPPER RELEASE HANDLE | | | | MDLE | |
| RELEASED | ALL RIGHTS RESERVED. | | M81306/2-02 INCLUDES: - TIGHTENING TOOL M81306/2-02B - FOLDING TOOL - M81306/2-02D | PRE-CALIBRATED HAND TOOL FOR TWO STEP BAND BND-1012S BND-1012P BND-1212S BND-1212P | 3,1 | 8 | ME M | TENING TOOL 81306/2-02B SLOT & CUT MECHANISM | PULL UP HANDLE | FOLDING TOOL M81306/2-02D | |
| THIS DRAWING IS UNPUBLISHED. | C CDPYRIGHT 20 BY | | M81306/2-01 INCLUDES: - TIGHTENING TOOL - M81306/2-01A - FOLDING TOOL - M81306/2-02D | PRE-CALIBRATED HAND TOOL FOR TWO STEP BAND BND-1225S BND-1225P | 6,65 | | TIGHTENING TOOL M81306/2-01A CUT OFF HANDLE FOLDING TOOL M81306/2-02D BAND SLOT & CUT OFF MECHANISM | | | | TOOL |
| | 1 - | | MENSIONS: LIMETERS | DWN: K.KUTA-WINCZURA 26/11/2019 MATERIAL: 300 SERIES CORROSION FINISH: PASSIVATED | | | | | | | |
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: GENERAL TOL LINEAR ±0,25MM ANGULAR ±1. | | ANCES UNLESS | CHK: R.STYLES 11/1 | TE Connectivity | | | | | | |
| | | | EDAL TOL | APVD: M.PAUL 11/12/2019 PRODUCT SPEC: | | | | | | | |
| | | | | | | | | | | | |
| | | | | APPLICATION SPEC: | | | | DRAWING NO | | | RESTRICTED TO |
| | ⊕ €= | |) [] | WEIGHT: | | A4 | U5792 (| <u>C</u> -P3: | | Tourer = | |
| | ¥ — | | 7 | CUSTOMER DRAWING | | | | scale 1:5 | SHEET 3 | F 3 REV AA | |