



Part number and Nominal Voltage injected or stamped.
Date code stamped.



Wiring Diagram



Dustproof;
Protection class IP 54 to IEC 529 (DIN EN 60 529)
With mounting bracket
Terminals shape similar to 8092-1:
Coil 6.3 x 0.8 mm
Load 9.5 x 1.2 mm

PART	MATERIAL	COLOUR
Bracket	St2	Zn plating
Cover	PA 66 GF 25	Black sim. to RAL 90005
Base	PA 66 GF 25	Black sim. to RAL 90005
Coil Terminals 85 and 86	Cu Sn	Pre-tinned Sn
Load Terminals 30 and 87	E-Cu	Pre-tinned Sn

TE P/N	REV	Part Number	Code No.
1-1393304-1		V23134-J1053-D642	

PROPRIETARY THE REPRODUCTION, TRANSMISSION OR USE OF THIS DOCUMENT OR IT'S CONTENTS IS NOT PERMITTED WITHOUT EXPRESSED WRITTEN AUTHORITY. OFFENDERS WILL BE LIABLE FOR ALL DAMAGES. ALL RIGHTS, INCLUDING RIGHTS CREATED BY REGISTERED PATENT(S) GRANTED FOR A UTILITY MODEL OR DESIGN, ARE RESERVED.		CHANGES TO THIS DRAWING MUST BE DONE ONLY IN CAD	PAPER SIZE A2
APPLICABLE SPEC.:		FINISH DIMENSIONS APPLY PLATING	SCALE 2:1
TOLERANCE UNLESS SPECIFIED OTHERWISE 150 2768 m		DIMENSIONS IN MM	WEIGHT
DATE 26 JUL 2013		NAME L. Sandoval	
DWN. APP.		PART NAME POWER F RELAY Normally Open	
REV.		LOCATION PE EVORA	
DWG NO. V23134-J1053-D642-CD		SHT. 1 OF 1	
REV. CHANGE ORDER DATE 26 JUL 2013		APP. L. Sandoval	
CLASS 3		CUSTOMER DRAWING	

