



# Engineering Product Design

## Product Construction

28 Conductor Cable  
Shielded and Jacketed

## Controlled Customer Copy

B.W.B.  
GERMANY

## Product Description

**VG 95218 T028 C068**

## Rev

2

## Designer

*Paul Cleary*

## Date

03/11/2020

## Product Manager



*Mark Johnstone*

## Date

03/11/2020

## Component Identification

## Cross-Section



## Components

ID	Type	Quantity	Part Description	(Components refer to issue in effect at date of issue of this EPD)
A	Cable	2	VG 95218 T023 G008	
B	Cable	2	VG 95218 T023 G007	
C	Cable	10	VG 95218 T023 G009	

## Component Identification

Key	Wire/Core Colour(s)	Wire/Core Number(s)	Jacket/Wrap Colour(s)	Jacket/Wrap Number
A1	0/6			
A2	0/6			
B1	0/1			
B2	0/1			
C1	0/8			
C2	0/8			
C3	0/8			
C4	0/8			
C5	0/8			
C6	0/8			



# Engineering Product Design

Product Construction	Controlled Customer Copy	Product Description	Rev
28 Conductor Cable Shielded and Jacketed	B.W.B. GERMANY	<b>VG 95218 T028 C068</b>	2

## Component Identification

Key	Wire/Core Colour(s)	Wire/Core Number(s)	Jacket/Wrap Colour(s)	Jacket/Wrap Number
C7	0/8			
C8	0/8			
C9	0/8			
C10	0/8			

## Cabling

Layer No	Quantity	Description	Nominal O.D. mm
Layer 1	1	VG 95218 T023 G008	
	1	VG 95218 T023 G007	
	2	VG 95218 T023 G009	
Layer 2	1	VG 95218 T023 G008	
	1	VG 95218 T023 G007	
	8	VG 95218 T023 G009	14.8

## Outer

Layer Type	Description	Nominal O.D. mm
Wrap:	Polyester	14.9
Shield: Optimised Braid	Tin Plated Copper	15.8
Jacket: Extrusion 1	Zerohal® - Black Marked 'Raychem - VG 95218 T028 C068 - K1010 - VDE Reg.Nr. 7095 - FMSGSGO - (14x2x0.75)'	18.0 ±0.9 Min Wall - 0.90mm

## Cable Characteristics

Calculated Maximum Weight	660 (kg/km)
Maximum Surface Transfer Impedance	30 milli Ohms/metre @ 30MHz 30 milli Ohms/metre @ 10MHz
This cable is RoHS Compliant	

## Specifications

VG 95218 Part 28 Type C

## Notes

Braid - AWG 32  
Internal reference - EPD94253B



# Engineering Product Design

Product Construction	Controlled Customer Copy	Product Description	Rev
28 Conductor Cable Shielded and Jacketed	TE CONNECTIVITY, UK	VG 95218 T028 C068	2

## Lengths

Unless otherwise specified on your order this cable may be supplied in the following maximum number of continuous lengths with no single length less than 25m:

Order Quantity (m) + One other length  
100

Tyco Electronics UK Ltd.  
Faraday Road, Dorcan  
Swindon  
SN3 5HH  
Tel: (01793) 528171  
Website: [www.te.com](http://www.te.com)

TE Connectivity is a trading name  
of Tyco Electronics UK Ltd, which  
is registered in England and  
Wales, number 550926.  
Registered office: Faraday Road,  
Dorcan, Swindon, SN3 5HH

This drawing and the information set forth hereon  
are the property of Tyco Electronics UK Ltd, and  
are to be held in trust and confidence. Publication,  
duplication, disclosure or use for any purpose not  
expressly authorised in writing by Tyco Electronics  
UK Ltd is prohibited.

© 2020 Tyco Electronics UK Limited.  
A TE Connectivity Ltd company.  
All Rights Reserved.