165LTTM5TM5



TE Connectivity has acquired the DIN Rail Terminal Block product range from ABB

Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks + Solution Series

General Information

Extended Product Type: 165LTTM5TM5

1SNA216110R2200 **Product ID:**

EAN: 3472592161105

Catalog Description: 165LTTM5TM5

Long Description: - Two stud terminal block for ring lug connection, - Profile aligned with disc

onnect terminal blocks type 165ETTM5TM5...

Ordering

Color: Grey

Minimum Order Quantity: 25 piece

Customs Tariff Number: 85369010

Popular Downloads

Data Sheet, Technical Information: 1SNC160020C0201

Instructions and Manuals: 1SNC160020C0201

Dimensions

Product Net Width: 16 mm

Product Net Height: 74 mm

Product Net Depth / Length: 41.5 mm

Product Net Weight: 40 g

Technical

Rated Cross-Section: 16 mm²

16 mm Spacing:

Connection Type: Stud

Function: Feed-through

Number of Levels: 1

Stud / Flexible 1x 16 mm² **Connecting Capacity Main Circuit:**

Stud / Rigid 1x 16 mm²

Main Circuit 76 A Rated Current (I_n):

Rated Short-time Withstand for 1 s 8000 A

Current (Icw):

Rated Voltage (U_r): 800 V

Rated Impulse Withstand Voltage 8 kV

 (U_{imp}) :

| Degree of Protection: | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP00 |
|----------------------------------|--|
| Insulation Material: | Polyamide |
| Mounting on DIN Rail: | G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 |
| | TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 |
| | TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 |
| Tightening Torque: | Cable Lug 4 N·m |
| echnical UL/CSA | |
| Maximum Operating Voltage | Main Circuit 600 V |
| UL/CSA: | |
| Connecting Capacity Main Circuit | Stud / Rigid 1x 20 6 AWG |

Environmental

Flammability According to UL94:

UL/CSA:

Ambient Air Temperature: Operation -55 ... +110 °C

V0

Storage -55 ... +110 °C

Certificates and Declarations (Document Number)

| cUL Certificate: | 1SND168000A0202 |
|---------------------------------|-----------------|
| Declaration of Conformity - CE: | 1SND225002U1000 |
| Environmental Information: | 1SND220051E1002 |
| Instructions and Manuals: | 1SNC160020C0201 |
| RoHS Information: | 1SND230021F0201 |

Classifications

| Object Classification Code: | ^ |
|-----------------------------|--|
| ETIM 4: | EC000897 - Feed-through terminal block |
| ETIM 5: | EC000897 - Feed-through terminal block |
| ETIM 6: | EC000897 - Feed-through terminal block |

Container Information

| Package Level 1 Units: | 25 piece |
|---------------------------------|---------------|
| Package Level 1 Width: | 172 mm |
| Package Level 1 Depth / Length: | 155 mm |
| Package Level 1 Height: | 71 mm |
| Package Level 1 Gross Weight: | 1 kg |
| Package Level 1 EAN: | 3472592161105 |
| Package Level 2 Units: | 250 piece |
| Package Level 2 Width: | 300 mm |
| Package Level 2 Depth / Length: | 500 mm |

Package Level 2 Height: 300 mm

Package Level 3 Units: 6000 piece

Product Packing Type: Box

