



320 CABLE ASSEMBLY

Low-noise charge mode plug and play accelerometer cable assembly. Standard cable length is 120 inches with 10-32 coaxial connectors at each end. Mates with accelerometer models 7500A, 7504A, 7505A, 7508A, 7514A & 7530A.


FEATURES

- FEP Jacket
- PTFE Insulated #30 AWG Conductors
- SPC Braided Shield
- 2 x 10-32 Coaxial Connector
- -55°C to +260°C Temp Range

APPLICATIONS

- Charge Mode Accelerometers
- Vibration Monitoring
- High Temperature
- Shock Monitoring
- Laboratory Testing

DIMENSIONS



ORDERING INFORMATION

320	ŀ	ZZZ
Cable length 120=120 inches (10ft) 240=240 inches (20ft) 360=360 inches (30ft)		

Example; 320-120 Model 320 cable, 120inch cable length (standard length typically in stock)

NORTH AMERICA

Measurement Specialties, Inc., a TE Connectivity Company Tel: 800-522-6752 customercare.akrn@te.com

EUROPE MEAS France SAS a TE Connectivity Company Tel: +31 73 624 6999 customercare.lcsb@te.com

ASIA

Measurement Specialties (China), Ltd., a TE Connectivity Company Tel: 0400-820-6015 customercare.shzn@te.com

te.com/sensorsolutions

TE Connectivity, TE, and the TE connectivity (logo) are trademarks of the TE Connectivity Ltd. family of companies. Other logos, products and/or company names referred to herein may be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2018 TE Connectivity Ltd. family of companies All Rights Reserved.

